

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN030320\
 Data File : BN010074.D
 Acq On : 03 Mar 2020 22:46
 Operator : CG/JU
 Sample : L1568-07
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DBDB0

Manual Integrations
 APPROVED

mohammad
 3/4/2020 7:52:09 AM

Quant Time: Mar 04 02:02:06 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN021220MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Mar 04 01:30:16 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.37	152	49321	20.00	ng/ul	0.01
18) Naphthalene-d8	10.11	136	202249	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.00	164	135130	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.77	188	291860m	20.00	ng/ul	0.00
78) Chrysene-d12	20.99	240	256355	20.00	ng/ul	0.00
86) Perylene-d12	23.08	264	302321	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.03	96	1695	1.41	ng/uL	0.02
5) Phenol-d5	6.58	99	86719	20.67	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.73	67	59122	20.42	ng/ul	0.00
9) 2-Chlorophenol-d4	6.91	132	69442	21.99	ng/ul	0.00
13) 4-Methylphenol-d8	8.09	113	71093	21.30	ng/ul	0.00
19) Nitrobenzene-d5	8.52	128	32393	21.89	ng/ul	0.00
22) 2-Nitrophenol-d4	9.23	143	33174	20.49	ng/ul	0.01
26) 2,4-Dichlorophenol-d3	9.76	165	68001	21.85	ng/ul	0.01
29) 4-Chloroaniline-d4	10.28	131	89606	25.63	ng/ul	0.00
44) Dimethylphthalate-d6	13.44	166	235424	23.32	ng/ul	0.00
47) Acenaphthylene-d8	13.69	160	296494	24.94	ng/ul	0.00
52) 4-Nitrophenol-d4	14.29	143	27296m	14.81	ng/ul	0.02
58) Fluorene-d10	15.02	176	193400	22.19	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.19	200	18432m	10.17	ng/ul	0.01
71) Anthracene-d10	16.87	188	337940m	25.26	ng/ul	0.00
79) Pyrene-d10	19.18	212	377439	28.17	ng/ul	0.00
90) Benzo(a)pyrene-d12	22.94	264	358742	23.76	ng/ul	0.00

Target Compounds	Ovalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN030320\
Data File : BN010074.D
Acq On : 03 Mar 2020 22:46
Operator : CG/JU
Sample : L1568-07
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
DBDB0

Manual Integrations
APPROVED

mohammad
3/4/2020 7:52:09 AM

Quant Time: Mar 04 02:02:06 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN021220MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Mar 04 01:30:16 2020
Response via : Initial Calibration

