

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN030419\
 Data File : BN004592.D
 Acq On : 04 Mar 2019 15:04
 Operator : JU/SJ
 Sample : K1606-01
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BF5C4

Quant Time: Mar 05 03:35:31 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN020719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Mar 05 03:32:21 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.73	152	35456	20.00	ng/ul	-0.01
18) Naphthalene-d8	10.52	136	172601	20.00	ng/ul	-0.02
36) Acenaphthene-d10	14.37	164	113969	20.00	ng/ul	-0.02
62) Phenanthrene-d10	17.12	188	277090	20.00	ng/ul	-0.01
78) Chrysene-d12	21.32	240	354608	20.00	ng/ul	0.00
86) Perylene-d12	23.59	264	389586	20.00	ng/ul	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.23	96	3802	6.45	ng/uL	-0.01
5) Phenol-d5	6.89	99	37318	11.81	ng/ul	-0.01
7) Bis-(2-Chloroethyl)ether-d	7.07	67	22837	14.40	ng/ul	-0.02
9) 2-Chlorophenol-d4	7.26	132	34561	13.49	ng/ul	-0.02
13) 4-Methylphenol-d8	8.42	113	34455	12.69	ng/ul	-0.02
19) Nitrobenzene-d5	8.89	128	17983	15.74	ng/ul	-0.01
22) 2-Nitrophenol-d4	9.60	143	19406	16.27	ng/ul	-0.02
26) 2,4-Dichlorophenol-d3	10.13	165	36041	13.33	ng/ul	-0.01
29) 4-Chloroaniline-d4	10.66	131	49498	16.55	ng/ul	-0.02
44) Dimethylphthalate-d6	13.78	166	143497	14.85	ng/ul	-0.02
47) Acenaphthylene-d8	14.06	160	155865	13.61	ng/ul	-0.02
52) 4-Nitrophenol-d4	14.56	143	18018	9.74	ng/ul	-0.02
58) Fluorene-d10	15.36	176	123558	14.52	ng/ul	-0.02
63) 4,6-Dinitro-2-methylphenol	15.49	200	16500	10.21	ng/ul	-0.01
71) Anthracene-d10	17.22	188	198731	14.96	ng/ul	-0.02
79) Pyrene-d10	19.52	212	227324	14.30	ng/ul	-0.01
90) Benzo(a)pyrene-d12	23.44	264	279838	13.69	ng/ul	-0.02


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
45) Dimethylphthalate	13.83	163	14782	1.547	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN030419\
Data File : BN004592.D
Acq On : 04 Mar 2019 15:04
Operator : JU/SJ
Sample : K1606-01
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BF5C4

Quant Time: Mar 05 03:35:31 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN020719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Mar 05 03:32:21 2019
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 1.547 ng/ul

RT: 13.83 min Scan# 1843

Delta R.T. -0.02 min

Lab File: BN004592.D

Acq: 04 Mar 2019 15:04

Instrument :

BNA_N

ClientSampleId :

BF5C4


Tot Ion:163 Resp: 14782

Ion Ratio Lower Upper

163 100

194 4.5 3.4 5.2

164 10.0 7.9 11.9



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

