

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN030419\  
 Data File : BN004593.D  
 Acq On : 04 Mar 2019 15:39  
 Operator : JU/SJ  
 Sample : PB117560BL  
 Misc :  
 ALS Vial : 12 Sample Multiplier: 1

Instrument :  
 BNA\_N  
 ClientSampleId :  
 SBLK60

Quant Time: Mar 05 03:35:37 2019  
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA\_N\METHODS\SOM-EPA-BN020719MA.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Tue Mar 05 03:32:21 2019  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.73  | 152  | 27737    | 20.00 | ng/ul | -0.02    |
| 18) Naphthalene-d8        | 10.52 | 136  | 135303   | 20.00 | ng/ul | -0.02    |
| 36) Acenaphthene-d10      | 14.37 | 164  | 88208    | 20.00 | ng/ul | -0.02    |
| 62) Phenanthrene-d10      | 17.12 | 188  | 214867   | 20.00 | ng/ul | -0.02    |
| 78) Chrysene-d12          | 21.32 | 240  | 270230   | 20.00 | ng/ul | 0.00     |
| 86) Perylene-d12          | 23.59 | 264  | 296534   | 20.00 | ng/ul | -0.01    |

| System Monitoring Compounds    | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|--------------------------------|-------|------|----------|-------|-------|----------|
| 3) 1,4-Dioxane-d8              | 3.23  | 96   | 2585     | 5.60  | ng/uL | -0.01    |
| 5) Phenol-d5                   | 6.89  | 99   | 61823    | 25.01 | ng/ul | -0.01    |
| 7) Bis-(2-Chloroethyl)ether-d  | 7.07  | 67   | 33029    | 26.63 | ng/ul | -0.02    |
| 9) 2-Chlorophenol-d4           | 7.26  | 132  | 54836    | 27.35 | ng/ul | -0.02    |
| 13) 4-Methylphenol-d8          | 8.42  | 113  | 55822    | 26.27 | ng/ul | -0.02    |
| 19) Nitrobenzene-d5            | 8.89  | 128  | 28172    | 31.46 | ng/ul | -0.01    |
| 22) 2-Nitrophenol-d4           | 9.60  | 143  | 32108    | 34.34 | ng/ul | -0.02    |
| 26) 2,4-Dichlorophenol-d3      | 10.13 | 165  | 59076    | 27.87 | ng/ul | -0.02    |
| 29) 4-Chloroaniline-d4         | 10.66 | 131  | 92535    | 39.47 | ng/ul | -0.02    |
| 44) Dimethylphthalate-d6       | 13.78 | 166  | 230614   | 30.83 | ng/ul | -0.02    |
| 47) Acenaphthylene-d8          | 14.06 | 160  | 270532   | 30.53 | ng/ul | -0.02    |
| 52) 4-Nitrophenol-d4           | 14.57 | 143  | 38941    | 27.19 | ng/ul | -0.01    |
| 58) Fluorene-d10               | 15.36 | 176  | 196974   | 29.91 | ng/ul | -0.02    |
| 63) 4,6-Dinitro-2-methylphenol | 15.49 | 200  | 33966    | 27.11 | ng/ul | -0.01    |
| 71) Anthracene-d10             | 17.22 | 188  | 331082   | 32.15 | ng/ul | -0.02    |
| 79) Pyrene-d10                 | 19.52 | 212  | 394347   | 32.56 | ng/ul | -0.01    |
| 90) Benzo(a)pyrene-d12         | 23.44 | 264  | 477134   | 30.66 | ng/ul | -0.01    |

| Target Compounds | Ovalue |
|------------------|--------|
|------------------|--------|

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN030419\  
Data File : BN004593.D  
Acq On : 04 Mar 2019 15:39  
Operator : JU/SJ  
Sample : PB117560BL  
Misc :  
ALS Vial : 12 Sample Multiplier: 1

Instrument :  
BNA\_N  
ClientSampleId :  
SBLK60

Quant Time: Mar 05 03:35:37 2019  
Quant Method : Z:\SVOASRV\HPCHEM1\BNA\_N\METHODS\SOM-EPA-BN020719MA.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Tue Mar 05 03:32:21 2019  
Response via : Initial Calibration

