

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN030620\
 Data File : BN010136.D
 Acq On : 07 Mar 2020 01:21
 Operator : CG/JU
 Sample : L1834-03
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Mar 07 02:00:38 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN021220MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Mar 05 14:04:18 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.35	152	77280	20.00	ng/ul	0.00
18) Naphthalene-d8	10.09	136	314117	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.00	164	209036	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.76	188	440967	20.00	ng/ul	0.00
78) Chrysene-d12	20.99	240	387066	20.00	ng/ul	0.00
86) Perylene-d12	23.07	264	447281	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.01	96	10088	5.37	ng/uL	0.00
5) Phenol-d5	6.57	99	36558	5.56	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.71	67	136258	30.04	ng/ul	0.00
9) 2-Chlorophenol-d4	6.90	132	120240	24.30	ng/ul	0.00
13) 4-Methylphenol-d8	8.08	113	75509	14.44	ng/ul	0.00
19) Nitrobenzene-d5	8.50	128	76082	33.11	ng/ul	0.00
22) 2-Nitrophenol-d4	9.21	143	81418	32.38	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.75	165	132432	27.40	ng/ul	0.00
29) 4-Chloroaniline-d4	10.33	131	2270	0.42	ng/ul	0.08
44) Dimethylphthalate-d6	13.43	166	508017	32.54	ng/ul	0.00
47) Acenaphthylene-d8	13.68	160	620892	33.76	ng/ul	0.00
52) 4-Nitrophenol-d4	14.29	143	2864	1.00	ng/ul	0.04
58) Fluorene-d10	15.00	176	459940	34.12	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.17	200	69002	25.19	ng/ul	0.00
71) Anthracene-d10	16.86	188	742364	36.73	ng/ul	0.00
79) Pyrene-d10	19.17	212	794602	39.28	ng/ul	0.00
90) Benzo(a)pyrene-d12	22.94	264	823996	36.89	ng/ul	0.00


Target Compounds				Ovalue	
45) Dimethylphthalate	13.48	163	19435	1.193	ng/ul# 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN030620\
Data File : BN010136.D
Acq On : 07 Mar 2020 01:21
Operator : CG/JU
Sample : L1834-03
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Mar 07 02:00:38 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN021220MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Mar 05 14:04:18 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 1.193 ng/ul

RT: 13.48 min Scan# 1818

Delta R.T. 0.01 min

Lab File: BN010136.D

Acq: 07 Mar 2020 01:21

Instrument :

BNA_N

ClientSampleId :


Tot Ion:163 Resp: 19435

Ion Ratio Lower Upper

163 100

194 3.0 3.4 5.0#

164 11.1 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

