

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN030620\
 Data File : BN010128.D
 Acq On : 06 Mar 2020 20:32
 Operator : CG/JU
 Sample : L1834-05
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 C0DH0

Manual Integrations
 APPROVED

mohammad
 3/9/2020 3:05:13 PM

Quant Time: Mar 07 03:02:20 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN021220MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Mar 05 14:04:18 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.35	152	69685	20.00	ng/ul	0.00
18) Naphthalene-d8	10.10	136	284276	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.00	164	187651	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.76	188	398755	20.00	ng/ul	0.00
78) Chrysene-d12	20.99	240	357527	20.00	ng/ul	0.00
86) Perylene-d12	23.08	264	386327	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.00	96	8392	4.95	ng/uL	0.00
5) Phenol-d5	6.58	99	31028	5.23	ng/ul	0.01
7) Bis-(2-Chloroethyl)ether-d	6.72	67	123152	30.11	ng/ul	0.00
9) 2-Chlorophenol-d4	6.90	132	111051	24.89	ng/ul	0.00
13) 4-Methylphenol-d8	8.08	113	66179	14.04	ng/ul	0.00
19) Nitrobenzene-d5	8.50	128	68638	33.00	ng/ul	0.00
22) 2-Nitrophenol-d4	9.21	143	74340	32.67	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.75	165	120189	27.48	ng/ul	0.00
29) 4-Chloroaniline-d4	10.32	131	7027m	1.43	ng/ul	0.06
44) Dimethylphthalate-d6	13.43	166	492529	35.14	ng/ul	0.00
47) Acenaphthylene-d8	13.69	160	563881	34.16	ng/ul	0.00
52) 4-Nitrophenol-d4	14.30	143	9484m	3.70	ng/ul	0.05
58) Fluorene-d10	15.00	176	452653	37.40	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.17	200	70475	28.45	ng/ul	0.00
71) Anthracene-d10	16.86	188	710624	38.88	ng/ul	0.00
79) Pyrene-d10	19.17	212	789523	42.25	ng/ul	0.00
90) Benzo(a)pyrene-d12	22.95	264	794055	41.16	ng/ul	0.00

Target Compounds					Ovalue	
45) Dimethylphthalate	13.47	163	22148	1.514	ng/ul	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN030620\
Data File : BN010128.D
Acq On : 06 Mar 2020 20:32
Operator : CG/JU
Sample : L1834-05
Misc :
ALS Vial : 13 Sample Multiplier: 1




Instrument :
BNA_N
ClientSampleId :
C0DH0

Quant Time: Mar 07 03:02:20 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN021220MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Mar 05 14:04:18 2020
Response via : Initial Calibration

Manual Integrations
APPROVED

mohammad
3/9/2020 3:05:13 PM





#45

Dimethylphthalate

Concen: 1.514 ng/ul

RT: 13.47 min Scan# 1817

Delta R.T. -0.00 min

Lab File: BN010128.D

Acq: 06 Mar 2020 20:32

Instrument :

BNA_N

ClientSampleId :

C0DH0

Tot Ion:163 Resp: 22148

Ion Ratio Lower Upper

163 100

194 4.4 3.4 5.0

164 9.9 8.0 12.0

Manual Integrations

APPROVED

mohammad

3/9/2020 3:05:13 PM

