

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN030719\
 Data File : BN004662.D
 Acq On : 08 Mar 2019 06:00
 Operator : JU/SJ
 Sample : K1662-06
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BFC67

Quant Time: Mar 08 07:14:33 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN030719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Mar 08 00:36:35 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	36218	20.00	ng/ul	0.00
18) Naphthalene-d8	10.51	136	175328	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.36	164	111922	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.11	188	261669	20.00	ng/ul	0.00
78) Chrysene-d12	21.30	240	295080	20.00	ng/ul	0.00
86) Perylene-d12	23.56	264	248446	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.23	96	4537	7.07	ng/uL	0.00
5) Phenol-d5	6.88	99	57613	19.25	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.06	67	32663	20.92	ng/ul	0.00
9) 2-Chlorophenol-d4	7.25	132	53212	20.49	ng/ul	0.00
13) 4-Methylphenol-d8	8.42	113	53941	20.72	ng/ul	0.00
19) Nitrobenzene-d5	8.88	128	28488	21.31	ng/ul	0.00
22) 2-Nitrophenol-d4	9.60	143	33427	22.02	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.12	165	57694	19.94	ng/ul	0.00
29) 4-Chloroaniline-d4	10.65	131	82505	23.77	ng/ul	0.00
44) Dimethylphthalate-d6	13.77	166	208897	21.59	ng/ul	0.00
47) Acenaphthylene-d8	14.06	160	241987	20.77	ng/ul	0.00
52) 4-Nitrophenol-d4	14.56	143	25487	14.19	ng/ul	0.00
58) Fluorene-d10	15.36	176	173755	21.13	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.48	200	27203	15.06	ng/ul	0.00
71) Anthracene-d10	17.21	188	274428	21.53	ng/ul	0.00
79) Pyrene-d10	19.51	212	304626	21.13	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.42	264	254577	19.08	ng/ul	0.00

Target Compounds


				Ovalue
6) Phenol	6.91	94	7585	2.490 ng/ul 100
45) Dimethylphthalate	13.82	163	26047	2.743 ng/ul 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN030719\
Data File : BN004662.D
Acq On : 08 Mar 2019 06:00
Operator : JU/SJ
Sample : K1662-06
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BFC67

Quant Time: Mar 08 07:14:33 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN030719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Mar 08 00:36:35 2019
Response via : Initial Calibration






#6

Phenol




Concen: 2.490 ng/ul
 RT: 6.91 min Scan# 667
 Delta R.T. -0.00 min
 Lab File: BN004662.D
 Acq: 08 Mar 2019 06:00

Instrument :
 BNA_N
 ClientSampleId :
 BFC67

Tot Ion: 94 Resp: 7585
 Ion Ratio Lower Upper
 94 100
 65 25.3 20.2 30.4
 66 34.9 28.2 42.2



Abundance Ion 94.00 (93.70 to 94.70): BN0
 Ion 65.00 (64.70 to 65.70): BN0
 Ion 66.00 (65.70 to 66.70): BN0




#45

Dimethylphthalate

Concen: 2.743 ng/ul
 RT: 13.82 min Scan# 1841
 Delta R.T. -0.01 min
 Lab File: BN004662.D
 Acq: 08 Mar 2019 06:00

Tgt Ion: 163 Resp: 26047
 Ion Ratio Lower Upper
 163 100
 194 4.4 3.4 5.2
 164 10.7 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E

