

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN031319\
 Data File : BN004732.D
 Acq On : 13 Mar 2019 15:58
 Operator : JU/SJ
 Sample : K1794-07
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BF5N7

Manual Integrations
 APPROVED

Sohil
 3/14/2019 11:14:35 AM

Quant Time: Mar 14 01:23:03 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN030719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Mar 13 03:05:10 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	31643	20.00	ng/ul	0.00
18) Naphthalene-d8	10.50	136	140418	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.36	164	85675	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.11	188	203173	20.00	ng/ul	0.00
78) Chrysene-d12	21.31	240	229700	20.00	ng/ul	0.00
86) Perylene-d12	23.57	264	215419	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.22	96	4262	7.60	ng/uL	0.00
5) Phenol-d5	6.89	99	64681	24.74	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.06	67	35118	25.75	ng/ul	0.00
9) 2-Chlorophenol-d4	7.25	132	58832	25.93	ng/ul	0.00
13) 4-Methylphenol-d8	8.42	113	56641	24.91	ng/ul	0.00
19) Nitrobenzene-d5	8.88	128	29098	27.18	ng/ul	0.00
22) 2-Nitrophenol-d4	9.59	143	33127	27.25	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.13	165	59558	25.70	ng/ul	0.00
29) 4-Chloroaniline-d4	10.65	131	84430	30.37	ng/ul	0.00
44) Dimethylphthalate-d6	13.77	166	205620	27.76	ng/ul	0.00
47) Acenaphthylene-d8	14.06	160	253513	28.43	ng/ul	0.00
52) 4-Nitrophenol-d4	14.59	143	19635m	14.28	ng/ul	0.01
58) Fluorene-d10	15.36	176	176597	28.05	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.48	200	24749	17.64	ng/ul	0.00
71) Anthracene-d10	17.21	188	287498	29.05	ng/ul	0.00
79) Pyrene-d10	19.51	212	337181	30.04	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.43	264	309176	26.73	ng/ul	0.00

Target Compounds

					Ovalue
6) Phenol	6.92	94	3465	1.302	ng/ul 95
45) Dimethylphthalate	13.82	163	37048	5.097	ng/ul 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN031319\
Data File : BN004732.D
Acq On : 13 Mar 2019 15:58
Operator : JU/SJ
Sample : K1794-07
Misc :
ALS Vial : 6 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
BF5N7

Manual Integrations
APPROVED

Sohil
3/14/2019 11:14:35 AM

Quant Time: Mar 14 01:23:03 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN030719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Mar 13 03:05:10 2019
Response via : Initial Calibration





#6

Phenol

Concen: 1.302 ng/ul

RT: 6.92 min Scan# 668

Delta R.T. 0.01 min

Lab File: BN004732.D

Acq: 13 Mar 2019 15:58

Instrument :

BNA_N





ClientSampleId :

BF5N7

Tot Ion:	94	Resp:	3465
Ion	Ratio	Lower	Upper
94	100		
65	26.0	20.2	30.4
66	39.6	28.2	42.2

Manual Integrations
APPROVED

Sohil
3/14/2019 11:14:35 AM



#45

Dimethylphthalate

Concen: 5.097 ng/ul

RT: 13.82 min Scan# 1841

Delta R.T. 0.00 min

Lab File: BN004732.D

Acq: 13 Mar 2019 15:58

Tgt Ion:	163	Resp:	37048
Ion	Ratio	Lower	Upper
163	100		
194	4.4	3.4	5.2
164	10.5	7.9	11.9

