

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN031519\
 Data File : BN004769.D
 Acq On : 15 Mar 2019 13:52
 Operator : JU/SJ
 Sample : K1919-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 C09G7

Manual Integrations
 APPROVED

Sohil
 3/18/2019 3:08:01 PM

Quant Time: Mar 15 23:06:55 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN030719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Mar 15 04:01:10 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.71	152	23182	20.00	ng/ul	0.00
18) Naphthalene-d8	10.49	136	104650	20.00	ng/ul	-0.01
36) Acenaphthene-d10	14.35	164	67255	20.00	ng/ul	-0.01
62) Phenanthrene-d10	17.10	188	169379	20.00	ng/ul	-0.01
78) Chrysene-d12	21.30	240	223349	20.00	ng/ul	-0.01
86) Perylene-d12	23.56	264	251590	20.00	ng/ul	-0.02

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.22	96	2048	4.98	ng/uL	0.00
5) Phenol-d5	6.88	99	12028	6.28	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.05	67	31922	31.95	ng/ul	0.00
9) 2-Chlorophenol-d4	7.24	132	44829	26.97	ng/ul	0.00
13) 4-Methylphenol-d8	8.41	113	25710	15.43	ng/ul	0.00
19) Nitrobenzene-d5	8.87	128	27742	34.77	ng/ul	-0.01
22) 2-Nitrophenol-d4	9.59	143	32138	35.47	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.12	165	52748	30.55	ng/ul	-0.01
29) 4-Chloroaniline-d4	0.00	131	0	0.00	ng/ul	
44) Dimethylphthalate-d6	13.76	166	206385	35.49	ng/ul	0.00
47) Acenaphthylene-d8	14.05	160	245849	35.12	ng/ul	0.00
52) 4-Nitrophenol-d4	14.57	143	4057m	3.76	ng/ul	0.00
58) Fluorene-d10	15.35	176	178555	36.13	ng/ul	-0.01
63) 4,6-Dinitro-2-methylphenol	15.47	200	35726	30.55	ng/ul	0.00
71) Anthracene-d10	17.20	188	305803	37.07	ng/ul	-0.01
79) Pyrene-d10	19.50	212	369111	33.82	ng/ul	-0.01
90) Benzo(a)pyrene-d12	23.42	264	469758	34.77	ng/ul	-0.02

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN031519\
Data File : BN004769.D
Acq On : 15 Mar 2019 13:52
Operator : JU/SJ
Sample : K1919-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
C09G7

Manual Integrations
APPROVED

Sohil
3/18/2019 3:08:01 PM

Quant Time: Mar 15 23:06:55 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN030719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Mar 15 04:01:10 2019
Response via : Initial Calibration

