

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN031723\
 Data File : BN024348.D
 Acq On : 17 Mar 2023 16:20
 Operator : CG/JU
 Sample : SSTDCCC0.4
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4

Quant Time: Mar 17 23:28:44 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031323.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 17 04:37:08 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.040	152	7651	0.400	ng	0.00
7) Naphthalene-d8	10.855	136	22307	0.400	ng	# 0.00
13) Acenaphthene-d10	14.675	164	10312	0.400	ng	0.00
19) Phenanthrene-d10	17.413	188	20091	0.400	ng	# 0.00
29) Chrysene-d12	21.610	240	13073	0.400	ng	0.00
35) Perylene-d12	24.120	264	9463	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.584	112	6731	0.397	ng	0.00
5) Phenol-d6	7.188	99	8743	0.402	ng	0.00
8) Nitrobenzene-d5	9.200	82	6730	0.452	ng	0.00
11) 2-Methylnaphthalene-d10	12.437	152	10307	0.376	ng	0.00
14) 2,4,6-Tribromophenol	16.159	330	1578	0.299	ng	0.00
15) 2-Fluorobiphenyl	13.307	172	16558	0.425	ng	0.00
27) Fluoranthene-d10	19.446	212	15600	0.366	ng	0.00
31) Terphenyl-d14	20.033	244	8853	0.402	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.439	88	3489	0.419	ng	91
3) n-Nitrosodimethylamine	3.764	42	5841	0.479	ng	91
6) bis(2-Chloroethyl)ether	7.455	93	9337	0.432	ng	95
9) Naphthalene	10.909	128	23452	0.414	ng	100
10) Hexachlorobutadiene	11.197	225	4288	0.399	ng	# 99
12) 2-Methylnaphthalene	12.512	142	14506	0.379	ng	99
16) Acenaphthylene	14.397	152	18704	0.382	ng	100
17) Acenaphthene	14.739	154	12483	0.401	ng	97
18) Fluorene	15.712	166	13930	0.374	ng	99
20) 4,6-Dinitro-2-methylph...	15.787	198	827	0.399	ng	90
21) 4-Bromophenyl-phenylether	16.606	248	4258	0.356	ng	# 81
22) Hexachlorobenzene	16.730	284	5799	0.396	ng	95
23) Atrazine	16.867	200	2548	0.336	ng	# 92
24) Pentachlorophenol	17.065	266	2023	0.355	ng	98
25) Phenanthrene	17.462	178	24103	0.405	ng	100
26) Anthracene	17.549	178	20147	0.367	ng	99
28) Fluoranthene	19.475	202	24168	0.371	ng	99
30) Pyrene	19.838	202	23935	0.452	ng	100
32) Benzo(a)anthracene	21.592	228	16707	0.383	ng	100
33) Chrysene	21.646	228	19659	0.422	ng	99
34) Bis(2-ethylhexyl)phtha...	21.502	149	8371	0.407	ng	96
36) Indeno(1,2,3-cd)pyrene	26.746	276	13111	0.370	ng	96
37) Benzo(b)fluoranthene	23.345	252	15007	0.408	ng	# 93
38) Benzo(k)fluoranthene	23.401	252	14990	0.395	ng	# 93
39) Benzo(a)pyrene	24.003	252	12663	0.375	ng	# 90
40) Dibenzo(a,h)anthracene	26.763	278	9690	0.353	ng	94
41) Benzo(g,h,i)perylene	27.552	276	13070	0.408	ng	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN031723\
 Data File : BN024348.D
 Acq On : 17 Mar 2023 16:20
 Operator : CG/JU
 Sample : SSTDCCC0.4
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4

Quant Time: Mar 17 23:28:44 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031323.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 17 04:37:08 2023
 Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 8.040 min Scan# 61
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:152 Resp: 7651
Ion Ratio Lower Upper
152 100
150 156.0 124.7 187.1
115 63.4 49.1 73.7



#2
1,4-Dioxane
Concen: 0.419 ng
RT: 3.439 min Scan# 22
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20

Tgt Ion: 88 Resp: 3489
Ion Ratio Lower Upper
88 100
43 41.6 29.0 43.4
58 92.3 67.3 100.9









#3
n-Nitrosodimethylamine
Concen: 0.479 ng
RT: 3.764 min Scan# 61
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion: 42 Resp: 5841
Ion Ratio Lower Upper
42 100
74 92.7 81.6 122.4
44 8.4 7.3 10.9



#4
2-Fluorophenol
Concen: 0.397 ng
RT: 5.584 min Scan# 319
Delta R.T. 0.007 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20

Tgt Ion: 112 Resp: 6731
Ion Ratio Lower Upper
112 100
64 66.7 49.0 73.6
63 35.2 25.7 38.5








#5
Phenol-d6
Concen: 0.402 ng
RT: 7.188 min Scan# 541
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:	99	Resp:	8743
Ion	Ratio	Lower	Upper
99	100		
42	29.5	20.1	30.1
71	33.9	25.8	38.8



#6
bis(2-Chloroethyl)ether
Concen: 0.432 ng
RT: 7.455 min Scan# 578
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20

Tgt Ion:	93	Resp:	9337
Ion	Ratio	Lower	Upper
93	100		
63	88.4	65.4	98.2
95	32.2	25.8	38.8









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.855 min Scan# 91
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:	136	Resp:	22307
Ion Ratio	Lower	Upper	
136	100		
137	11.3	8.9	13.3
54	12.7	7.1	10.7#
68	8.7	5.3	7.9#



#8
Nitrobenzene-d5
Concen: 0.452 ng
RT: 9.200 min Scan# 780
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20

Tgt Ion:	82	Resp:	6730
Ion Ratio	Lower	Upper	
82	100		
128	32.2	32.4	48.6#
54	66.4	45.2	67.8









#9
Naphthalene
Concen: 0.414 ng
RT: 10.909 min Scan# 941
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:128 Resp: 23452
Ion Ratio Lower Upper
128 100
129 11.2 9.0 13.6
127 13.0 10.2 15.4



#10
Hexachlorobutadiene
Concen: 0.399 ng
RT: 11.197 min Scan# 967
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20

Tgt Ion:225 Resp: 4288
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 64.3 51.0 76.4









#11
2-Methylnaphthalene-d10
Concen: 0.376 ng
RT: 12.437 min Scan# 11
Delta R.T. -0.004 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:152 Resp: 10307
Ion Ratio Lower Upper
152 100
151 21.3 16.8 25.2



#12
2-Methylnaphthalene
Concen: 0.379 ng
RT: 12.512 min Scan# 1262
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20

Tgt Ion:142 Resp: 14506
Ion Ratio Lower Upper
142 100
141 89.8 71.8 107.6
115 38.4 30.0 45.0








#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.675 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:164 Resp: 10312
Ion Ratio Lower Upper
164 100
162 105.1 84.7 127.1
160 56.3 44.6 66.8



#14
2,4,6-Tribromophenol
Concen: 0.299 ng
RT: 16.159 min Scan# 1682
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20

Tgt Ion:330 Resp: 1578
Ion Ratio Lower Upper
330 100
332 94.4 78.0 117.0
141 44.6 30.8 46.2





#15

2-Fluorobiphenyl

Concen: 0.425 ng

RT: 13.307 min Scan# 1421

Delta R.T. -0.000 min

Lab File: BN024348.D

Acq: 17 Mar 2023 16:20

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:172 Resp: 16558

Ion Ratio Lower Upper

172 100

171 33.7 27.8 41.8

170 23.0 19.0 28.6



#16

Acenaphthylene

Concen: 0.382 ng

RT: 14.397 min Scan# 1523

Delta R.T. -0.000 min

Lab File: BN024348.D

Acq: 17 Mar 2023 16:20




Tgt Ion:152 Resp: 18704


Ion Ratio Lower Upper

152 100

151 19.3 15.4 23.0

153 13.0 10.4 15.6








#17
Acenaphthene
Concen: 0.401 ng
RT: 14.739 min Scan# 1555
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:154 Resp: 12483
Ion Ratio Lower Upper
154 100
153 113.7 88.4 132.6
152 63.7 48.7 73.1



#18
Fluorene
Concen: 0.374 ng
RT: 15.712 min Scan# 1646
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20

Tgt Ion:166 Resp: 13930
Ion Ratio Lower Upper
166 100
165 98.7 80.2 120.2
167 13.6 10.8 16.2









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.413 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:188 Resp: 20091
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 20.2 8.9 13.3#



#20
4,6-Dinitro-2-methylphenol
Concen: 0.399 ng
RT: 15.787 min Scan# 1652
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20

Tgt Ion:198 Resp: 827
Ion Ratio Lower Upper
198 100
51 100.9 68.2 102.2
105 63.9 51.6 77.4









#21
4-Bromophenyl-phenylether
Concen: 0.356 ng
RT: 16.606 min Scan# 1718
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:248 Resp: 4258
Ion Ratio Lower Upper
248 100
250 96.5 81.9 122.9
141 68.0 28.2 42.2#



#22
Hexachlorobenzene
Concen: 0.396 ng
RT: 16.730 min Scan# 1728
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20

Tgt Ion:284 Resp: 5799
Ion Ratio Lower Upper
284 100
142 42.7 30.2 45.4
249 31.2 24.5 36.7





#23

Atrazine

Concen: 0.336 ng

RT: 16.867 min Scan# 1739

Delta R.T. -0.000 min

Lab File: BN024348.D

Acq: 17 Mar 2023 16:20

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:200 Resp: 2548

Ion Ratio Lower Upper

200 100

173 33.6 18.9 28.3#

215 44.7 36.7 55.1



#24

Pentachlorophenol

Concen: 0.355 ng

RT: 17.065 min Scan# 1755

Delta R.T. -0.000 min

Lab File: BN024348.D

Acq: 17 Mar 2023 16:20




Tgt Ion:266 Resp: 2023


Ion Ratio Lower Upper

266 100

264 63.0 51.1 76.7

268 63.3 52.2 78.4





#25

Phenanthrene

Concen: 0.405 ng

RT: 17.462 min Scan# 1787

Delta R.T. -0.000 min

Lab File: BN024348.D

Acq: 17 Mar 2023 16:20

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:178 Resp: 24103

Ion Ratio Lower Upper

178 100

176 19.4 15.4 23.0

179 15.3 12.2 18.2



#26

Anthracene

Concen: 0.367 ng

RT: 17.549 min Scan# 1794

Delta R.T. -0.000 min

Lab File: BN024348.D

Acq: 17 Mar 2023 16:20




Tgt Ion:178 Resp: 20147

Ion Ratio Lower Upper

178 100

176 19.3 15.1 22.7

179 15.2 12.1 18.1








#27
Fluoranthene-d10
Concen: 0.366 ng
RT: 19.446 min Scan# 2172
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:212 Resp: 15600
Ion Ratio Lower Upper
212 100
106 21.2 15.4 23.2
104 12.2 8.6 13.0



#28
Fluoranthene
Concen: 0.371 ng
RT: 19.475 min Scan# 2179
Delta R.T. -0.000 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20

Tgt Ion:202 Resp: 24168
Ion Ratio Lower Upper
202 100
101 15.3 11.3 16.9
203 17.0 13.6 20.4





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.610 min Scan# 2485

Delta R.T. 0.009 min

Lab File: BN024348.D

Acq: 17 Mar 2023 16:20

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:240 Resp: 13073

Ion Ratio Lower Upper

240 100

120 18.2 12.8 19.2

236 29.4 22.5 33.7



#30

Pyrene

Concen: 0.452 ng

RT: 19.838 min Scan# 2265

Delta R.T. -0.000 min

Lab File: BN024348.D

Acq: 17 Mar 2023 16:20




Tgt Ion:202 Resp: 23935

Ion Ratio Lower Upper

202 100

200 21.3 17.0 25.4

203 17.9 14.2 21.2





#31

Terphenyl-d14

Concen: 0.402 ng

RT: 20.033 min Scan# 21

Delta R.T. -0.000 min

Lab File: BN024348.D

Acq: 17 Mar 2023 16:20

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4




Tgt Ion:244 Resp: 8853

Ion Ratio Lower Upper

244 100

212 11.0 7.6 11.4

122 23.1 15.1 22.7#



#32

Benzo(a)anthracene

Concen: 0.383 ng

RT: 21.592 min Scan# 2482

Delta R.T. 0.009 min

Lab File: BN024348.D

Acq: 17 Mar 2023 16:20




Tgt Ion:228 Resp: 16707

Ion Ratio Lower Upper

228 100

226 27.5 22.2 33.2

229 20.0 15.9 23.9





#33

Chrysene

Concen: 0.422 ng

RT: 21.646 min Scan# 2488

Delta R.T. -0.000 min

Lab File: BN024348.D

Acq: 17 Mar 2023 16:20

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:228 Resp: 19659

Ion Ratio Lower Upper

228 100

226 31.5 24.5 36.7

229 19.4 15.5 23.3



#34

Bis(2-ethylhexyl)phthalate

Concen: 0.407 ng

RT: 21.502 min Scan# 2472

Delta R.T. -0.000 min

Lab File: BN024348.D

Acq: 17 Mar 2023 16:20




Tgt Ion:149 Resp: 8371

Ion Ratio Lower Upper

149 100

167 24.2 21.2 31.8

279 2.3 1.8 2.8





#35

Perylene-d12

Concen: 0.400 ng

RT: 24.120 min Scan# 3158

Delta R.T. 0.006 min

Lab File: BN024348.D

Acq: 17 Mar 2023 16:20

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:264 Resp: 9463

Ion Ratio Lower Upper

264 100

260 27.6 21.4 32.2

265 73.1 35.7 53.5#



#36

Indeno(1,2,3-cd)pyrene

Concen: 0.370 ng

RT: 26.746 min Scan# 4057

Delta R.T. 0.006 min

Lab File: BN024348.D

Acq: 17 Mar 2023 16:20




Tgt Ion:276 Resp: 13111

Ion Ratio Lower Upper

276 100

138 37.8 27.4 41.2

277 25.1 19.8 29.6








#37
Benzo(b)fluoranthene
Concen: 0.408 ng
RT: 23.345 min Scan# 2896
Delta R.T. 0.003 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:252 Resp: 15007
Ion Ratio Lower Upper
252 100
253 25.3 18.9 28.3
125 22.3 13.8 20.6#



#38
Benzo(k)fluoranthene
Concen: 0.395 ng
RT: 23.401 min Scan# 2913
Delta R.T. 0.006 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20

Tgt Ion:252 Resp: 14990
Ion Ratio Lower Upper
252 100
253 25.7 19.0 28.6
125 22.2 13.5 20.3#









#39
Benzo(a)pyrene
Concen: 0.375 ng
RT: 24.003 min Scan# 3119
Delta R.T. 0.006 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:252 Resp: 12663
Ion Ratio Lower Upper
252 100
253 27.5 19.5 29.3
125 27.4 16.2 24.4#



#40
Dibenzo(a,h)anthracene
Concen: 0.353 ng
RT: 26.763 min Scan# 4063
Delta R.T. 0.003 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20


Tgt Ion:278 Resp: 9690
Ion Ratio Lower Upper
278 100
139 28.5 19.4 29.0
279 28.1 20.7 31.1





#41
Benzo(g,h,i)perylene
Concen: 0.408 ng
RT: 27.552 min Scan# 41
Delta R.T. -0.003 min
Lab File: BN024348.D
Acq: 17 Mar 2023 16:20

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4



Tgt Ion:276 Resp: 13070
Ion Ratio Lower Upper
276 100
277 25.5 19.9 29.9
138 34.3 24.5 36.7

