

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN031723\
 Data File : BN024379.D
 Acq On : 18 Mar 2023 13:10
 Operator : CG/JU
 Sample : 01880-10
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE105D2-20230309

Quant Time: Mar 20 01:09:45 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031323.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Mar 18 05:49:08 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.040	152	9998	0.400	ng	0.00
7) Naphthalene-d8	10.855	136	30165	0.400	ng	0.00
13) Acenaphthene-d10	14.665	164	14374	0.400	ng	0.00
19) Phenanthrene-d10	17.413	188	29887	0.400	ng	# 0.00
29) Chrysene-d12	21.601	240	18180	0.400	ng	# 0.00
35) Perylene-d12	24.100	264	12690	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.577	112	3349	0.151	ng	0.00
5) Phenol-d6	7.188	99	2683	0.094	ng	0.00
8) Nitrobenzene-d5	9.200	82	6981	0.346	ng	0.00
11) 2-Methylnaphthalene-d10	12.433	152	11452	0.309	ng	0.00
14) 2,4,6-Tribromophenol	16.159	330	1807	0.246	ng	0.00
15) 2-Fluorobiphenyl	13.296	172	17338	0.319	ng	0.00
27) Fluoranthene-d10	19.442	212	24530	0.387	ng	0.00
31) Terphenyl-d14	20.034	244	14137	0.461	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.432	88	45326	4.166	ng	Qvalue 95
6) bis(2-Chloroethyl)ether	7.455	93	1340	0.047	ng	92
34) Bis(2-ethylhexyl)phtha...	21.502	149	3483	0.122	ng	# 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN031723\
Data File : BN024379.D
Acq On : 18 Mar 2023 13:10
Operator : CG/JU
Sample : 01880-10
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE105D2-20230309


Quant Time: Mar 20 01:09:45 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031323.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Mar 18 05:49:08 2023
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 8.040 min Scan# 61
Delta R.T. -0.000 min
Lab File: BN024379.D
Acq: 18 Mar 2023 13:10

Instrument :
BNA_N
ClientSampleId :
RE105D2-20230309






Tgt Ion:152 Resp: 9998
Ion Ratio Lower Upper
152 100
150 152.9 124.7 187.1
115 61.1 49.1 73.7



#2
1,4-Dioxane
Concen: 4.166 ng
RT: 3.432 min Scan# 21
Delta R.T. 0.000 min
Lab File: BN024379.D
Acq: 18 Mar 2023 13:10

Tgt Ion: 88 Resp: 45326
Ion Ratio Lower Upper
88 100
43 41.3 29.0 43.4
58 86.6 67.3 100.9









#4
2-Fluorophenol
Concen: 0.151 ng
RT: 5.577 min Scan# 31
Delta R.T. 0.000 min
Lab File: BN024379.D
Acq: 18 Mar 2023 13:10




Instrument :
BNA_N
ClientSampleId :
RE105D2-20230309


Tgt Ion:112 Resp: 3349
Ion Ratio Lower Upper
112 100
64 67.8 49.0 73.6
63 35.1 25.7 38.5



#5
Phenol-d6
Concen: 0.094 ng
RT: 7.188 min Scan# 541
Delta R.T. 0.000 min
Lab File: BN024379.D
Acq: 18 Mar 2023 13:10

Tgt Ion: 99 Resp: 2683
Ion Ratio Lower Upper
99 100
42 30.4 20.1 30.1#
71 38.1 25.8 38.8









#6
bis(2-Chloroethyl)ether
Concen: 0.047 ng
RT: 7.455 min Scan# 51
Delta R.T. 0.000 min
Lab File: BN024379.D
Acq: 18 Mar 2023 13:10




Instrument :
BNA_N
ClientSampleId :
RE105D2-20230309


Tgt Ion: 93	Resp:	1340
Ion	Ratio	Lower Upper
93	100	
63	91.4	65.4 98.2
95	31.9	25.8 38.8



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.855 min Scan# 935
Delta R.T. 0.000 min
Lab File: BN024379.D
Acq: 18 Mar 2023 13:10

Tgt Ion: 136	Resp:	30165
Ion	Ratio	Lower Upper
136	100	
137	11.0	8.9 13.3
54	9.4	7.1 10.7
68	6.7	5.3 7.9









#8
 Nitrobenzene-d5
 Concen: 0.346 ng
 RT: 9.200 min Scan# 781
 Delta R.T. 0.000 min
 Lab File: BN024379.D
 Acq: 18 Mar 2023 13:10




Instrument :
 BNA_N
 ClientSampleId :
 RE105D2-20230309


Tgt Ion:	82	Resp:	6981
Ion	Ratio	Lower	Upper
82	100		
128	37.4	32.4	48.6
54	61.0	45.2	67.8



#11
 2-Methylnaphthalene-d10
 Concen: 0.309 ng
 RT: 12.433 min Scan# 1241
 Delta R.T. 0.000 min
 Lab File: BN024379.D
 Acq: 18 Mar 2023 13:10

Tgt Ion:	152	Resp:	11452
Ion	Ratio	Lower	Upper
152	100		
151	21.3	16.8	25.2





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.665 min Scan# 1548

Delta R.T. 0.000 min

Lab File: BN024379.D

Acq: 18 Mar 2023 13:10

Instrument :

BNA_N

ClientSampleId :

RE105D2-20230309





Tgt Ion:164 Resp: 14374

Ion Ratio Lower Upper

164 100

162 109.9 84.7 127.1

160 58.2 44.6 66.8



#14

2,4,6-Tribromophenol

Concen: 0.246 ng

RT: 16.159 min Scan# 1682

Delta R.T. 0.000 min

Lab File: BN024379.D

Acq: 18 Mar 2023 13:10




Tgt Ion:330 Resp: 1807


Ion Ratio Lower Upper

330 100

332 99.3 78.0 117.0

141 47.1 30.8 46.2#









#15
2-Fluorobiphenyl
Concen: 0.319 ng
RT: 13.296 min Scan# 14
Delta R.T. 0.000 min
Lab File: BN024379.D
Acq: 18 Mar 2023 13:10




Instrument :
BNA_N
ClientSampleId :
RE105D2-20230309


Tgt Ion:172 Resp: 17338
Ion Ratio Lower Upper
172 100
171 34.4 27.8 41.8
170 24.2 19.0 28.6



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.413 min Scan# 1783
Delta R.T. 0.000 min
Lab File: BN024379.D
Acq: 18 Mar 2023 13:10

Tgt Ion:188 Resp: 29887
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 15.6 8.9 13.3#









#27
Fluoranthene-d10
Concen: 0.387 ng
RT: 19.442 min Scan# 2171
Delta R.T. 0.000 min
Lab File: BN024379.D
Acq: 18 Mar 2023 13:10




Instrument :
BNA_N
ClientSampleId :
RE105D2-20230309


Tgt Ion:212 Resp: 24530
Ion Ratio Lower Upper
212 100
106 20.9 15.4 23.2
104 12.0 8.6 13.0



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.601 min Scan# 2483
Delta R.T. 0.000 min
Lab File: BN024379.D
Acq: 18 Mar 2023 13:10

Tgt Ion:240 Resp: 18180
Ion Ratio Lower Upper
240 100
120 24.9 12.8 19.2#
236 29.4 22.5 33.7





#31

Terphenyl-d14

Concen: 0.461 ng

RT: 20.034 min Scan# 2309

Delta R.T. 0.000 min

Lab File: BN024379.D

Acq: 18 Mar 2023 13:10

Instrument :

BNA_N

ClientSampleId :

RE105D2-20230309





Tgt Ion:244 Resp: 14137

Ion Ratio Lower Upper

244 100

212 9.3 7.6 11.4

122 17.3 15.1 22.7



#34

Bis(2-ethylhexyl)phthalate

Concen: 0.122 ng

RT: 21.502 min Scan# 2472

Delta R.T. 0.000 min

Lab File: BN024379.D

Acq: 18 Mar 2023 13:10




Tgt Ion:149 Resp: 3483


Ion Ratio Lower Upper

149 100

167 25.2 21.2 31.8


279 1.8 1.8 2.8





#35
Perylene-d12
Concen: 0.400 ng
RT: 24.100 min Scan# 31
Delta R.T. 0.003 min
Lab File: BN024379.D
Acq: 18 Mar 2023 13:10

Instrument :
BNA_N
ClientSampleId :
RE105D2-20230309



Tgt Ion:264 Resp: 12690
Ion Ratio Lower Upper
264 100
260 28.0 21.4 32.2
265 62.6 35.7 53.5#

