

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032122\
 Data File : BN019018.D
 Acq On : 21 Mar 2022 11:15
 Operator : CG/JU
 Sample : SSTDCCC0.4
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4

Quant Time: Mar 22 02:10:06 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN031722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 17 13:18:23 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.847	152	5986	0.400	ng	0.00
7) Naphthalene-d8	10.658	136	16401	0.400	ng	0.00
13) Acenaphthene-d10	14.484	164	9740	0.400	ng	-0.01
19) Phenanthrene-d10	17.236	188	19574	0.400	ng	# 0.00
29) Chrysene-d12	21.422	240	13030	0.400	ng	# 0.00
35) Perylene-d12	23.796	264	9151	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.399	112	4758	0.355	ng	0.00
5) Phenol-d6	7.002	99	4654	0.331	ng	0.00
8) Nitrobenzene-d5	9.003	82	3861	0.326	ng	-0.01
11) 2-Methylnaphthalene-d10	12.250	152	10082	0.371	ng	0.00
14) 2,4,6-Tribromophenol	15.974	330	1276	0.272	ng	-0.01
15) 2-Fluorobiphenyl	13.116	172	15324	0.392	ng	-0.01
27) Fluoranthene-d10	19.265	212	21150	0.364	ng	0.00
31) Terphenyl-d14	19.864	244	12141	0.379	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.239	88	2955	0.399	ng	96
3) n-Nitrosodimethylamine	3.572	42	3028	0.351	ng	98
6) bis(2-Chloroethyl)ether	7.262	93	6550	0.391	ng	98
9) Naphthalene	10.701	128	18206	0.390	ng	100
10) Hexachlorobutadiene	11.000	225	4324	0.379	ng	# 99
12) 2-Methylnaphthalene	12.321	142	11772	0.371	ng	100
16) Acenaphthylene	14.206	152	15523	0.343	ng	99
17) Acenaphthene	14.549	154	11888	0.375	ng	99
18) Fluorene	15.532	166	14749	0.369	ng	99
20) 4,6-Dinitro-2-methylph...	15.618	198	698	0.299	ng	# 82
21) 4-Bromophenyl-phenylether	16.425	248	4590	0.372	ng	# 92
22) Hexachlorobenzene	16.549	284	6209	0.390	ng	99
23) Atrazine	16.682	200	2647	0.287	ng	97
24) Pentachlorophenol	16.887	266	1105	0.226	ng	99
25) Phenanthrene	17.277	178	23140	0.378	ng	100
26) Anthracene	17.369	178	17585	0.340	ng	100
28) Fluoranthene	19.295	202	26432	0.368	ng	99
30) Pyrene	19.657	202	26558	0.409	ng	100
32) Benzo(a)anthracene	21.404	228	13332	0.332	ng	99
33) Chrysene	21.458	228	21815	0.403	ng	99
34) Bis(2-ethylhexyl)phtha...	21.333	149	8531	0.320	ng	# 100
36) Indeno(1,2,3-cd)pyrene	26.249	276	10070	0.305	ng	# 64
37) Benzo(b)fluoranthene	23.074	252	12352	0.370	ng	97
38) Benzo(k)fluoranthene	23.118	252	18067	0.395	ng	97
39) Benzo(a)pyrene	23.694	252	11331	0.373	ng	# 91
40) Dibenzo(a,h)anthracene	26.281	278	8465	0.329	ng	# 86
41) Benzo(g,h,i)perylene	26.995	276	12576	0.388	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032122\
Data File : BN019018.D
Acq On : 21 Mar 2022 11:15
Operator : CG/JU
Sample : SSTDCCC0.4
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Quant Time: Mar 22 02:10:06 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN031722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 17 13:18:23 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.847 min Scan# 6
Delta R.T. -0.007 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:152 Resp: 5986
Ion Ratio Lower Upper
152 100
150 155.4 123.9 185.9
115 62.7 48.2 72.4



#2
1,4-Dioxane
Concen: 0.399 ng
RT: 3.239 min Scan# 22
Delta R.T. -0.007 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15

Tgt Ion: 88 Resp: 2955
Ion Ratio Lower Upper
88 100
43 34.3 24.6 37.0
58 84.3 65.4 98.2









#3
 n-Nitrosodimethylamine
 Concen: 0.351 ng
 RT: 3.572 min Scan# 61
 Delta R.T. 0.000 min
 Lab File: BN019018.D
 Acq: 21 Mar 2022 11:15




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4

Tgt Ion:	42	Resp:	3028
Ion	Ratio	Lower	Upper
42	100		
74	123.6	96.9	145.3
44	7.4	7.3	10.9



#4
 2-Fluorophenol
 Concen: 0.355 ng
 RT: 5.399 min Scan# 321
 Delta R.T. -0.007 min
 Lab File: BN019018.D
 Acq: 21 Mar 2022 11:15

Tgt Ion:	112	Resp:	4758
Ion	Ratio	Lower	Upper
112	100		
64	62.7	47.8	71.8
63	32.1	25.7	38.5









#5
Phenol-d6
Concen: 0.331 ng
RT: 7.002 min Scan# 54
Delta R.T. -0.007 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion: 99 Resp: 4654
Ion Ratio Lower Upper
99 100
42 22.2 16.2 24.4
71 35.0 27.7 41.5



#6
bis(2-Chloroethyl)ether
Concen: 0.391 ng
RT: 7.262 min Scan# 579
Delta R.T. -0.007 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15

Tgt Ion: 93 Resp: 6550
Ion Ratio Lower Upper
93 100
63 80.8 62.8 94.2
95 33.3 26.2 39.4








#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.658 min Scan# 944
Delta R.T. 0.000 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:	136	Resp:	16401
Ion	Ratio	Lower	Upper
136	100		
137	11.5	9.0	13.4
54	7.9	5.8	8.6
68	6.3	4.6	7.0



#8
Nitrobenzene-d5
Concen: 0.326 ng
RT: 9.003 min Scan# 789
Delta R.T. -0.011 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15

Tgt Ion:	82	Resp:	3861
Ion	Ratio	Lower	Upper
82	100		
128	37.3	33.0	49.6
54	56.4	42.5	63.7









#9
Naphthalene
Concen: 0.390 ng
RT: 10.701 min Scan# 949
Delta R.T. -0.011 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:128 Resp: 18206
Ion Ratio Lower Upper
128 100
129 11.3 9.0 13.4
127 13.7 10.7 16.1



#10
Hexachlorobutadiene
Concen: 0.379 ng
RT: 11.000 min Scan# 976
Delta R.T. -0.011 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15

Tgt Ion:225 Resp: 4324
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 64.3 51.0 76.6








#11
2-Methylnaphthalene-d10
Concen: 0.371 ng
RT: 12.250 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:152 Resp: 10082
Ion Ratio Lower Upper
152 100
151 19.5 16.5 24.7



#12
2-Methylnaphthalene
Concen: 0.371 ng
RT: 12.321 min Scan# 1238
Delta R.T. -0.004 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15

Tgt Ion:142 Resp: 11772
Ion Ratio Lower Upper
142 100
141 87.6 70.0 105.0
115 37.7 29.8 44.8








#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.484 min Scan# 1473
Delta R.T. -0.011 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:164 Resp: 9740
Ion Ratio Lower Upper
164 100
162 107.1 85.2 127.8
160 50.2 41.5 62.3



#14
2,4,6-Tribromophenol
Concen: 0.272 ng
RT: 15.974 min Scan# 1612
Delta R.T. -0.010 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15

Tgt Ion:330 Resp: 1276
Ion Ratio Lower Upper
330 100
332 94.4 76.8 115.2
141 37.8 32.2 48.2








#15
2-Fluorobiphenyl
Concen: 0.392 ng
RT: 13.116 min Scan# 1344
Delta R.T. -0.011 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:172 Resp: 15324
Ion Ratio Lower Upper
172 100
171 35.0 28.2 42.2
170 23.9 18.7 28.1



#16
Acenaphthylene
Concen: 0.343 ng
RT: 14.206 min Scan# 1446
Delta R.T. -0.000 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15

Tgt Ion:152 Resp: 15523
Ion Ratio Lower Upper
152 100
151 19.7 15.9 23.9
153 12.9 10.6 15.8








#17
Acenaphthene
Concen: 0.375 ng
RT: 14.549 min Scan# 1479
Delta R.T. -0.011 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:154 Resp: 11888
Ion Ratio Lower Upper
154 100
153 113.5 89.7 134.5
152 55.8 44.7 67.1



#18
Fluorene
Concen: 0.369 ng
RT: 15.532 min Scan# 1570
Delta R.T. -0.011 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15

Tgt Ion:166 Resp: 14749
Ion Ratio Lower Upper
166 100
165 97.9 79.2 118.8
167 13.4 10.7 16.1









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.236 min Scan# 1735
Delta R.T. -0.000 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:188 Resp: 19574
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 10.0 11.8 17.8#



#20
4,6-Dinitro-2-methylphenol
Concen: 0.299 ng
RT: 15.618 min Scan# 1578
Delta R.T. -0.000 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15

Tgt Ion:198 Resp: 698
Ion Ratio Lower Upper
198 100
182 23.9 13.0 19.4#
77 0.0 0.0 0.0








#21
4-Bromophenyl-phenylether
Concen: 0.372 ng
RT: 16.425 min Scan# 1656
Delta R.T. -0.000 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:248 Resp: 4590
Ion Ratio Lower Upper
248 100
250 98.9 80.7 121.1
141 63.1 39.6 59.4#



#22
Hexachlorobenzene
Concen: 0.390 ng
RT: 16.549 min Scan# 1668
Delta R.T. 0.000 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15

Tgt Ion:284 Resp: 6209
Ion Ratio Lower Upper
284 100
142 38.5 29.8 44.8
249 32.6 26.2 39.2









#23
 Atrazine
 Concen: 0.287 ng
 RT: 16.682 min Scan# 1681
 Delta R.T. -0.010 min
 Lab File: BN019018.D
 Acq: 21 Mar 2022 11:15




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4


Tgt Ion:200 Resp: 2647
 Ion Ratio Lower Upper
 200 100
 173 33.8 23.9 35.9
 215 46.0 36.6 54.8



#24
 Pentachlorophenol
 Concen: 0.226 ng
 RT: 16.887 min Scan# 1701
 Delta R.T. -0.000 min
 Lab File: BN019018.D
 Acq: 21 Mar 2022 11:15

Tgt Ion:266 Resp: 1105
 Ion Ratio Lower Upper
 266 100
 264 63.8 50.2 75.4
 268 65.9 51.9 77.9









#25
Phenanthrene
Concen: 0.378 ng
RT: 17.277 min Scan# 1739
Delta R.T. 0.000 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:178 Resp: 23140
Ion Ratio Lower Upper
178 100
176 19.3 15.4 23.0
179 15.1 12.2 18.2



#26
Anthracene
Concen: 0.340 ng
RT: 17.369 min Scan# 1748
Delta R.T. 0.000 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15

Tgt Ion:178 Resp: 17585
Ion Ratio Lower Upper
178 100
176 18.6 14.8 22.2
179 15.3 12.2 18.4








#27
Fluoranthene-d10
Concen: 0.364 ng
RT: 19.265 min Scan# 2109
Delta R.T. 0.000 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:212 Resp: 21150
Ion Ratio Lower Upper
212 100
106 15.5 12.7 19.1
104 8.6 7.1 10.7



#28
Fluoranthene
Concen: 0.368 ng
RT: 19.295 min Scan# 2116
Delta R.T. -0.000 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15

Tgt Ion:202 Resp: 26432
Ion Ratio Lower Upper
202 100
101 11.5 9.8 14.6
203 16.9 13.7 20.5









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.422 min Scan# 2443
Delta R.T. -0.000 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:240 Resp: 13030
Ion Ratio Lower Upper
240 100
120 15.7 8.5 12.7#
236 29.3 22.4 33.6



#30
Pyrene
Concen: 0.409 ng
RT: 19.657 min Scan# 2202
Delta R.T. -0.000 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15

Tgt Ion:202 Resp: 26558
Ion Ratio Lower Upper
202 100
200 21.0 16.9 25.3
203 17.7 14.2 21.2









#31
 Terphenyl-d14
 Concen: 0.379 ng
 RT: 19.864 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BN019018.D
 Acq: 21 Mar 2022 11:15




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4


Tgt Ion:244 Resp: 12141
 Ion Ratio Lower Upper
 244 100
 212 10.8 8.2 12.4
 122 0.0 0.0 0.0



#32
 Benzo(a)anthracene
 Concen: 0.332 ng
 RT: 21.404 min Scan# 2441
 Delta R.T. 0.000 min
 Lab File: BN019018.D
 Acq: 21 Mar 2022 11:15

Tgt Ion:228 Resp: 13332
 Ion Ratio Lower Upper
 228 100
 226 28.1 21.9 32.9
 229 19.8 16.0 24.0









#33
Chrysene
Concen: 0.403 ng
RT: 21.458 min Scan# 2447
Delta R.T. 0.000 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion	Ratio	Lower	Upper
228	100		
226	30.4	24.0	36.0
229	19.6	15.9	23.9



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.320 ng
RT: 21.333 min Scan# 2433
Delta R.T. 0.000 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15

Tgt Ion	Ratio	Lower	Upper
149	100		
167	27.2	21.8	32.8
279	3.0	2.0	3.0









#35
Perylene-d12
Concen: 0.400 ng
RT: 23.796 min Scan# 3026
Delta R.T. 0.006 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:264 Resp: 9151
Ion Ratio Lower Upper
264 100
260 27.9 22.4 33.6
265 44.4 25.3 37.9#



#36
Indeno(1,2,3-cd)pyrene
Concen: 0.305 ng
RT: 26.249 min Scan# 3867
Delta R.T. -0.000 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15

Tgt Ion:276 Resp: 10070
Ion Ratio Lower Upper
276 100
138 10.2 24.5 36.7#
277 7.6 19.8 29.8#









#37
Benzo(b)fluoranthene
Concen: 0.370 ng
RT: 23.074 min Scan# 21
Delta R.T. 0.000 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:252 Resp: 12352
Ion Ratio Lower Upper
252 100
253 25.7 18.9 28.3
125 15.0 12.1 18.1



#38
Benzo(k)fluoranthene
Concen: 0.395 ng
RT: 23.118 min Scan# 2796
Delta R.T. -0.000 min
Lab File: BN019018.D
Acq: 21 Mar 2022 11:15

Tgt Ion:252 Resp: 18067
Ion Ratio Lower Upper
252 100
253 25.6 18.9 28.3
125 13.6 10.3 15.5





#39

Benzo(a)pyrene

Concen: 0.373 ng

RT: 23.694 min Scan# 2992

Delta R.T. 0.003 min

Lab File: BN019018.D

Acq: 21 Mar 2022 11:15

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:252 Resp: 11331

Ion Ratio Lower Upper

252 100

253 31.7 20.1 30.1#

125 20.5 15.2 22.8



#40

Dibenzo(a,h)anthracene

Concen: 0.329 ng

RT: 26.281 min Scan# 3878

Delta R.T. 0.006 min

Lab File: BN019018.D

Acq: 21 Mar 2022 11:15




Tgt Ion:278 Resp: 8465


Ion Ratio Lower Upper

278 100

139 25.1 17.2 25.8

279 34.5 19.9 29.9#





#41
 Benzo(g,h,i)perylene
 Concen: 0.388 ng
 RT: 26.995 min Scan# 41
 Delta R.T. -0.003 min
 Lab File: BN019018.D
 Acq: 21 Mar 2022 11:15

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4

Tgt Ion:	276	Resp:	12576
Ion Ratio	Lower	Upper	
276	100		
277	25.3	19.4	29.0
138	27.8	21.0	31.6

