

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN032420\
 Data File : BN010329.D
 Acq On : 24 Mar 2020 16:52
 Operator : CG/JU
 Sample : L1997-04
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW203D1-20200315

Quant Time: Mar 24 17:23:27 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN031920.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 19 15:26:45 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	4918	0.40	ng	0.00
7) Naphthalene-d8	10.38	136	17160	0.40	ng	0.00
13) Acenaphthene-d10	14.24	164	9959	0.40	ng	-0.01
19) Phenanthrene-d10	16.99	188	23634	0.40	ng	0.00
27) Chrysene-d12	21.19	240	23598	0.40	ng	0.00
34) Perylene-d12	23.35	264	24095	0.40	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.25	112	1219	0.13	ng	0.00
5) Phenol-d6	6.80	99	907	0.07	ng	0.00
8) Nitrobenzene-d5	8.74	82	6144	0.56	ng	0.00
11) 2-Methylnaphthalene-d10	11.97	152	8057	0.29	ng	0.00
14) 2,4,6-Tribromophenol	15.73	330	1108	0.29	ng	0.00
15) 2-Fluorobiphenyl	12.85	172	23258	0.61	ng	-0.01
25) Fluoranthene-d10	19.02	212	22008	0.31	ng	0.00
29) Terphenyl-d14	19.63	244	28409	0.56	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.25	88	6877	1.489	ng	97
32) Bis(2-ethylhexyl)phthalate	21.13	149	1756	0.069	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN032420\
Data File : BN010329.D
Acq On : 24 Mar 2020 16:52
Operator : CG/JU
Sample : L1997-04
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW203D1-20200315

Quant Time: Mar 24 17:23:27 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN031920.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 19 15:26:45 2020
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.62 min Scan# 595

Delta R.T. 0.00 min

Lab File: BN010329.D

Acq: 24 Mar 2020 16:52

Instrument :

BNA_N

ClientSampleId :

MW203D1-20200315


Tot Ion:152 Resp: 4918

Ion Ratio Lower Upper

152 100

150 153.9 123.1 184.7




115 55.1 45.2 67.8



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 1.489 ng

RT: 3.25 min Scan# 52

Delta R.T. 0.00 min

Lab File: BN010329.D

Acq: 24 Mar 2020 16:52


Tgt Ion: 88 Resp: 6877

Ion Ratio Lower Upper

88 100

58 64.2 51.7 77.5



43 30.7 21.2 31.8




Abundance Ion 88.00 (87.70 to 88.70): BN0

Ion 58.00 (57.70 to 58.70): BN0

Ion 43.00 (42.70 to 43.70): BN0





#4

2-Fluorophenol

Concen: 0.125 ng

RT: 5.25 min Scan# 301

Delta R.T. 0.00 min

Lab File: BN010329.D

Acq: 24 Mar 2020 16:52

Instrument :

BNA_N

ClientSampleId :

MW203D1-20200315


Tot Ion: 112 Resp: 1219

Ion Ratio Lower Upper

112 100

64 49.2 41.4 62.2


63 29.7 22.9 34.3





Abundance Ion 112.00 (111.70 to 112.70): B

Ion 64.00 (63.70 to 64.70): BNO

Ion 63.00 (62.70 to 63.70): BNO



Time-->



#5

Phenol-d6

Concen: 0.075 ng

RT: 6.80 min Scan# 493

Delta R.T. 0.00 min

Lab File: BN010329.D

Acq: 24 Mar 2020 16:52


Tgt Ion: 99 Resp: 907

Ion Ratio Lower Upper

99 100

42 25.2 14.8 22.2#


71 40.7 27.3 40.9




Abundance Ion 99.00 (98.70 to 99.70): BNO


Ion 42.00 (41.70 to 42.70): BNO

Ion 71.00 (70.70 to 71.70): BNO



Time-->





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.38 min Scan# 844

Delta R.T. 0.00 min

Lab File: BN010329.D

Acq: 24 Mar 2020 16:52

Instrument :

BNA_N

ClientSampleId :

MW203D1-20200315

Tot Ion:136 Resp: 17160


Ion Ratio Lower Upper

136 100

137 11.5 9.3 13.9

54 4.4 4.8 7.2#

68 4.0 4.1 6.1#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BNC

Ion 68.00 (67.70 to 68.70): BNC



#8

Nitrobenzene-d5

Concen: 0.559 ng

RT: 8.74 min Scan# 715

Delta R.T. 0.00 min

Lab File: BN010329.D

Acq: 24 Mar 2020 16:52


Tgt Ion: 82 Resp: 6144

Ion Ratio Lower Upper

82 100

128 39.4 28.8 43.2



54 48.2 42.1 63.1




Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BNC









#11
2-Methylnaphthalene-d10
Concen: 0.294 ng
RT: 11.97 min Scan# 1037
Delta R.T. -0.00 min
Lab File: BN010329.D
Acq: 24 Mar 2020 16:52




Instrument :
BNA_N
ClientSampleId :
MW203D1-20200315


Tot Ion:152 Resp: 8057
Ion Ratio Lower Upper
152 100
151 20.2 15.4 23.2



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.24 min Scan# 1313
Delta R.T. -0.01 min
Lab File: BN010329.D
Acq: 24 Mar 2020 16:52

Tgt Ion:164 Resp: 9959
Ion Ratio Lower Upper
164 100
162 100.3 78.2 117.2
160 48.6 35.8 53.6









#14
2,4,6-Tribromophenol
Concen: 0.289 ng
RT: 15.73 min Scan# 1447
Delta R.T. 0.00 min
Lab File: BN010329.D
Acq: 24 Mar 2020 16:52




Instrument :
BNA_N
ClientSampleId :
MW203D1-20200315


Tot Ion:330 Resp: 1108
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 37.8 29.3 43.9



#15
2-Fluorobiphenyl
Concen: 0.610 ng
RT: 12.85 min Scan# 1189
Delta R.T. -0.01 min
Lab File: BN010329.D
Acq: 24 Mar 2020 16:52

Tgt Ion:172 Resp: 23258
Ion Ratio Lower Upper
172 100
171 35.5 27.6 41.4
170 24.3 18.5 27.7





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.99 min Scan# 1564

Delta R.T. 0.00 min

Lab File: BN010329.D

Acq: 24 Mar 2020 16:52

Instrument :

BNA_N

ClientSampleId :

MW203D1-20200315


Tot Ion:188 Resp: 23634

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 6.0 6.0 9.0



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNC

Ion 80.00 (79.70 to 80.70): BNC



#25

Fluoranthene-d10

Concen: 0.309 ng

RT: 19.02 min Scan# 1864

Delta R.T. -0.00 min

Lab File: BN010329.D

Acq: 24 Mar 2020 16:52


Tgt Ion:212 Resp: 22008

Ion Ratio Lower Upper

212 100

106 9.6 7.4 11.2



104 5.3 4.2 6.4




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E









#27
Chrysene-d12
Concen: 0.400 ng
RT: 21.19 min Scan# 2174
Delta R.T. 0.00 min
Lab File: BN010329.D
Acq: 24 Mar 2020 16:52




Instrument :
BNA_N
ClientSampleId :
MW203D1-20200315


Tot Ion:240 Resp: 23598
Ion Ratio Lower Upper
240 100
120 5.3 7.9 11.9#
236 26.5 22.2 33.4



#29
Terphenyl-d14
Concen: 0.557 ng
RT: 19.63 min Scan# 1987
Delta R.T. -0.00 min
Lab File: BN010329.D
Acq: 24 Mar 2020 16:52

Tgt Ion:244 Resp: 28409
Ion Ratio Lower Upper
244 100
212 7.8 6.3 9.5
122 9.3 7.6 11.4





#32

Bis(2-ethylhexyl)phthalate

Concen: 0.069 ng

RT: 21.13 min Scan# 2169

Delta R.T. 0.00 min

Lab File: BN010329.D

Acq: 24 Mar 2020 16:52

Instrument :

BNA_N

ClientSampleId :

MW203D1-20200315


Tot Ion:149 Resp: 1756

Ion Ratio Lower Upper

149 100

167 28.5 23.0 34.6




279 5.1 3.8 5.8



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.35 min Scan# 2566

Delta R.T. -0.01 min

Lab File: BN010329.D

Acq: 24 Mar 2020 16:52


Tgt Ion:264 Resp: 24095

Ion Ratio Lower Upper

264 100

260 24.7 19.5 29.3

265 40.8 32.4 48.6



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

