

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN032420\
 Data File : BN010330.D
 Acq On : 24 Mar 2020 17:28
 Operator : CG/JU
 Sample : L1997-05
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW203D2-20200315

Quant Time: Mar 24 18:08:33 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN031920.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 19 15:26:45 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	4756	0.40	ng	0.00
7) Naphthalene-d8	10.38	136	16627	0.40	ng	0.00
13) Acenaphthene-d10	14.24	164	9639	0.40	ng	-0.01
19) Phenanthrene-d10	16.99	188	22885	0.40	ng	0.00
27) Chrysene-d12	21.19	240	23769	0.40	ng	0.00
34) Perylene-d12	23.36	264	24911	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.25	112	1242	0.13	ng	0.00
5) Phenol-d6	6.80	99	937	0.08	ng	0.00
8) Nitrobenzene-d5	8.74	82	5760	0.54	ng	0.00
11) 2-Methylnaphthalene-d10	11.97	152	7542	0.28	ng	0.00
14) 2,4,6-Tribromophenol	15.73	330	1101	0.30	ng	0.00
15) 2-Fluorobiphenyl	12.86	172	21896	0.59	ng	0.00
25) Fluoranthene-d10	19.02	212	20874	0.30	ng	0.00
29) Terphenyl-d14	19.63	244	29699	0.58	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.25	88	2047	0.458	ng	Qvalue # 93
32) Bis(2-ethylhexyl)phthalate	21.13	149	2122	0.083	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN032420\
Data File : BN010330.D
Acq On : 24 Mar 2020 17:28
Operator : CG/JU
Sample : L1997-05
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW203D2-20200315

Quant Time: Mar 24 18:08:33 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN031920.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 19 15:26:45 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.62 min Scan# 595
Delta R.T. 0.00 min
Lab File: BN010330.D
Acq: 24 Mar 2020 17:28

Instrument :
BNA_N
ClientSampleId :
MW203D2-20200315

Tot Ion:152 Resp: 4756
Ion Ratio Lower Upper
152 100
150 151.1 123.1 184.7
115 55.6 45.2 67.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
Concen: 0.458 ng
RT: 3.25 min Scan# 52
Delta R.T. 0.00 min
Lab File: BN010330.D
Acq: 24 Mar 2020 17:28

Tgt Ion: 88 Resp: 2047
Ion Ratio Lower Upper
88 100
58 63.2 51.7 77.5
43 36.2 21.2 31.8#



Abundance Ion 88.00 (87.70 to 88.70): BN0
Ion 58.00 (57.70 to 58.70): BN0
Ion 43.00 (42.70 to 43.70): BN0





#4

2-Fluorophenol

Concen: 0.132 ng

RT: 5.25 min Scan# 301

Delta R.T. 0.00 min

Lab File: BN010330.D

Acq: 24 Mar 2020 17:28

Instrument :

BNA_N

ClientSampleId :

MW203D2-20200315


Tot Ion:112 Resp: 1242

Ion Ratio Lower Upper

112 100

64 51.6 41.4 62.2




63 27.2 22.9 34.3



Abundance Ion 112.00 (111.70 to 112.70): B

Ion 64.00 (63.70 to 64.70): BNO

Ion 63.00 (62.70 to 63.70): BNO



#5

Phenol-d6

Concen: 0.080 ng

RT: 6.80 min Scan# 493

Delta R.T. 0.00 min

Lab File: BN010330.D

Acq: 24 Mar 2020 17:28


Tgt Ion: 99 Resp: 937

Ion Ratio Lower Upper

99 100

42 24.5 14.8 22.2#



71 39.1 27.3 40.9




Abundance Ion 99.00 (98.70 to 99.70): BNO

Ion 42.00 (41.70 to 42.70): BNO

Ion 71.00 (70.70 to 71.70): BNO





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.38 min Scan# 844

Delta R.T. 0.00 min

Lab File: BN010330.D

Acq: 24 Mar 2020 17:28

Instrument :

BNA_N

ClientSampleId :

MW203D2-20200315

Tot Ion:136 Resp: 16627


Ion Ratio Lower Upper

136 100

137 11.9 9.3 13.9

54 4.5 4.8 7.2#

68 4.0 4.1 6.1#




Abundance Ion 136.00 (135.70 to 136.70): E


Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BNC

Ion 68.00 (67.70 to 68.70): BNC



Time-->



#8

Nitrobenzene-d5

Concen: 0.541 ng

RT: 8.74 min Scan# 715

Delta R.T. 0.00 min

Lab File: BN010330.D

Acq: 24 Mar 2020 17:28


Tgt Ion: 82 Resp: 5760

Ion Ratio Lower Upper

82 100

128 38.6 28.8 43.2


54 47.3 42.1 63.1




Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BNC



Time-->



#11

2-Methylnaphthalene-d10

Concen: 0.284 ng

RT: 11.97 min Scan# 1037

Delta R.T. -0.00 min

Lab File: BN010330.D

Acq: 24 Mar 2020 17:28

Instrument :

BNA_N

ClientSampleId :


MW203D2-20200315

Tot Ion:152 Resp: 7542

Ion Ratio Lower Upper




152 100

151 19.3 15.4 23.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E



#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.24 min Scan# 1313

Delta R.T. -0.01 min

Lab File: BN010330.D

Acq: 24 Mar 2020 17:28


Tgt Ion:164 Resp: 9639

Ion Ratio Lower Upper

164 100

162 101.6 78.2 117.2



160 49.0 35.8 53.6




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#14
 2,4,6-Tribromophenol
 Concen: 0.297 ng
 RT: 15.73 min Scan# 1447
 Delta R.T. 0.00 min
 Lab File: BN010330.D
 Acq: 24 Mar 2020 17:28

Instrument :
 BNA_N
 ClientSampleId :
 MW203D2-20200315

Tot Ion:330 Resp: 1101
 Ion Ratio Lower Upper
 330 100
 332 0.0 0.0 0.0
 141 38.2 29.3 43.9




Abundance Ion 330.00 (329.70 to 330.70): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#15
 2-Fluorobiphenyl
 Concen: 0.594 ng
 RT: 12.86 min Scan# 1190
 Delta R.T. 0.00 min
 Lab File: BN010330.D
 Acq: 24 Mar 2020 17:28

Tgt Ion:172 Resp: 21896
 Ion Ratio Lower Upper
 172 100
 171 34.1 27.6 41.4
 170 21.6 18.5 27.7



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.99 min Scan# 1564

Delta R.T. 0.00 min

Lab File: BN010330.D

Acq: 24 Mar 2020 17:28

Instrument :

BNA_N

ClientSampleId :

MW203D2-20200315


Tot Ion:188 Resp: 22885

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 6.0 6.0 9.0#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNC

Ion 80.00 (79.70 to 80.70): BNC



#25

Fluoranthene-d10

Concen: 0.302 ng

RT: 19.02 min Scan# 1864

Delta R.T. -0.00 min

Lab File: BN010330.D

Acq: 24 Mar 2020 17:28


Tgt Ion:212 Resp: 20874

Ion Ratio Lower Upper

212 100

106 9.5 7.4 11.2



104 5.4 4.2 6.4




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.19 min Scan# 2174

Delta R.T. 0.00 min

Lab File: BN010330.D

Acq: 24 Mar 2020 17:28

Instrument :

BNA_N

ClientSampleId :

MW203D2-20200315


Tot Ion:240 Resp: 23769

Ion Ratio Lower Upper

240 100

120 5.5 7.9 11.9#




236 26.8 22.2 33.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.578 ng

RT: 19.63 min Scan# 1987

Delta R.T. -0.00 min

Lab File: BN010330.D

Acq: 24 Mar 2020 17:28


Tgt Ion:244 Resp: 29699

Ion Ratio Lower Upper

244 100

212 7.8 6.3 9.5



122 9.6 7.6 11.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E









#32
 Bis(2-ethylhexyl)phthalate
 Concen: 0.083 ng
 RT: 21.13 min Scan# 2169
 Delta R.T. 0.00 min
 Lab File: BN010330.D
 Acq: 24 Mar 2020 17:28

Instrument :
 BNA_N
 ClientSampleId :
 MW203D2-20200315

Tot Ion:149 Resp: 2122
 Ion Ratio Lower Upper
 149 100
 167 27.9 23.0 34.6
 279 4.8 3.8 5.8




Abundance Ion 149.00 (148.70 to 149.70): E
 Ion 167.00 (166.70 to 167.70): E
 Ion 279.00 (278.70 to 279.70): E



#34
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.36 min Scan# 2567
 Delta R.T. -0.01 min
 Lab File: BN010330.D
 Acq: 24 Mar 2020 17:28

Tgt Ion:264 Resp: 24911
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.5 29.3
 265 39.5 32.4 48.6



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

