

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032921\
 Data File : BN014129.D
 Acq On : 29 Mar 2021 14:19
 Operator : CG/JU
 Sample : PB135178BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB135178BL

Quant Time: Mar 29 15:15:06 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN032621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Mar 29 12:24:58 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.692	152	6188	0.40	ng	0.00
7) Naphthalene-d8	10.467	136	22642	0.40	ng	0.01
13) Acenaphthene-d10	14.308	164	11250	0.40	ng	0.00
19) Phenanthrene-d10	17.055	188	22144	0.40	ng	0.01
29) Chrysene-d12	21.226	240	17271	0.40	ng	# 0.00
36) Perylene-d12	23.425	264	15284	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.284	112	5335	0.34	ng	0.00
5) Phenol-d6	6.855	99	6135	0.30	ng	0.00
8) Nitrobenzene-d5	8.832	82	5166	0.34	ng	0.00
11) 2-Methylnaphthalene-d10	12.053	152	12492	0.36	ng	0.00
14) 2,4,6-Tribromophenol	15.805	330	911	0.25	ng	0.00
15) 2-Fluorobiphenyl	12.938	172	15976	0.38	ng	0.00
27) Fluoranthene-d10	19.081	212	19954	0.34	ng	0.00
31) Terphenyl-d14	19.677	244	16334	0.41	ng	0.00


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032921\
Data File : BN014129.D
Acq On : 29 Mar 2021 14:19
Operator : CG/JU
Sample : PB135178BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB135178BL

Quant Time: Mar 29 15:15:06 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN032621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Mar 29 12:24:58 2021
Response via : Initial Calibration





Abundance Scan 610 (7.692 min): BN014120.D\data.ms (-602) #4




1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.692 min Scan# 610
Delta R.T. 0.008 min
Lab File: BN014129.D
Acq: 29 Mar 2021 14:19

Instrument :
BNA_N
ClientSampleId :
PB135178BL


Tgt Ion:152 Resp: 6188
Ion Ratio Lower Upper
152 100
150 150.5 121.2 181.8
115 57.0 46.2 69.2



Abundance Scan 610 (7.692 min): BN014129.D\data.ms (-597) (-)





Abundance Scan 311 (5.284 min): BN014120.D\data.ms (-305) #4





2-Fluorophenol
Concen: 0.34 ng
RT: 5.284 min Scan# 311
Delta R.T. 0.000 min
Lab File: BN014129.D
Acq: 29 Mar 2021 14:19

Tgt Ion:112 Resp: 5335
Ion Ratio Lower Upper
112 100
64 60.5 48.3 72.5
63 31.8 25.4 38.0



Abundance Scan 311 (5.284 min): BN014129.D\data.ms (-286) (-)









Phenol-d6
 Concen: 0.30 ng
 RT: 6.855 min Scan# 506
 Delta R.T. 0.000 min
 Lab File: BN014129.D
 Acq: 29 Mar 2021 14:19




Instrument :
 BNA_N
 ClientSampleId :
 PB135178BL


Tgt Ion:	99	Resp:	6135
Ion	Ratio	Lower	Upper
99	100		
42	22.2	18.2	27.4
71	33.9	26.7	40.1



Naphthalene-d8
 Concen: 0.40 ng
 RT: 10.467 min Scan# 857
 Delta R.T. 0.013 min
 Lab File: BN014129.D
 Acq: 29 Mar 2021 14:19

Tgt Ion:	136	Resp:	22642
Ion	Ratio	Lower	Upper
136	100		
137	11.3	9.1	13.7
54	5.2	4.3	6.5
68	4.0	3.4	5.2









Nitrobenzene-d5
 Concen: 0.34 ng
 RT: 8.832 min Scan# 728
 Delta R.T. 0.000 min
 Lab File: BN014129.D
 Acq: 29 Mar 2021 14:19




Instrument :
 BNA_N
 ClientSampleId :
 PB135178BL

Tgt Ion:	82	Resp:	5166
Ion	Ratio	Lower	Upper
82	100		
128	40.3	33.5	50.3
54	52.3	40.3	60.5



2-Methylnaphthalene-d10
 Concen: 0.36 ng
 RT: 12.053 min Scan# 1062
 Delta R.T. 0.005 min
 Lab File: BN014129.D
 Acq: 29 Mar 2021 14:19


Tgt Ion:	152	Resp:	12492
Ion	Ratio	Lower	Upper
152	100		
151	20.2	16.1	24.1






Abundance Scan 1306 (14.308 min): BN014120.D\data.ms (-1302) (-)

Acenaphthene-d10
Concen: 0.40 ng
RT: 14.308 min Scan# 1306
Delta R.T. 0.000 min
Lab File: BN014129.D
Acq: 29 Mar 2021 14:19

Instrument :
BNA_N
ClientSampleId :
PB135178BL







Tgt Ion:	164	Resp:	11250
Ion	Ratio	Lower	Upper
164	100		
162	101.9	81.4	122.2
160	46.6	37.5	56.3




Abundance Scan 1424 (15.805 min): BN014120.D\data.ms (-1416) (-)

2,4,6-Tribromophenol
Concen: 0.25 ng
RT: 15.805 min Scan# 1424
Delta R.T. 0.000 min
Lab File: BN014129.D
Acq: 29 Mar 2021 14:19

Tgt Ion:	330	Resp:	911
Ion	Ratio	Lower	Upper
330	100		
332	0.0	0.0	0.0
141	37.8	31.2	46.8






Abundance Scan 1198 (12.938 min): BN014120.D\data.ms (-1190) (-)




2-Fluorobiphenyl
Concen: 0.38 ng
RT: 12.938 min Scan# 1198
Delta R.T. 0.000 min
Lab File: BN014129.D
Acq: 29 Mar 2021 14:19

Instrument :
BNA_N
ClientSampleId :
PB135178BL

Tgt Ion:	172	Resp:	15976
Ion	Ratio	Lower	Upper
172	100		
171	33.9	26.9	40.3
170	22.2	17.8	26.8






Abundance Scan 1526 (17.055 min): BN014120.D\data.ms (-1520) (-)




Phenanthrene-d10
Concen: 0.40 ng
RT: 17.055 min Scan# 1526
Delta R.T. 0.012 min
Lab File: BN014129.D
Acq: 29 Mar 2021 14:19

Tgt Ion:	188	Resp:	22144
Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	7.3	5.2	7.8





Abundance Scan 1821 (19.081 min): BN014120.D\data.ms (-1821) (-)




Fluoranthene-d10
Concen: 0.34 ng
RT: 19.081 min Scan# 1821
Delta R.T. 0.000 min
Lab File: BN014129.D
Acq: 29 Mar 2021 14:19

Instrument :
BNA_N
ClientSampleId :
PB135178BL


Tgt Ion:212 Resp: 19954
Ion Ratio Lower Upper
212 100
106 12.5 10.1 15.1
104 7.1 5.5 8.3



Abundance Scan 1821 (19.081 min): BN014129.D\data.ms (-1781) (-)





Abundance Scan 2122 (21.226 min): BN014120.D\data.ms (-2122) (-)




Chrysene-d12
Concen: 0.40 ng
RT: 21.226 min Scan# 2122
Delta R.T. 0.000 min
Lab File: BN014129.D
Acq: 29 Mar 2021 14:19

Tgt Ion:240 Resp: 17271
Ion Ratio Lower Upper
240 100
120 8.3 8.4 12.6#
236 25.8 21.0 31.6




Abundance Scan 2122 (21.226 min): BN014129.D\data.ms (-2103) (-)





Abundance Scan 1942 (19.682 min): BN014120.D\data.ms (-1934) (-)

Terphenyl-d14
Concen: 0.41 ng
RT: 19.677 min Scan# 1941
Delta R.T. 0.000 min
Lab File: BN014129.D
Acq: 29 Mar 2021 14:19


Instrument :
BNA_N
ClientSampleId :
PB135178BL



Tgt Ion:	244	Resp:	16334
Ion	Ratio	Lower	Upper
244	100		
212	7.7	6.0	9.0
122	12.2	8.6	13.0






Abundance Scan 1941 (19.677 min): BN014129.D\data.ms (-1911) (-)



Abundance Scan 2533 (23.432 min): BN014120.D\data.ms (-2526) (-)

Perylene-d12
Concen: 0.40 ng
RT: 23.425 min Scan# 2531
Delta R.T. -0.003 min
Lab File: BN014129.D
Acq: 29 Mar 2021 14:19

Tgt Ion:	264	Resp:	15284
Ion	Ratio	Lower	Upper
264	100		
260	24.5	19.8	29.8
265	38.1	30.7	46.1



Abundance Scan 2531 (23.425 min): BN014129.D\data.ms (-2488) (-)

