

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032923\
 Data File : BN024619.D
 Acq On : 29 Mar 2023 20:57
 Operator : CG/JU
 Sample : 01983-04MS
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 EYGB0MS

Quant Time: Mar 30 03:33:35 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN032923.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Mar 30 03:30:09 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.999	152	306936	20.000	ng/u1	0.00
20) Naphthalene-d8	10.816	136	1386234	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.640	164	875991	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.386	188	1887604	20.000	ng/u1	0.00
79) Chrysene-d12	21.580	240	1720365	20.000	ng/u1	0.00
88) Perylene-d12	24.063	264	1896487	20.000	ng/u1	-0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.370	96	43428	5.486	ng/uL	0.00
4) Pyridine-d5	3.793	84	628558	27.497	ng/u1	0.00
7) Phenol-d5	7.158	99	926529	31.897	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.328	67	593841	31.659	ng/u1	0.00
11) 2-Chlorophenol-d4	7.528	132	696286	32.333	ng/u1	0.00
15) 4-Methylphenol-d8	8.710	113	721214	31.046	ng/u1	0.00
21) Nitrobenzene-d5	9.169	128	349824	31.887	ng/u1	0.00
24) 2-Nitrophenol-d4	9.893	143	381298	32.110	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.434	165	708694	32.859	ng/u1	0.00
31) 4-Chloroaniline-d4	10.951	131	888870	27.009	ng/u1	0.00
46) Dimethylphthalate-d6	14.045	166	2085993	30.966	ng/u1	0.00
49) Acenaphthylene-d8	14.334	160	2438714	31.793	ng/u1	0.00
54) 4-Nitrophenol-d4	14.834	143	405588	28.767	ng/u1	0.00
60) Fluorene-d10	15.634	176	1807035	31.264	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.751	200	338195	27.202	ng/u1	0.00
73) Anthracene-d10	17.486	188	2792694	31.456	ng/u1	0.00
81) Pyrene-d10	19.775	212	3271831	32.892	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.910	264	3100811	32.268	ng/u1	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.405	88	116872	13.701	ng/uL	98
5) Pyridine	3.817	79	827842	34.791	ng/u1	97
6) Benzaldehyde	7.134	77	587896	44.342	ng/u1	99
8) Phenol	7.187	94	1169252	38.778	ng/u1	99
10) Bis(2-Chloroethyl)ether	7.422	93	891689	37.503	ng/u1	97
12) 2-Chlorophenol	7.563	128	859836	38.270	ng/u1	99
13) 2-Methylphenol	8.446	108	861102	38.243	ng/u1	99
14) 2,2'-oxybis(1-Chloropr...	8.534	45	1601251	37.911	ng/u1	100
16) Acetophenone	8.828	105	1371796	37.828	ng/u1	99
17) N-Nitroso-di-n-propyla...	8.816	70	721007	37.780	ng/u1	98
18) 4-Methylphenol	8.775	108	959348	38.376	ng/u1	99
19) Hexachloroethane	9.087	117	337803	38.068	ng/u1	99
22) Nitrobenzene	9.210	77	1081806	37.963	ng/u1	99
23) Isophorone	9.740	82	2001295	37.784	ng/u1	98
25) 2-Nitrophenol	9.928	139	502762	38.944	ng/u1	96
26) 2,4-Dimethylphenol	9.987	107	1018378	37.976	ng/u1	98
27) Bis(2-Chloroethoxy)met...	10.222	93	1246744	36.678	ng/u1	98
29) 2,4-Dichlorophenol	10.463	162	837599	38.288	ng/u1	98
30) Naphthalene	10.869	128	2820180	36.613	ng/u1	100
32) 4-Chloroaniline	10.981	127	935468	28.071	ng/u1	99
33) Hexachlorobutadiene	11.151	225	462964	36.747	ng/u1	97
34) Caprolactam	11.757	113	174135	23.016	ng/u1	97
35) 4-Chloro-3-methylphenol	12.098	107	979956	39.181	ng/u1	97
36) 2-Methylnaphthalene	12.469	142	1913797	37.112	ng/u1	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032923\
 Data File : BN024619.D
 Acq On : 29 Mar 2023 20:57
 Operator : CG/JU
 Sample : 01983-04MS
 Misc :
 ALS Vial : 21 Sample Multiplier: 1


Instrument :
 BNA_N
 ClientSampleId :
 EYGB0MS


Quant Time: Mar 30 03:33:35 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN032923.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Mar 30 03:30:09 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.693	142	1946107	38.088	ng/ul	100
39) 1,2,4,5-Tetrachloroben...	12.840	216	954032	36.740	ng/ul	98
40) Hexachlorocyclopentadiene	12.816	237	524523	32.099	ng/ul	98
41) 2,4,6-Trichlorophenol	13.075	196	644472	37.252	ng/ul	95
42) 2,4,5-Trichlorophenol	13.145	196	726063	38.186	ng/ul	98
43) 1,1'-Biphenyl	13.475	154	2571262	36.945	ng/ul	100
44) 2-Chloronaphthalene	13.522	162	1983670	36.510	ng/ul	96
45) 2-Nitroaniline	13.728	65	690866	40.925	ng/ul	99
47) Dimethylphthalate	14.098	163	2496514	36.495	ng/ul	100
48) 2,6-Dinitrotoluene	14.222	165	517827	39.963	ng/ul	99
50) Acenaphthylene	14.363	152	3132811	37.304	ng/ul	99
51) 3-Nitroaniline	14.545	138	567976	41.238	ng/ul	99
52) Acenaphthene	14.704	153	2148659	36.716	ng/ul	95
53) 2,4-Dinitrophenol	14.751	184	320268	36.388	ng/ul	99
55) 4-Nitrophenol	14.851	109	412704	38.259	ng/ul	98
56) Dibenzofuran	15.040	168	3012102	36.989	ng/ul	100
57) 2,4-Dinitrotoluene	15.004	165	753775	39.708	ng/ul	97
58) 2,3,4,6-Tetrachlorophenol	15.263	232	589055	37.176	ng/ul	98
59) Diethylphthalate	15.457	149	2517325	37.606	ng/ul	100
61) Fluorene	15.687	166	2475483	37.913	ng/ul	97
62) 4-Chlorophenyl-phenyle...	15.681	204	1154953	37.281	ng/ul	97
63) 4-Nitroaniline	15.710	138	615580	45.369	ng/ul	98
66) 4,6-Dinitro-2-methylph...	15.763	198	442150	35.962	ng/ul	98
67) N-Nitrosodiphenylamine	15.892	169	2114206	37.455	ng/ul	98
68) 4-Bromophenyl-phenylether	16.575	248	717693	38.094	ng/ul	97
69) Hexachlorobenzene	16.692	284	796610	35.928	ng/ul	98
70) Atrazine	16.839	200	412020	21.365	ng/ul	98
71) Pentachlorophenol	17.034	266	469360	34.629	ng/ul	100
72) Phenanthrene	17.428	178	3895345	36.827	ng/ul	100
74) Anthracene	17.522	178	3912490	36.819	ng/ul	98
75) 1,2,3,4-Tetrachloroben...	13.445	216	958035	35.500	ng/ul	98
76) Pentachlorobenzene	14.957	250	952570	36.338	ng/ul	97
77) Carbazole	17.792	167	3683199	38.550	ng/ul	99
78) Di-n-butylphthalate	18.351	149	4432799	40.943	ng/ul	100
80) Fluoranthene	19.445	202	4550511	38.576	ng/ul	100
82) Pyrene	19.804	202	4713856	37.906	ng/ul	100
83) Butylbenzylphthalate	20.698	149	1983114	41.882	ng/ul	99
84) 3,3'-Dichlorobenzidine	21.492	252	1363494	33.905	ng/ul	89
85) Benzo(a)anthracene	21.563	228	4586039	37.737	ng/ul	97
86) Bis(2-ethylhexyl)phtha...	21.480	149	2855597	43.254	ng/ul#	98
87) Chrysene	21.616	228	4352041	37.846	ng/ul	99
89) Di-n-octyl phthalate	22.439	149	4962438	43.195	ng/ul	100
90) Benzo(b)fluoranthene	23.304	252	4632072	37.300	ng/ul	98
91) Benzo(k)fluoranthene	23.357	252	4718898	39.804	ng/ul	99
93) Benzo(a)pyrene	23.963	252	4116753	37.857	ng/ul	98
94) Indeno(1,2,3-cd)pyrene	26.674	276	4927396	35.557	ng/ul	98
95) Dibenzo(a,h)anthracene	26.692	278	4064617	35.367	ng/ul	97
96) Benzo(g,h,i)perylene	27.480	276	3983925	34.601	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Mar 30 03:33:35 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN032923.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Mar 30 03:30:09 2023
Response via : Initial Calibration









#2
 1,4-Dioxane
 Concen: 13.701 ng/uL
 RT: 3.405 min Scan# 20
 Delta R.T. 0.000 min
 Lab File: BN024619.D
 Acq: 29 Mar 2023 20:57




Instrument :
 BNA_N
 ClientSampleId :
 EYGB0MS


Tgt Ion: 88 Resp: 116872
 Ion Ratio Lower Upper
 88 100
 43 37.5 29.0 43.6
 58 82.9 67.5 101.3



#5
 Pyridine
 Concen: 34.791 ng/uL
 RT: 3.817 min Scan# 90
 Delta R.T. 0.000 min
 Lab File: BN024619.D
 Acq: 29 Mar 2023 20:57

Tgt Ion: 79 Resp: 827842
 Ion Ratio Lower Upper
 79 100
 52 90.8 76.0 114.0
 51 43.2 35.0 52.4









#6
Benzaldehyde
Concen: 44.342 ng/ul
RT: 7.134 min Scan# 61
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion: 77 Resp: 587896
Ion Ratio Lower Upper
77 100
105 94.0 74.0 111.0
106 89.1 71.7 107.5



#8
Phenol
Concen: 38.778 ng/ul
RT: 7.187 min Scan# 663
Delta R.T. 0.006 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion: 94 Resp: 1169252
Ion Ratio Lower Upper
94 100
65 29.0 23.7 35.5
66 38.3 29.9 44.9









#10
Bis(2-Chloroethyl)ether
Concen: 37.503 ng/ul
RT: 7.422 min Scan# 701
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion: 93 Resp: 891689
Ion Ratio Lower Upper
93 100
63 83.9 64.9 97.3
95 32.8 25.2 37.8



#12
2-Chlorophenol
Concen: 38.270 ng/ul
RT: 7.563 min Scan# 727
Delta R.T. 0.006 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion:128 Resp: 859836
Ion Ratio Lower Upper
128 100
64 51.4 41.6 62.4
130 31.9 25.6 38.4





#13

2-Methylphenol

Concen: 38.243 ng/ul

RT: 8.446 min Scan# 81

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57

Instrument :

BNA_N

ClientSampleId :





EYGB0MS

Tgt Ion:108 Resp: 861102

Ion Ratio Lower Upper

108 100

107 88.1 70.9 106.3



#14

2,2'-oxybis(1-Chloropropane)

Concen: 37.911 ng/ul

RT: 8.534 min Scan# 892

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57




Tgt Ion: 45 Resp: 1601251


Ion Ratio Lower Upper

45 100

77 11.3 9.0 13.4

79 8.4 6.9 10.3









#16
Acetophenone
Concen: 37.828 ng/ul
RT: 8.828 min Scan# 941
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion:105 Resp: 1371796
Ion Ratio Lower Upper
105 100
77 79.9 64.3 96.5
51 34.3 27.3 40.9



#17
N-Nitroso-di-n-propylamine
Concen: 37.780 ng/ul
RT: 8.816 min Scan# 940
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion: 70 Resp: 721007
Ion Ratio Lower Upper
70 100
42 73.9 57.5 86.3
101 9.0 7.8 11.8
130 19.7 15.7 23.5









#18
4-Methylphenol
Concen: 38.376 ng/ul
RT: 8.775 min Scan# 91
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion:108 Resp: 959348
Ion Ratio Lower Upper
108 100
107 110.7 87.7 131.5



#19
Hexachloroethane
Concen: 38.068 ng/ul
RT: 9.087 min Scan# 986
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion:117 Resp: 337803
Ion Ratio Lower Upper
117 100
201 90.5 71.9 107.9
199 57.3 45.2 67.8









#22
Nitrobenzene
Concen: 37.963 ng/ul
RT: 9.210 min Scan# 1006
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion: 77 Resp: 1081806
Ion Ratio Lower Upper
77 100
123 43.3 34.3 51.5
65 13.9 10.8 16.2



#23
Isophorone
Concen: 37.784 ng/ul
RT: 9.740 min Scan# 1097
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion: 82 Resp: 2001295
Ion Ratio Lower Upper
82 100
95 6.9 5.4 8.0
138 16.6 12.6 18.8









#25
2-Nitrophenol
Concen: 38.944 ng/ul
RT: 9.928 min Scan# 1128
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion:139 Resp: 502762
Ion Ratio Lower Upper
139 100
65 54.3 46.3 69.5
109 28.8 24.6 37.0



#26
2,4-Dimethylphenol
Concen: 37.976 ng/ul
RT: 9.987 min Scan# 1139
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion:107 Resp: 1018378
Ion Ratio Lower Upper
107 100
121 50.3 40.7 61.1
122 86.5 71.2 106.8





#27

Bis(2-Chloroethoxy)methane

Concen: 36.678 ng/ul

RT: 10.222 min Scan# 1179

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57

Instrument :

BNA_N

ClientSampleId :

EYGB0MS





Tgt Ion: 93 Resp: 1246744

Ion Ratio Lower Upper

93 100

95 31.9 26.4 39.6

123 10.8 8.9 13.3



#29

2,4-Dichlorophenol

Concen: 38.288 ng/ul

RT: 10.463 min Scan# 1220

Delta R.T. 0.006 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57




Tgt Ion:162 Resp: 837599


Ion Ratio Lower Upper

162 100

164 62.1 50.5 75.7

98 37.0 28.6 42.8





#30

Naphthalene

Concen: 36.613 ng/ul

RT: 10.869 min Scan# 1288

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57

Instrument :

BNA_N

ClientSampleId :

EYGB0MS





Tgt Ion:128 Resp: 2820180

Ion Ratio Lower Upper

128 100

129 10.9 8.5 12.7

127 13.0 10.4 15.6



#32

4-Chloroaniline

Concen: 28.071 ng/ul

RT: 10.981 min Scan# 1308

Delta R.T. 0.000 min

Lab File: BN024619.D




Acq: 29 Mar 2023 20:57


Tgt Ion:127 Resp: 935468

Ion Ratio Lower Upper

127 100

129 32.5 25.5 38.3





#33

Hexachlorobutadiene

Concen: 36.747 ng/ul

RT: 11.151 min Scan# 11

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57

Instrument :

BNA_N

ClientSampleId :

EYGB0MS





Tgt Ion:225 Resp: 462964

Ion Ratio Lower Upper

225 100

223 64.5 50.2 75.4

227 65.6 49.6 74.4



#34

Caprolactam

Concen: 23.016 ng/ul

RT: 11.757 min Scan# 1440

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57




Tgt Ion:113 Resp: 174135


Ion Ratio Lower Upper

113 100

55 208.2 162.2 243.2

56 153.5 121.6 182.4









#35
4-Chloro-3-methylphenol
Concen: 39.181 ng/ul
RT: 12.098 min Scan# 1498
Delta R.T. 0.006 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion:107 Resp: 979956
Ion Ratio Lower Upper
107 100
144 25.5 21.1 31.7
142 78.7 61.0 91.4



#36
2-Methylnaphthalene
Concen: 37.112 ng/ul
RT: 12.469 min Scan# 1561
Delta R.T. -0.006 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion:142 Resp: 1913797
Ion Ratio Lower Upper
142 100
141 89.8 70.2 105.4





#37

1-Methylnaphthalene

Concen: 38.088 ng/ul

RT: 12.693 min Scan# 11

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57

Instrument :

BNA_N

ClientSampleId :

EYGB0MS





Tgt Ion:142 Resp: 1946107

Ion Ratio Lower Upper

142 100

141 92.7 74.2 111.4

116 3.8 3.0 4.6



#39

1,2,4,5-Tetrachlorobenzene

Concen: 36.740 ng/ul

RT: 12.840 min Scan# 1624

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57

Tgt Ion:216 Resp: 954032




Ion Ratio Lower Upper


216 100

214 77.8 61.0 91.4

179 20.9 15.7 23.5

108 18.4 14.0 21.0









#40
Hexachlorocyclopentadiene
Concen: 32.099 ng/ul
RT: 12.816 min Scan# 1620
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion:237 Resp: 524523
Ion Ratio Lower Upper
237 100
235 63.2 50.0 75.0
272 14.0 9.5 14.3



#41
2,4,6-Trichlorophenol
Concen: 37.252 ng/ul
RT: 13.075 min Scan# 1664
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion:196 Resp: 644472
Ion Ratio Lower Upper
196 100
198 100.6 75.5 113.3
200 30.8 24.6 37.0





#42

2,4,5-Trichlorophenol

Concen: 38.186 ng/ul

RT: 13.145 min Scan# 1

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57

Instrument :

BNA_N

ClientSampleId :

EYGB0MS





Tgt Ion:196 Resp: 726063

Ion Ratio Lower Upper

196 100

198 95.9 75.4 113.0

200 29.3 24.6 37.0



#43

1,1'-Biphenyl

Concen: 36.945 ng/ul

RT: 13.475 min Scan# 1732

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57




Tgt Ion:154 Resp: 2571262


Ion Ratio Lower Upper

154 100

153 40.1 32.2 48.4

76 14.4 11.7 17.5









#44
2-Chloronaphthalene
Concen: 36.510 ng/ul
RT: 13.522 min Scan# 1740
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion:162 Resp: 1983670
Ion Ratio Lower Upper
162 100
164 34.7 26.1 39.1
127 41.0 31.1 46.7



#45
2-Nitroaniline
Concen: 40.925 ng/ul
RT: 13.728 min Scan# 1775
Delta R.T. 0.006 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion: 65 Resp: 690866
Ion Ratio Lower Upper
65 100
92 66.7 52.6 78.8
138 100.7 81.4 122.2





#47

Dimethylphthalate

Concen: 36.495 ng/ul

RT: 14.098 min Scan# 1838

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57

Instrument :

BNA_N

ClientSampleId :

EYGB0MS





Tgt Ion:163 Resp: 2496514

Ion Ratio Lower Upper

163 100

194 3.9 3.2 4.8

164 10.2 8.2 12.2



#48

2,6-Dinitrotoluene

Concen: 39.963 ng/ul

RT: 14.222 min Scan# 1859

Delta R.T. 0.006 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57




Tgt Ion:165 Resp: 517827


Ion Ratio Lower Upper

165 100

89 58.5 47.8 71.6

121 21.3 17.3 25.9









#50
Acenaphthylene
Concen: 37.304 ng/ul
RT: 14.363 min Scan# 1883
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion:152 Resp: 3132811
Ion Ratio Lower Upper
152 100
151 20.0 15.5 23.3
153 13.4 10.3 15.5



#51
3-Nitroaniline
Concen: 41.238 ng/ul
RT: 14.545 min Scan# 1914
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion:138 Resp: 567976
Ion Ratio Lower Upper
138 100
108 10.6 8.8 13.2
92 118.8 96.1 144.1









#52
Acenaphthene
Concen: 36.716 ng/ul
RT: 14.704 min Scan# 1941
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion:153 Resp: 2148659
Ion Ratio Lower Upper
153 100
152 47.3 36.6 55.0
154 90.0 67.7 101.5



#53
2,4-Dinitrophenol
Concen: 36.388 ng/ul
RT: 14.751 min Scan# 1949
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion:184 Resp: 320268
Ion Ratio Lower Upper
184 100
63 73.3 59.1 88.7
154 61.0 49.2 73.8









#55
4-Nitrophenol
Concen: 38.259 ng/ul
RT: 14.851 min Scan# 1966
Delta R.T. 0.006 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion:109 Resp: 412704
Ion Ratio Lower Upper
109 100
139 133.5 108.4 162.6
65 148.3 121.1 181.7



#56
Dibenzofuran
Concen: 36.989 ng/ul
RT: 15.040 min Scan# 1998
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion:168 Resp: 3012102
Ion Ratio Lower Upper
168 100
139 37.4 30.0 45.0





#57

2,4-Dinitrotoluene

Concen: 39.708 ng/ul

RT: 15.004 min Scan# 1992

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57

Instrument :

BNA_N

ClientSampleId :

EYGB0MS





Tgt Ion:165 Resp: 753775

Ion Ratio Lower Upper

165 100

63 50.2 42.2 63.4

182 2.9 2.3 3.5



#58

2,3,4,6-Tetrachlorophenol

Concen: 37.176 ng/ul

RT: 15.263 min Scan# 2036

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57

Tgt Ion:232 Resp: 589055




Ion Ratio Lower Upper


232 100

131 47.1 36.5 54.7

130 2.5 1.8 2.8

166 31.7 24.4 36.6





#59

Diethylphthalate

Concen: 37.606 ng/ul

RT: 15.457 min Scan# 2069

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57

Instrument :

BNA_N

ClientSampleId :

EYGB0MS





Tgt Ion:149 Resp: 2517325

Ion Ratio Lower Upper

149 100

177 21.9 17.5 26.3

150 12.2 9.8 14.6



#61

Fluorene

Concen: 37.913 ng/ul

RT: 15.687 min Scan# 2108

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57




Tgt Ion:166 Resp: 2475483


Ion Ratio Lower Upper

166 100

165 95.0 78.6 118.0

167 13.7 11.0 16.4









#62
4-Chlorophenyl-phenylether
Concen: 37.281 ng/ul
RT: 15.681 min Scan# 2107
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion:204 Resp: 1154953
Ion Ratio Lower Upper
204 100
206 31.9 25.9 38.9
141 59.4 49.9 74.9



#63
4-Nitroaniline
Concen: 45.369 ng/ul
RT: 15.710 min Scan# 2112
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion:138 Resp: 615580
Ion Ratio Lower Upper
138 100
92 54.5 41.5 62.3
108 79.3 63.0 94.4









#66
 4,6-Dinitro-2-methylphenol
 Concen: 35.962 ng/ul
 RT: 15.763 min Scan# 2121
 Delta R.T. 0.000 min
 Lab File: BN024619.D
 Acq: 29 Mar 2023 20:57




Instrument :
 BNA_N
 ClientSampleId :
 EYGB0MS


Tgt Ion:198 Resp: 442150
 Ion Ratio Lower Upper
 198 100
 182 4.0 3.9 5.9
 77 29.0 22.2 33.2



#67
 N-Nitrosodiphenylamine
 Concen: 37.455 ng/ul
 RT: 15.892 min Scan# 2143
 Delta R.T. 0.000 min
 Lab File: BN024619.D
 Acq: 29 Mar 2023 20:57

Tgt Ion:169 Resp: 2114206
 Ion Ratio Lower Upper
 169 100
 168 66.4 54.3 81.5
 167 35.4 29.4 44.0









#68
4-Bromophenyl-phenylether
Concen: 38.094 ng/ul
RT: 16.575 min Scan# 2259
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion:248 Resp: 717693
Ion Ratio Lower Upper
248 100
250 91.2 74.5 111.7
141 80.2 60.7 91.1



#69
Hexachlorobenzene
Concen: 35.928 ng/ul
RT: 16.692 min Scan# 2279
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion:284 Resp: 796610
Ion Ratio Lower Upper
284 100
142 37.3 28.5 42.7
249 31.8 25.5 38.3









#70
Atrazine
Concen: 21.365 ng/ul
RT: 16.839 min Scan# 21
Delta R.T. -0.006 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion:200 Resp: 412020
Ion Ratio Lower Upper
200 100
173 26.8 21.8 32.6
215 45.9 38.2 57.2



#71
Pentachlorophenol
Concen: 34.629 ng/ul
RT: 17.034 min Scan# 2337
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion:266 Resp: 469360
Ion Ratio Lower Upper
266 100
264 65.4 52.5 78.7
268 67.8 54.4 81.6









#72
Phenanthrene
Concen: 36.827 ng/ul
RT: 17.428 min Scan# 2404
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion:178 Resp: 3895345
Ion Ratio Lower Upper
178 100
179 15.6 12.7 19.1
176 19.4 15.5 23.3



#74
Anthracene
Concen: 36.819 ng/ul
RT: 17.522 min Scan# 2420
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion:178 Resp: 3912490
Ion Ratio Lower Upper
178 100
179 14.8 11.9 17.9
176 18.8 14.1 21.1









#75
1,2,3,4-Tetrachlorobenzene
Concen: 35.500 ng/uL
RT: 13.445 min Scan# 1727
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion:216 Resp: 958035
Ion Ratio Lower Upper
216 100
214 77.0 62.7 94.1
218 49.2 38.0 57.0



#76
Pentachlorobenzene
Concen: 36.338 ng/uL
RT: 14.957 min Scan# 1984
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion:250 Resp: 952570
Ion Ratio Lower Upper
250 100
248 59.9 50.5 75.7
252 65.5 50.9 76.3





#77

Carbazole

Concen: 38.550 ng/ul

RT: 17.792 min Scan# 2466

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57

Instrument :

BNA_N

ClientSampleId :

EYGB0MS





Tgt Ion:167 Resp: 3683199

Ion Ratio Lower Upper

167 100

166 21.4 17.4 26.2

139 12.9 10.5 15.7



#78

Di-n-butylphthalate

Concen: 40.943 ng/ul

RT: 18.351 min Scan# 2561

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57




Tgt Ion:149 Resp: 4432799


Ion Ratio Lower Upper

149 100

150 9.2 7.4 11.2

104 5.1 4.1 6.1









#80
Fluoranthene
Concen: 38.576 ng/ul
RT: 19.445 min Scan# 2747
Delta R.T. 0.006 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion:202 Resp: 4550511
Ion Ratio Lower Upper
202 100
101 12.9 10.3 15.5
100 9.8 8.2 12.2



#82
Pyrene
Concen: 37.906 ng/ul
RT: 19.804 min Scan# 2808
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion:202 Resp: 4713856
Ion Ratio Lower Upper
202 100
101 15.4 12.5 18.7
100 12.6 10.1 15.1









#83
Butylbenzylphthalate
Concen: 41.882 ng/ul
RT: 20.698 min Scan# 2960
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion:149 Resp: 1983114
Ion Ratio Lower Upper
149 100
91 75.6 59.7 89.5
206 19.6 15.4 23.2



#84
3,3'-Dichlorobenzidine
Concen: 33.905 ng/ul
RT: 21.492 min Scan# 3095
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion:252 Resp: 1363494
Ion Ratio Lower Upper
252 100
254 72.1 50.0 75.0
126 13.8 9.8 14.8





#85

Benzo(a)anthracene

Concen: 37.737 ng/ul

RT: 21.563 min Scan# 3107

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57

Instrument :

BNA_N

ClientSampleId :

EYGB0MS





Tgt Ion:228 Resp: 4586039

Ion Ratio Lower Upper

228 100

229 19.9 15.8 23.8

226 26.2 22.7 34.1



#86

Bis(2-ethylhexyl)phthalate

Concen: 43.254 ng/ul

RT: 21.480 min Scan# 3093

Delta R.T. 0.006 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57




Tgt Ion:149 Resp: 2855597


Ion Ratio Lower Upper

149 100

167 27.8 21.6 32.4

279 4.2 2.7 4.1#





#87

Chrysene

Concen: 37.846 ng/ul

RT: 21.616 min Scan# 3116

Delta R.T. 0.000 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57

Instrument :

BNA_N

ClientSampleId :

EYGB0MS





Tgt Ion:228 Resp: 4352041

Ion Ratio Lower Upper

228 100

226 31.8 24.8 37.2

229 20.9 16.4 24.6



#89

Di-n-octyl phthalate

Concen: 43.195 ng/ul




RT: 22.439 min Scan# 3256


Delta R.T. 0.006 min

Lab File: BN024619.D

Acq: 29 Mar 2023 20:57

Tgt Ion:149 Resp: 4962438









#90
Benzo(b)fluoranthene
Concen: 37.300 ng/ul
RT: 23.304 min Scan# 3402
Delta R.T. -0.006 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57




Instrument :
BNA_N
ClientSampleId :
EYGB0MS


Tgt Ion:252 Resp: 4632072
Ion Ratio Lower Upper
252 100
253 20.7 15.8 23.8
125 11.0 8.6 13.0



#91
Benzo(k)fluoranthene
Concen: 39.804 ng/ul
RT: 23.357 min Scan# 3412
Delta R.T. 0.000 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion:252 Resp: 4718898
Ion Ratio Lower Upper
252 100
253 22.5 17.5 26.3
125 11.4 9.2 13.8









#93
 Benzo(a)pyrene
 Concen: 37.857 ng/ul
 RT: 23.963 min Scan# 31
 Delta R.T. 0.006 min
 Lab File: BN024619.D
 Acq: 29 Mar 2023 20:57

Instrument :
 BNA_N
 ClientSampleId :
 EYGB0MS

Tgt Ion:252 Resp: 4116753




Ion	Ratio	Lower	Upper
252	100		
253	21.6	18.2	27.4
125	11.9	10.2	15.4




#94
 Indeno(1,2,3-cd)pyrene
 Concen: 35.557 ng/ul
 RT: 26.674 min Scan# 3976
 Delta R.T. 0.000 min
 Lab File: BN024619.D
 Acq: 29 Mar 2023 20:57

Tgt Ion:276 Resp: 4927396

Ion	Ratio	Lower	Upper
276	100		
138	27.9	22.2	33.2
277	23.0	20.3	30.5









#95
Dibenzo(a,h)anthracene
Concen: 35.367 ng/ul
RT: 26.692 min Scan# 3974
Delta R.T. 0.006 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Instrument :
BNA_N
ClientSampleId :
EYGB0MS

Tgt Ion:278 Resp: 4064617
Ion Ratio Lower Upper
278 100
139 19.0 14.2 21.4
279 23.3 19.6 29.4



#96
Benzo(g,h,i)perylene
Concen: 34.601 ng/ul
RT: 27.480 min Scan# 4113
Delta R.T. 0.006 min
Lab File: BN024619.D
Acq: 29 Mar 2023 20:57

Tgt Ion:276 Resp: 3983925
Ion Ratio Lower Upper
276 100
138 23.8 19.5 29.3
277 23.6 18.4 27.6

