

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN042120\
 Data File : BN010567.D
 Acq On : 21 Apr 2020 15:33
 Operator : CG/JU
 Sample : L2338-08
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BP-EB01-20200414

Quant Time: Apr 21 16:05:32 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN041320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Apr 21 13:19:17 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.60	152	3477	0.40	ng	0.00
7) Naphthalene-d8	10.35	136	13942	0.40	ng	0.00
13) Acenaphthene-d10	14.22	164	8574	0.40	ng	0.00
19) Phenanthrene-d10	16.97	188	18584	0.40	ng	0.00
27) Chrysene-d12	21.18	240	15398	0.40	ng	0.00
34) Perylene-d12	23.35	264	13747	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.24	112	1150	0.15	ng	0.00
5) Phenol-d6	6.79	99	828	0.08	ng	0.00
8) Nitrobenzene-d5	8.73	82	3792	0.39	ng	0.00
11) 2-Methylnaphthalene-d10	11.95	152	8293	0.36	ng	0.00
14) 2,4,6-Tribromophenol	15.72	330	1376	0.34	ng	0.00
15) 2-Fluorobiphenyl	12.84	172	13637	0.44	ng	0.00
25) Fluoranthene-d10	19.01	212	20528	0.36	ng	0.00
29) Terphenyl-d14	19.62	244	26676	0.76	ng	0.00
Target Compounds						
32) Bis(2-ethylhexyl)phthalate	21.11	149	863	0.033	ng	Qvalue # 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN042120\
Data File : BN010567.D
Acq On : 21 Apr 2020 15:33
Operator : CG/JU
Sample : L2338-08
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BP-EB01-20200414

Quant Time: Apr 21 16:05:32 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN041320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Apr 21 13:19:17 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.60 min Scan# 592
Delta R.T. 0.00 min
Lab File: BN010567.D
Acq: 21 Apr 2020 15:33

Instrument :
BNA_N
ClientSampleId :
BP-EB01-20200414

Tot Ion:152 Resp: 3477
Ion Ratio Lower Upper
152 100
150 158.3 121.8 182.6
115 61.1 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.151 ng
RT: 5.24 min Scan# 299
Delta R.T. 0.00 min
Lab File: BN010567.D
Acq: 21 Apr 2020 15:33

Tgt Ion:112 Resp: 1150
Ion Ratio Lower Upper
112 100
64 45.7 35.8 53.8
63 24.4 19.9 29.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BNC
Ion 63.00 (62.70 to 63.70): BNC





#5

Phenol-d6

Concen: 0.083 ng

RT: 6.79 min Scan# 492

Delta R.T. 0.01 min

Lab File: BN010567.D

Acq: 21 Apr 2020 15:33

Instrument :

BNA_N

ClientSampleId :

BP-EB01-20200414


Tot Ion: 99 Resp: 828

Ion Ratio Lower Upper

99 100

42 14.5 9.8 14.6




71 54.0 27.8 41.8#



Abundance Ion 99.00 (98.70 to 99.70): BN010466.D (-486) (-)

Ion 42.00 (41.70 to 42.70): BN010466.D (-486) (-)

Ion 71.00 (70.70 to 71.70): BN010466.D (-486) (-)



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.35 min Scan# 842

Delta R.T. 0.00 min

Lab File: BN010567.D

Acq: 21 Apr 2020 15:33

Tgt Ion: 136 Resp: 13942


Ion Ratio Lower Upper

136 100

137 11.5 8.9 13.3

54 4.1 2.6 4.0#

68 4.9 3.4 5.2






Abundance Ion 136.00 (135.70 to 136.70): BN010466.D (-834) (-)

Ion 137.00 (136.70 to 137.70): BN010466.D (-834) (-)

Ion 54.00 (53.70 to 54.70): BN010466.D (-834) (-)

Ion 68.00 (67.70 to 68.70): BN010466.D (-834) (-)









#8
 Nitrobenzene-d5
 Concen: 0.389 ng
 RT: 8.73 min Scan# 714
 Delta R.T. 0.00 min
 Lab File: BN010567.D
 Acq: 21 Apr 2020 15:33




Instrument :
 BNA_N
 ClientSampleId :
 BP-EB01-20200414


Tot Ion:	82	Resp:	3792
Ion	Ratio	Lower	Upper
82	100		
128	44.1	41.3	61.9
54	31.7	23.4	35.0



#11
 2-Methylnaphthalene-d10
 Concen: 0.362 ng
 RT: 11.95 min Scan# 1032
 Delta R.T. 0.00 min
 Lab File: BN010567.D
 Acq: 21 Apr 2020 15:33

Tgt Ion:	152	Resp:	8293
Ion	Ratio	Lower	Upper
152	100		
151	19.0	15.3	22.9





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.22 min Scan# 1311

Delta R.T. 0.01 min

Lab File: BN010567.D

Acq: 21 Apr 2020 15:33

Instrument :

BNA_N

ClientSampleId :

BP-EB01-20200414


Tot Ion:164 Resp: 8574

Ion Ratio Lower Upper

164 100

162 102.4 80.6 121.0




160 49.4 36.5 54.7



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.340 ng

RT: 15.72 min Scan# 1446

Delta R.T. 0.01 min

Lab File: BN010567.D

Acq: 21 Apr 2020 15:33


Tgt Ion:330 Resp: 1376

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0



141 35.4 28.1 42.1




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.437 ng
RT: 12.84 min Scan# 1187
Delta R.T. -0.00 min
Lab File: BN010567.D
Acq: 21 Apr 2020 15:33




Instrument :
BNA_N
ClientSampleId :
BP-EB01-20200414


Tot Ion:172 Resp: 13637
Ion Ratio Lower Upper
172 100
171 35.5 28.2 42.2
170 24.1 18.4 27.6



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.97 min Scan# 1562
Delta R.T. 0.01 min
Lab File: BN010567.D
Acq: 21 Apr 2020 15:33

Tgt Ion:188 Resp: 18584
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 7.1 5.0 7.6





#25

Fluoranthene-d10

Concen: 0.364 ng

RT: 19.01 min Scan# 1860

Delta R.T. 0.00 min

Lab File: BN010567.D

Acq: 21 Apr 2020 15:33

Instrument :

BNA_N

ClientSampleId :

BP-EB01-20200414


Tot Ion:212 Resp: 20528

Ion Ratio Lower Upper

212 100

106 9.8 7.8 11.6




104 5.5 4.5 6.7



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.18 min Scan# 2172

Delta R.T. 0.00 min

Lab File: BN010567.D

Acq: 21 Apr 2020 15:33


Tgt Ion:240 Resp: 15398

Ion Ratio Lower Upper

240 100

120 7.6 4.8 7.2#



236 27.0 21.4 32.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.757 ng

RT: 19.62 min Scan# 1983

Delta R.T. -0.00 min

Lab File: BN010567.D

Acq: 21 Apr 2020 15:33

Instrument :

BNA_N

ClientSampleId :

BP-EB01-20200414


Tot Ion:244 Resp: 26676

Ion Ratio Lower Upper

244 100

212 7.9 6.2 9.4




122 9.9 7.8 11.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.033 ng

RT: 21.11 min Scan# 2166

Delta R.T. 0.00 min

Lab File: BN010567.D

Acq: 21 Apr 2020 15:33


Tgt Ion:149 Resp: 863

Ion Ratio Lower Upper

149 100

167 28.6 23.4 35.0



279 8.6 4.0 6.0#






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 23.35 min Scan# 2562

Delta R.T. -0.00 min

Lab File: BN010567.D

Acq: 21 Apr 2020 15:33

Instrument :

BNA_N

ClientSampleId :

BP-EB01-20200414

Tot Ion:264 Resp: 13747

Ion Ratio Lower Upper

264 100

260 24.5 19.8 29.8

265 65.6 42.3 63.5#

