

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN042319\
 Data File : BN005220.D
 Acq On : 23 Apr 2019 18:23
 Operator : JU/SJ
 Sample : K2403-08
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A5125

Quant Time: Apr 24 08:53:39 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN041919MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Apr 23 03:50:45 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.60	152	1058132	20.00	ng/ul	0.00
18) Naphthalene-d8	10.36	136	4596700	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.23	164	2636210	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.99	188	5257211	20.00	ng/ul	0.00
77) Chrysene-d12	21.22	240	4062666	20.00	ng/ul	0.00
85) Perylene-d12	23.44	264	4384746	20.00	ng/ul	0.02

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.22	96	81627	3.72	ng/uL	0.00
5) Phenol-d5	6.78	99	932362	11.22	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.95	67	587713	11.34	ng/ul	0.00
9) 2-Chlorophenol-d4	7.13	132	742881	11.68	ng/ul	0.00
13) 4-Methylphenol-d8	8.29	113	715113	11.01	ng/ul	0.00
19) Nitrobenzene-d5	8.74	128	372675	13.17	ng/ul	0.00
22) 2-Nitrophenol-d4	9.45	143	408358	14.24	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.98	165	754900	11.48	ng/ul	0.00
29) 4-Chloroaniline-d4	10.49	131	919756	13.57	ng/ul	0.00
43) Dimethylphthalate-d6	13.65	166	2313605	12.09	ng/ul	0.00
46) Acenaphthylene-d8	13.92	160	2746297	11.68	ng/ul	0.00
51) 4-Nitrophenol-d4	14.43	143	274172	9.07	ng/ul	0.00
57) Fluorene-d10	15.23	176	1864120	11.61	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.35	200	131790	5.57	ng/ul	0.00
70) Anthracene-d10	17.08	188	2564773	11.64	ng/ul	0.00
78) Pyrene-d10	19.40	212	2505346	12.05	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.30	264	2194070	11.45	ng/ul	0.02


Target Compounds					Qvalue	
44) Dimethylphthalate	13.70	163	739947	3.881	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN042319\
Data File : BN005220.D
Acq On : 23 Apr 2019 18:23
Operator : JU/SJ
Sample : K2403-08
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
A5125

Quant Time: Apr 24 08:53:39 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN041919MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Apr 23 03:50:45 2019
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 3.881 ng/ul

RT: 13.70 min Scan# 1821

Delta R.T. -0.01 min

Lab File: BN005220.D

Acq: 23 Apr 2019 18:23

Instrument :

BNA_N

ClientSampleId :

A5125


Tgt Ion:163 Resp: 739947

Ion Ratio Lower Upper

163 100

194 3.8 3.4 5.0

164 10.0 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

