

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN042519\
 Data File : BN005298.D
 Acq On : 26 Apr 2019 01:52
 Operator : JU/SJ
 Sample : K2481-21
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Apr 26 03:00:44 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN041919MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Apr 25 03:19:34 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.59	152	415331	20.00	ng/ul	0.00
18) Naphthalene-d8	10.36	136	1890266	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.23	164	1229236	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.98	188	2984169	20.00	ng/ul	0.00
77) Chrysene-d12	21.22	240	3094031	20.00	ng/ul	-0.01
85) Perylene-d12	23.42	264	3466993	20.00	ng/ul	-0.02

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.22	96	42025	4.89	ng/uL	0.00
5) Phenol-d5	6.78	99	944117	28.94	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.94	67	588993	28.94	ng/ul	0.00
9) 2-Chlorophenol-d4	7.13	132	741559	29.70	ng/ul	0.00
13) 4-Methylphenol-d8	8.29	113	807737	31.68	ng/ul	0.00
19) Nitrobenzene-d5	8.73	128	414172	35.60	ng/ul	0.00
22) 2-Nitrophenol-d4	9.45	143	474714	40.25	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.98	165	824077	30.48	ng/ul	0.00
29) 4-Chloroaniline-d4	10.49	131	1179092	42.29	ng/ul	0.00
43) Dimethylphthalate-d6	13.65	166	3095681	34.69	ng/ul	0.00
46) Acenaphthylene-d8	13.92	160	3617472	33.01	ng/ul	0.00
51) 4-Nitrophenol-d4	14.43	143	545229	38.70	ng/ul	0.00
57) Fluorene-d10	15.23	176	2600092	34.72	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.35	200	464352	34.60	ng/ul	0.00
70) Anthracene-d10	17.08	188	4243391	33.92	ng/ul	0.00
78) Pyrene-d10	19.39	212	5017745	31.70	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.29	264	5398784	35.63	ng/ul	-0.02

Target Compounds


					Ovalue
44) Dimethylphthalate	13.69	163	599586	6.744	ng/ul 99
75) Di-n-butylphthalate	17.97	149	185821	1.164	ng/ul 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN042519\
Data File : BN005298.D
Acq On : 26 Apr 2019 01:52
Operator : JU/SJ
Sample : K2481-21
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Apr 26 03:00:44 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN041919MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Apr 25 03:19:34 2019
Response via : Initial Calibration









#44
Dimethylphthalate
Concen: 6.744 ng/ul
RT: 13.69 min Scan# 1820
Delta R.T. -0.01 min
Lab File: BN005298.D
Acq: 26 Apr 2019 01:52

Instrument :
BNA_N
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
163	100		
194	4.9	3.4	5.0
164	9.9	8.1	12.1



#75
Di-n-butylphthalate
Concen: 1.164 ng/ul
RT: 17.97 min Scan# 2548
Delta R.T. -0.01 min
Lab File: BN005298.D
Acq: 26 Apr 2019 01:52

Tgt Ion	Ratio	Lower	Upper
149	100		
150	9.6	7.3	10.9
104	4.8	4.2	6.2

