

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN042519\
 Data File : BN005293.D
 Acq On : 25 Apr 2019 23:00
 Operator : JU/SJ
 Sample : K2481-12
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 GAHW5

Quant Time: Apr 26 04:19:51 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN041919MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Apr 25 03:19:34 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.59	152	443104	20.00	ng/ul	0.00
18) Naphthalene-d8	10.36	136	1960695	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.23	164	1260383	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.98	188	3050516	20.00	ng/ul	0.00
77) Chrysene-d12	21.21	240	3213953	20.00	ng/ul	-0.02
85) Perylene-d12	23.42	264	3579604	20.00	ng/ul	-0.02

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.22	96	53505	5.83	ng/uL	0.00
5) Phenol-d5	6.78	99	1149287	33.02	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.94	67	705963	32.52	ng/ul	0.00
9) 2-Chlorophenol-d4	7.13	132	909079	34.13	ng/ul	0.00
13) 4-Methylphenol-d8	8.29	113	975838	35.87	ng/ul	0.00
19) Nitrobenzene-d5	8.73	128	492952	40.85	ng/ul	0.00
22) 2-Nitrophenol-d4	9.45	143	557729	45.59	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.98	165	982584	35.04	ng/ul	0.00
29) 4-Chloroaniline-d4	10.49	131	1410151	48.76	ng/ul	0.00
43) Dimethylphthalate-d6	13.65	166	3692912	40.36	ng/ul	0.00
46) Acenaphthylene-d8	13.92	160	4290095	38.18	ng/ul	0.00
51) 4-Nitrophenol-d4	14.43	143	655036	45.34	ng/ul	0.00
57) Fluorene-d10	15.23	176	3047634	39.69	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.35	200	565586	41.22	ng/ul	0.00
70) Anthracene-d10	17.08	188	5005701	39.14	ng/ul	0.00
78) Pyrene-d10	19.39	212	5840552	35.52	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.28	264	6324882	40.43	ng/ul	-0.02


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	13.69	163	801713	8.794	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN042519\
Data File : BN005293.D
Acq On : 25 Apr 2019 23:00
Operator : JU/SJ
Sample : K2481-12
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
GAHW5

Quant Time: Apr 26 04:19:51 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN041919MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Apr 25 03:19:34 2019
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 8.794 ng/ul

RT: 13.69 min Scan# 1820

Delta R.T. -0.01 min

Lab File: BN005293.D

Acq: 25 Apr 2019 23:00

Instrument :

BNA_N

ClientSampleId :

GAHW5


Tgt Ion:163 Resp: 801713

Ion Ratio Lower Upper

163 100

194 4.5 3.4 5.0

164 10.0 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

