

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN050124\
 Data File : BN031356.D
 Acq On : 01 May 2024 20:33
 Operator : MA/JU
 Sample : P2105-06
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 C0AB4

Quant Time: May 02 00:16:46 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN042924.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu May 02 00:07:34 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.611	152	158715	20.000	ng/u1	0.00
20) Naphthalene-d8	10.387	136	628395	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.257	164	368068	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.010	188	742762	20.000	ng/u1	0.00
79) Chrysene-d12	21.245	240	703665	20.000	ng/u1	-0.01
88) Perylene-d12	24.133	264	792431	20.000	ng/u1	-0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.134	96	12077	3.543	ng/uL	0.00
4) Pyridine-d5	3.552	84	22751	2.330	ng/u1	0.02
7) Phenol-d5	6.787	99	197409	15.457	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	6.958	67	147255	19.692	ng/u1	0.00
11) 2-Chlorophenol-d4	7.146	132	194547	19.041	ng/u1	0.00
15) 4-Methylphenol-d8	8.316	113	127269	12.025	ng/u1	0.00
21) Nitrobenzene-d5	8.769	128	94038	20.765	ng/u1	0.00
24) 2-Nitrophenol-d4	9.481	143	98933	20.298	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.016	165	172449	19.053	ng/u1	0.00
31) 4-Chloroaniline-d4	10.534	131	179414	13.678	ng/u1	0.00
46) Dimethylphthalate-d6	13.675	166	539417	22.230	ng/u1	0.00
49) Acenaphthylene-d8	13.951	160	625453	22.214	ng/u1	0.00
54) 4-Nitrophenol-d4	14.481	143	54892	12.465	ng/u1	0.00
60) Fluorene-d10	15.257	176	481622	23.243	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.387	200	62456	16.351	ng/u1	0.00
73) Anthracene-d10	17.110	188	722442	23.568	ng/u1	0.00
81) Pyrene-d10	19.416	212	866065	20.209	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.933	264	879593	23.976	ng/u1	-0.01
Target Compounds						
					Qvalue	
16) Acetophenone	8.434	105	49001	3.114	ng/u1	99
80) Fluoranthene	19.075	202	86224	1.678	ng/u1	98
82) Pyrene	19.445	202	77108	1.471	ng/u1	98
87) Chrysene	21.286	228	45152	1.049	ng/u1	95
90) Benzo(b)fluoranthene	23.222	252	70152	1.461	ng/u1#	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN050124\
Data File : BN031356.D
Acq On : 01 May 2024 20:33
Operator : MA/JU
Sample : P2105-06
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
C0AB4

Quant Time: May 02 00:16:46 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN042924.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu May 02 00:07:34 2024
Response via : Initial Calibration

