

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN051322\
 Data File : BN019774.D
 Acq On : 13 May 2022 18:41
 Operator : CG/JU
 Sample : PB144776BS
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB144776BS

Quant Time: May 13 23:59:43 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN051322.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 13 02:41:37 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.854	152	3676	0.400	ng	0.00
7) Naphthalene-d8	10.648	136	11230	0.400	ng	0.00
13) Acenaphthene-d10	14.474	164	6589	0.400	ng	0.00
19) Phenanthrene-d10	17.215	188	15113	0.400	ng	0.00
29) Chrysene-d12	21.395	240	14373	0.400	ng	0.00
35) Perylene-d12	23.735	264	13807	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.435	112	3138	0.341	ng	0.00
5) Phenol-d6	7.017	99	3840	0.333	ng	0.00
8) Nitrobenzene-d5	9.003	82	2842	0.335	ng	0.00
11) 2-Methylnaphthalene-d10	12.231	152	6978	0.357	ng	0.00
14) 2,4,6-Tribromophenol	15.964	330	797	0.306	ng	0.00
15) 2-Fluorobiphenyl	13.105	172	10623	0.369	ng	0.00
27) Fluoranthene-d10	19.244	212	15954	0.372	ng	0.00
31) Terphenyl-d14	19.843	244	11806	0.348	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.355	88	1600	0.367	ng	100
3) n-Nitrosodimethylamine	3.673	42	1640	0.343	ng	# 94
6) bis(2-Chloroethyl)ether	7.277	93	3984	0.355	ng	98
9) Naphthalene	10.690	128	12338	0.362	ng	100
10) Hexachlorobutadiene	10.989	225	2254	0.364	ng	# 99
12) 2-Methylnaphthalene	12.306	142	8290	0.357	ng	98
16) Acenaphthylene	14.196	152	10746	0.348	ng	99
17) Acenaphthene	14.538	154	8255	0.361	ng	99
18) Fluorene	15.522	166	10492	0.363	ng	100
20) 4,6-Dinitro-2-methylph...	15.596	198	747	0.345	ng	# 89
21) 4-Bromophenyl-phenylether	16.405	248	3271	0.354	ng	96
22) Hexachlorobenzene	16.528	284	3836	0.375	ng	100
23) Atrazine	16.672	200	2001	0.332	ng	97
24) Pentachlorophenol	16.867	266	1424	0.360	ng	97
25) Phenanthrene	17.256	178	18916	0.361	ng	100
26) Anthracene	17.349	178	15008	0.339	ng	100
28) Fluoranthene	19.274	202	20692	0.369	ng	99
30) Pyrene	19.636	202	21393	0.351	ng	100
32) Benzo(a)anthracene	21.378	228	17979	0.343	ng	98
33) Chrysene	21.431	228	22062	0.376	ng	98
34) Bis(2-ethylhexyl)phtha...	21.324	149	8446	0.387	ng	97
36) Indeno(1,2,3-cd)pyrene	26.138	276	25776	0.399	ng	99
37) Benzo(b)fluoranthene	23.027	252	20590	0.342	ng	99
38) Benzo(k)fluoranthene	23.074	252	22608	0.353	ng	98
39) Benzo(a)pyrene	23.633	252	16225	0.342	ng	97
40) Dibenzo(a,h)anthracene	26.153	278	20905	0.401	ng	100
41) Benzo(g,h,i)perylene	26.875	276	20466	0.382	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN051322\
Data File : BN019774.D
Acq On : 13 May 2022 18:41
Operator : CG/JU
Sample : PB144776BS
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB144776BS


Quant Time: May 13 23:59:43 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN051322.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 13 02:41:37 2022
Response via : Initial Calibration







#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.854 min Scan# 661
 Delta R.T. -0.008 min
 Lab File: BN019774.D
 Acq: 13 May 2022 18:41

Instrument :
 BNA_N
 ClientSampleId :
 PB144776BS






Tgt Ion:152 Resp: 3676
 Ion Ratio Lower Upper
 152 100
 150 157.5 127.9 191.9
 115 63.1 51.4 77.2



#2
 1,4-Dioxane
 Concen: 0.367 ng
 RT: 3.355 min Scan# 38
 Delta R.T. -0.007 min
 Lab File: BN019774.D
 Acq: 13 May 2022 18:41

Tgt Ion: 88 Resp: 1600
 Ion Ratio Lower Upper
 88 100
 43 37.3 30.2 45.2
 58 91.3 73.0 109.6









#3
 n-Nitrosodimethylamine
 Concen: 0.343 ng
 RT: 3.673 min Scan# 81
 Delta R.T. -0.007 min
 Lab File: BN019774.D
 Acq: 13 May 2022 18:41




Instrument :
 BNA_N
 ClientSampleId :
 PB144776BS


Tgt Ion: 42 Resp: 1640
 Ion Ratio Lower Upper
 42 100
 74 99.8 84.0 126.0
 44 7.2 9.8 14.8#



#4
 2-Fluorophenol
 Concen: 0.341 ng
 RT: 5.435 min Scan# 326
 Delta R.T. -0.007 min
 Lab File: BN019774.D
 Acq: 13 May 2022 18:41

Tgt Ion: 112 Resp: 3138
 Ion Ratio Lower Upper
 112 100
 64 61.8 49.1 73.7
 63 33.2 26.3 39.5









#5
Phenol-d6
Concen: 0.333 ng
RT: 7.017 min Scan# 545
Delta R.T. -0.007 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41




Instrument :
BNA_N
ClientSampleId :
PB144776BS

Tgt Ion: 99 Resp: 3840
Ion Ratio Lower Upper
99 100
42 23.7 19.3 28.9
71 34.5 27.5 41.3



#6
bis(2-Chloroethyl)ether
Concen: 0.355 ng
RT: 7.277 min Scan# 581
Delta R.T. -0.007 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41

Tgt Ion: 93 Resp: 3984
Ion Ratio Lower Upper
93 100
63 82.6 67.4 101.0
95 33.7 26.5 39.7









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.648 min Scan# 943
Delta R.T. 0.000 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41




Instrument :
BNA_N
ClientSampleId :
PB144776BS


Tgt Ion:	136	Resp:	11230
Ion Ratio	Lower	Upper	
136	100		
137	11.6	9.0	13.6
54	7.9	6.2	9.2
68	5.7	4.4	6.6



#8
Nitrobenzene-d5
Concen: 0.335 ng
RT: 9.003 min Scan# 789
Delta R.T. 0.000 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41

Tgt Ion:	82	Resp:	2842
Ion Ratio	Lower	Upper	
82	100		
128	44.2	35.0	52.6
54	59.7	46.2	69.4









#9
Naphthalene
Concen: 0.362 ng
RT: 10.690 min Scan# 947
Delta R.T. -0.011 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41




Instrument :
BNA_N
ClientSampleId :
PB144776BS


Tgt Ion:	128	Resp:	12338
Ion Ratio	Lower	Upper	
128	100		
129	11.4	8.9	13.3
127	13.6	10.8	16.2



#10
Hexachlorobutadiene
Concen: 0.364 ng
RT: 10.989 min Scan# 975
Delta R.T. -0.011 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41

Tgt Ion:	225	Resp:	2254
Ion Ratio	Lower	Upper	
225	100		
223	0.0	0.0	0.0
227	64.6	50.9	76.3









#11
2-Methylnaphthalene-d10
Concen: 0.357 ng
RT: 12.231 min Scan# 11
Delta R.T. -0.004 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41




Instrument :
BNA_N
ClientSampleId :
PB144776BS

Tgt Ion:152 Resp: 6978
Ion Ratio Lower Upper
152 100
151 20.6 16.2 24.4



#12
2-Methylnaphthalene
Concen: 0.357 ng
RT: 12.306 min Scan# 1234
Delta R.T. -0.004 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41

Tgt Ion:142 Resp: 8290
Ion Ratio Lower Upper
142 100
141 87.5 71.6 107.4
115 36.9 29.8 44.8









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.474 min Scan# 1471
Delta R.T. 0.000 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41




Instrument :
BNA_N
ClientSampleId :
PB144776BS


Tgt Ion:164 Resp: 6589
Ion Ratio Lower Upper
164 100
162 103.4 82.1 123.1
160 48.2 38.6 58.0



#14
2,4,6-Tribromophenol
Concen: 0.306 ng
RT: 15.964 min Scan# 1611
Delta R.T. 0.000 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41

Tgt Ion:330 Resp: 797
Ion Ratio Lower Upper
330 100
332 97.7 77.6 116.4
141 51.6 41.0 61.4









#15
2-Fluorobiphenyl
Concen: 0.369 ng
RT: 13.105 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41




Instrument :
BNA_N
ClientSampleId :
PB144776BS


Tgt Ion:172 Resp: 10623
Ion Ratio Lower Upper
172 100
171 34.6 27.2 40.8
170 23.0 18.2 27.4



#16
Acenaphthylene
Concen: 0.348 ng
RT: 14.196 min Scan# 1445
Delta R.T. 0.000 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41

Tgt Ion:152 Resp: 10746
Ion Ratio Lower Upper
152 100
151 19.6 16.2 24.4
153 12.8 10.7 16.1









#17
Acenaphthene
Concen: 0.361 ng
RT: 14.538 min Scan# 1477
Delta R.T. 0.000 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41




Instrument :
BNA_N
ClientSampleId :
PB144776BS


Tgt Ion:154 Resp: 8255
Ion Ratio Lower Upper
154 100
153 109.8 87.5 131.3
152 55.8 43.8 65.6



#18
Fluorene
Concen: 0.363 ng
RT: 15.522 min Scan# 1569
Delta R.T. 0.000 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41

Tgt Ion:166 Resp: 10492
Ion Ratio Lower Upper
166 100
165 98.1 78.6 118.0
167 13.4 10.8 16.2









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.215 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41




Instrument :
BNA_N
ClientSampleId :
PB144776BS


Tgt Ion:188 Resp: 15113
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 9.6 7.4 11.2



#20
4,6-Dinitro-2-methylphenol
Concen: 0.345 ng
RT: 15.596 min Scan# 1576
Delta R.T. 0.000 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41

Tgt Ion:198 Resp: 747
Ion Ratio Lower Upper
198 100
182 19.5 12.1 18.1#
77 0.0 0.0 0.0









#21
4-Bromophenyl-phenylether
Concen: 0.354 ng
RT: 16.405 min Scan# 1654
Delta R.T. -0.010 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41




Instrument :
BNA_N
ClientSampleId :
PB144776BS


Tgt Ion:248 Resp: 3271
Ion Ratio Lower Upper
248 100
250 92.2 75.3 112.9
141 88.9 67.3 100.9



#22
Hexachlorobenzene
Concen: 0.375 ng
RT: 16.528 min Scan# 1666
Delta R.T. 0.000 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41

Tgt Ion:284 Resp: 3836
Ion Ratio Lower Upper
284 100
142 43.9 35.2 52.8
249 33.4 26.6 40.0









#23
Atrazine
Concen: 0.332 ng
RT: 16.672 min Scan# 1680
Delta R.T. 0.000 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41




Instrument :
BNA_N
ClientSampleId :
PB144776BS

Tgt Ion:200 Resp: 2001
Ion Ratio Lower Upper
200 100
173 30.9 23.6 35.4
215 47.8 36.6 54.8



#24
Pentachlorophenol
Concen: 0.360 ng
RT: 16.867 min Scan# 1699
Delta R.T. -0.000 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41

Tgt Ion:266 Resp: 1424
Ion Ratio Lower Upper
266 100
264 62.5 51.3 76.9
268 62.6 52.6 79.0









#25
Phenanthrene
Concen: 0.361 ng
RT: 17.256 min Scan# 1737
Delta R.T. 0.000 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41




Instrument :
BNA_N
ClientSampleId :
PB144776BS


Tgt Ion:178 Resp: 18916
Ion Ratio Lower Upper
178 100
176 19.2 15.3 22.9
179 15.1 12.2 18.4



#26
Anthracene
Concen: 0.339 ng
RT: 17.349 min Scan# 1746
Delta R.T. 0.000 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41

Tgt Ion:178 Resp: 15008
Ion Ratio Lower Upper
178 100
176 18.5 14.9 22.3
179 15.4 12.2 18.4









#27
Fluoranthene-d10
Concen: 0.372 ng
RT: 19.244 min Scan# 2104
Delta R.T. -0.004 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41




Instrument :
BNA_N
ClientSampleId :
PB144776BS


Tgt Ion:212 Resp: 15954
Ion Ratio Lower Upper
212 100
106 15.7 12.6 19.0
104 8.9 7.2 10.8



#28
Fluoranthene
Concen: 0.369 ng
RT: 19.274 min Scan# 2111
Delta R.T. -0.004 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41

Tgt Ion:202 Resp: 20692
Ion Ratio Lower Upper
202 100
101 12.6 9.6 14.4
203 16.9 13.5 20.3









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.395 min Scan# 2440
Delta R.T. -0.009 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41




Instrument :
BNA_N
ClientSampleId :
PB144776BS


Tgt Ion:240 Resp: 14373
Ion Ratio Lower Upper
240 100
120 15.1 14.6 21.8
236 27.7 22.6 33.8



#30
Pyrene
Concen: 0.351 ng
RT: 19.636 min Scan# 2197
Delta R.T. -0.004 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41

Tgt Ion:202 Resp: 21393
Ion Ratio Lower Upper
202 100
200 20.7 16.6 25.0
203 17.6 14.2 21.2









#31
 Terphenyl-d14
 Concen: 0.348 ng
 RT: 19.843 min Scan# 21
 Delta R.T. -0.004 min
 Lab File: BN019774.D
 Acq: 13 May 2022 18:41




Instrument :
 BNA_N
 ClientSampleId :
 PB144776BS

Tgt Ion:244 Resp: 11806
 Ion Ratio Lower Upper
 244 100
 212 9.2 7.1 10.7
 122 0.0 0.0 0.0



#32
 Benzo(a)anthracene
 Concen: 0.343 ng
 RT: 21.378 min Scan# 2438
 Delta R.T. -0.009 min
 Lab File: BN019774.D
 Acq: 13 May 2022 18:41

Tgt Ion:228 Resp: 17979
 Ion Ratio Lower Upper
 228 100
 226 28.4 21.2 31.8
 229 19.4 15.6 23.4





#33

Chrysene

Concen: 0.376 ng

RT: 21.431 min Scan# 2444

Delta R.T. -0.009 min

Lab File: BN019774.D

Acq: 13 May 2022 18:41

Instrument :

BNA_N

ClientSampleId :

PB144776BS





Tgt Ion:228 Resp: 22062

Ion Ratio Lower Upper

228 100

226 30.5 23.4 35.0

229 19.2 15.7 23.5



#34

Bis(2-ethylhexyl)phthalate

Concen: 0.387 ng

RT: 21.324 min Scan# 2432

Delta R.T. 0.000 min

Lab File: BN019774.D

Acq: 13 May 2022 18:41




Tgt Ion:149 Resp: 8446

Ion Ratio Lower Upper

149 100

167 25.6 21.7 32.5

279 2.7 2.2 3.2









#35
Perylene-d12
Concen: 0.400 ng
RT: 23.735 min Scan# 3007
Delta R.T. -0.006 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41




Instrument :
BNA_N
ClientSampleId :
PB144776BS

Tgt Ion:264 Resp: 13807
Ion Ratio Lower Upper
264 100
260 26.2 20.9 31.3
265 36.4 28.0 42.0



#36
Indeno(1,2,3-cd)pyrene
Concen: 0.399 ng
RT: 26.138 min Scan# 3829
Delta R.T. -0.015 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41


Tgt Ion:276 Resp: 25776
Ion Ratio Lower Upper
276 100
138 33.6 25.9 38.9
277 25.0 19.8 29.8







#37
Benzo(b)fluoranthene
Concen: 0.342 ng
RT: 23.027 min Scan# 21
Delta R.T. -0.009 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41

Instrument :
BNA_N
ClientSampleId :
PB144776BS






Tgt Ion:252 Resp: 20590
Ion Ratio Lower Upper
252 100
253 23.1 18.5 27.7
125 15.4 11.4 17.0



#38
Benzo(k)fluoranthene
Concen: 0.353 ng
RT: 23.074 min Scan# 2781
Delta R.T. -0.006 min
Lab File: BN019774.D
Acq: 13 May 2022 18:41

Tgt Ion:252 Resp: 22608
Ion Ratio Lower Upper
252 100
253 23.2 18.0 27.0
125 14.5 11.0 16.4





#39

Benzo(a)pyrene

Concen: 0.342 ng

RT: 23.633 min Scan# 2973

Delta R.T. -0.009 min

Lab File: BN019774.D


Acq: 13 May 2022 18:41

Instrument :

BNA_N

ClientSampleId :

PB144776BS






Tgt Ion:252 Resp: 16225

Ion Ratio Lower Upper

252 100

253 24.2 19.0 28.4

125 19.4 13.8 20.8



#40

Dibenzo(a,h)anthracene

Concen: 0.401 ng

RT: 26.153 min Scan# 3834

Delta R.T. -0.018 min

Lab File: BN019774.D

Acq: 13 May 2022 18:41




Tgt Ion:278 Resp: 20905


Ion Ratio Lower Upper

278 100

139 23.1 18.6 28.0

279 24.5 19.7 29.5





#41

Benzo(g,h,i)perylene

Concen: 0.382 ng

RT: 26.875 min Scan# 40

Delta R.T. -0.012 min

Lab File: BN019774.D


Acq: 13 May 2022 18:41

Instrument :

BNA_N

ClientSampleId :

PB144776BS



Tgt Ion:276 Resp: 20466

Ion Ratio Lower Upper

276 100

277 24.0 19.5 29.3

138 28.5 22.6 34.0

