

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN051322\
 Data File : BN019782.D
 Acq On : 13 May 2022 23:28
 Operator : CG/JU
 Sample : N2794-07
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BP-DUP01-20220510

Quant Time: May 14 00:01:39 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN051322.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 13 02:41:37 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.854	152	3992	0.400	ng	0.00
7) Naphthalene-d8	10.647	136	12413	0.400	ng	0.00
13) Acenaphthene-d10	14.474	164	7313	0.400	ng	0.00
19) Phenanthrene-d10	17.215	188	16488	0.400	ng	0.00
29) Chrysene-d12	21.395	240	16728	0.400	ng	0.00
35) Perylene-d12	23.738	264	15797	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.442	112	1117	0.112	ng	0.00
5) Phenol-d6	7.016	99	809	0.065	ng	0.00
8) Nitrobenzene-d5	9.003	82	2134	0.228	ng	0.00
11) 2-Methylnaphthalene-d10	12.231	152	5204	0.241	ng	0.00
14) 2,4,6-Tribromophenol	15.954	330	631	0.218	ng	-0.01
15) 2-Fluorobiphenyl	13.105	172	7397	0.232	ng	0.00
27) Fluoranthene-d10	19.244	212	16384	0.350	ng	0.00
31) Terphenyl-d14	19.843	244	13448	0.341	ng	0.00
Target Compounds						
34) Bis(2-ethylhexyl)phtha...	21.324	149	7877	0.310	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN051322\
Data File : BN019782.D
Acq On : 13 May 2022 23:28
Operator : CG/JU
Sample : N2794-07
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BP-DUP01-20220510


Quant Time: May 14 00:01:39 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN051322.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 13 02:41:37 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.854 min Scan# 661
Delta R.T. -0.008 min
Lab File: BN019782.D
Acq: 13 May 2022 23:28

Instrument :
BNA_N
ClientSampleId :
BP-DUP01-20220510







Tgt Ion:152 Resp: 3992
Ion Ratio Lower Upper
152 100
150 155.4 127.9 191.9
115 62.8 51.4 77.2



#4
2-Fluorophenol
Concen: 0.112 ng
RT: 5.442 min Scan# 327
Delta R.T. -0.000 min
Lab File: BN019782.D
Acq: 13 May 2022 23:28


Tgt Ion:112 Resp: 1117
Ion Ratio Lower Upper
112 100
64 59.4 49.1 73.7
63 31.2 26.3 39.5








#5
Phenol-d6
Concen: 0.065 ng
RT: 7.016 min Scan# 54
Delta R.T. -0.007 min
Lab File: BN019782.D
Acq: 13 May 2022 23:28

Instrument :
BNA_N
ClientSampleId :
BP-DUP01-20220510







Tgt Ion: 99 Resp: 809
Ion Ratio Lower Upper
99 100
42 31.0 19.3 28.9#
71 43.8 27.5 41.3#



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.647 min Scan# 943
Delta R.T. -0.000 min
Lab File: BN019782.D
Acq: 13 May 2022 23:28

Tgt Ion: 136 Resp: 12413
Ion Ratio Lower Upper
136 100
137 11.2 9.0 13.6
54 8.1 6.2 9.2
68 5.5 4.4 6.6









#8
Nitrobenzene-d5
Concen: 0.228 ng
RT: 9.003 min Scan# 789
Delta R.T. -0.000 min
Lab File: BN019782.D
Acq: 13 May 2022 23:28




Instrument :
BNA_N
ClientSampleId :
BP-DUP01-20220510


Tgt Ion: 82 Resp: 2134
Ion Ratio Lower Upper
82 100
128 44.1 35.0 52.6
54 61.4 46.2 69.4



#11
2-Methylnaphthalene-d10
Concen: 0.241 ng
RT: 12.231 min Scan# 1214
Delta R.T. -0.004 min
Lab File: BN019782.D
Acq: 13 May 2022 23:28

Tgt Ion: 152 Resp: 5204
Ion Ratio Lower Upper
152 100
151 20.3 16.2 24.4









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.474 min Scan# 1471
Delta R.T. -0.000 min
Lab File: BN019782.D
Acq: 13 May 2022 23:28




Instrument :
BNA_N
ClientSampleId :
BP-DUP01-20220510


Tgt Ion:164 Resp: 7313
Ion Ratio Lower Upper
164 100
162 102.7 82.1 123.1
160 47.8 38.6 58.0



#14
2,4,6-Tribromophenol
Concen: 0.218 ng
RT: 15.954 min Scan# 1610
Delta R.T. -0.010 min
Lab File: BN019782.D
Acq: 13 May 2022 23:28

Tgt Ion:330 Resp: 631
Ion Ratio Lower Upper
330 100
332 96.5 77.6 116.4
141 53.9 41.0 61.4









#15
2-Fluorobiphenyl
Concen: 0.232 ng
RT: 13.105 min Scan# 1343
Delta R.T. -0.000 min
Lab File: BN019782.D
Acq: 13 May 2022 23:28




Instrument :
BNA_N
ClientSampleId :
BP-DUP01-20220510


Tgt Ion:172	Resp:	7397
Ion Ratio	Lower	Upper
172	100	
171	34.9	27.2 40.8
170	23.3	18.2 27.4



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.215 min Scan# 1733
Delta R.T. -0.000 min
Lab File: BN019782.D
Acq: 13 May 2022 23:28

Tgt Ion:188	Resp:	16488
Ion Ratio	Lower	Upper
188	100	
94	0.0	0.0 0.0
80	9.5	7.4 11.2









#27
Fluoranthene-d10
Concen: 0.350 ng
RT: 19.244 min Scan# 2104
Delta R.T. -0.004 min
Lab File: BN019782.D
Acq: 13 May 2022 23:28




Instrument :
BNA_N
ClientSampleId :
BP-DUP01-20220510


Tgt Ion:212 Resp: 16384
Ion Ratio Lower Upper
212 100
106 15.8 12.6 19.0
104 9.0 7.2 10.8



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.395 min Scan# 2440
Delta R.T. -0.009 min
Lab File: BN019782.D
Acq: 13 May 2022 23:28

Tgt Ion:240 Resp: 16728
Ion Ratio Lower Upper
240 100
120 16.2 14.6 21.8
236 27.7 22.6 33.8









#31
 Terphenyl-d14
 Concen: 0.341 ng
 RT: 19.843 min Scan# 21
 Delta R.T. -0.004 min
 Lab File: BN019782.D
 Acq: 13 May 2022 23:28




Instrument :
 BNA_N
 ClientSampleId :
 BP-DUP01-20220510


Tgt Ion:244 Resp: 13448
 Ion Ratio Lower Upper
 244 100
 212 8.8 7.1 10.7
 122 0.0 0.0 0.0



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.310 ng
 RT: 21.324 min Scan# 2432
 Delta R.T. -0.000 min
 Lab File: BN019782.D
 Acq: 13 May 2022 23:28


Tgt Ion:149 Resp: 7877
 Ion Ratio Lower Upper
 149 100
 167 26.8 21.7 32.5
 279 3.2 2.2 3.2





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.738 min Scan# 30
 Delta R.T. -0.003 min
 Lab File: BN019782.D
 Acq: 13 May 2022 23:28

Instrument :
 BNA_N
 ClientSampleId :
 BP-DUP01-20220510



Tgt Ion:264 Resp: 15797

Ion	Ratio	Lower	Upper
264	100		
260	25.7	20.9	31.3
265	35.1	28.0	42.0

