

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN051819\
 Data File : BN005777.D
 Acq On : 19 May 2019 05:43
 Operator : JU/SJ
 Sample : K2742-02
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 C0C28

Quant Time: May 20 04:07:17 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN051819MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon May 20 03:44:27 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.57	152	107284	20.00	ng/ul	0.00
18) Naphthalene-d8	10.33	136	472023	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.21	164	335168	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.97	188	854290	20.00	ng/ul	0.00
77) Chrysene-d12	21.20	240	930443	20.00	ng/ul	-0.02
85) Perylene-d12	23.40	264	1050352	20.00	ng/ul	-0.02

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.19	96	10447	5.45	ng/uL	0.00
5) Phenol-d5	6.77	99	53692	6.48	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.92	67	131612	30.42	ng/ul	0.00
9) 2-Chlorophenol-d4	7.11	132	166410	24.96	ng/ul	0.00
13) 4-Methylphenol-d8	8.28	113	109089	15.39	ng/ul	0.00
19) Nitrobenzene-d5	8.72	128	110659	32.29	ng/ul	0.00
22) 2-Nitrophenol-d4	9.43	143	124932	31.57	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.98	165	198418	26.27	ng/ul	0.00
29) 4-Chloroaniline-d4	10.34	131	451	0.05	ng/ul	-0.15
43) Dimethylphthalate-d6	13.63	166	942127	36.53	ng/ul	0.00
46) Acenaphthylene-d8	13.90	160	1074717	34.30	ng/ul	0.00
51) 4-Nitrophenol-d4	14.49	143	19922	5.48	ng/ul	0.03
57) Fluorene-d10	15.21	176	863182	38.97	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.37	200	184743	35.98	ng/ul	0.00
70) Anthracene-d10	17.07	188	1670686	45.27	ng/ul	0.00
78) Pyrene-d10	19.38	212	2010070	43.84	ng/ul	-0.01
89) Benzo(a)pyrene-d12	23.26	264	2125749	45.12	ng/ul	-0.02

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN051819\
Data File : BN005777.D
Acq On : 19 May 2019 05:43
Operator : JU/SJ
Sample : K2742-02
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
C0C28

Quant Time: May 20 04:07:17 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN051819MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon May 20 03:44:27 2019
Response via : Initial Calibration

