

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN052219\
 Data File : BN005859.D
 Acq On : 22 May 2019 20:01
 Operator : JU/SJ
 Sample : k2925-10
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: May 23 01:16:06 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN051819MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed May 22 04:04:33 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	71946	20.00	ng/ul	0.00
18) Naphthalene-d8	10.32	136	335556	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.20	164	242769	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.96	188	662806	20.00	ng/ul	0.00
77) Chrysene-d12	21.20	240	815787	20.00	ng/ul	0.00
85) Perylene-d12	23.40	264	965110	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.18	96	3504	2.73	ng/uL	0.00
5) Phenol-d5	6.77	99	61524	11.07	ng/ul	0.01
7) Bis-(2-Chloroethyl)ether-d	6.91	67	38678	13.33	ng/ul	0.00
9) 2-Chlorophenol-d4	7.11	132	54700	12.23	ng/ul	0.00
13) 4-Methylphenol-d8	8.29	113	53856	11.33	ng/ul	0.01
19) Nitrobenzene-d5	8.72	128	29273	12.02	ng/ul	0.01
22) 2-Nitrophenol-d4	9.43	143	29007	10.31	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.99	165	50481	9.40	ng/ul	0.02
29) 4-Chloroaniline-d4	10.50	131	57829	9.70	ng/ul	0.02
43) Dimethylphthalate-d6	13.62	166	243988	13.06	ng/ul	0.00
46) Acenaphthylene-d8	13.89	160	283717	12.50	ng/ul	0.00
51) 4-Nitrophenol-d4	14.52	143	3403	1.29	ng/ul	0.06
57) Fluorene-d10	15.21	176	221292	13.79	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.39	200	14116	3.54	ng/ul	0.02
70) Anthracene-d10	17.06	188	362893	12.67	ng/ul	0.00
78) Pyrene-d10	19.37	212	465073	11.57	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.26	264	541863	12.52	ng/ul	0.00


Target Compounds					Ovalue	
44) Dimethylphthalate	13.67	163	72462	3.934	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN052219\
Data File : BN005859.D
Acq On : 22 May 2019 20:01
Operator : JU/SJ
Sample : k2925-10
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: May 23 01:16:06 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN051819MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed May 22 04:04:33 2019
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 3.934 ng/ul

RT: 13.67 min Scan# 1817

Delta R.T. 0.01 min

Lab File: BN005859.D

Acq: 22 May 2019 20:01

Instrument :

BNA_N

ClientSampleId :


Tot Ion:163 Resp: 72462

Ion Ratio Lower Upper

163 100

194 4.9 3.4 5.0

164 10.9 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

