

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN052219\
 Data File : BN005860.D
 Acq On : 22 May 2019 20:35
 Operator : JU/SJ
 Sample : K2925-13
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A4298

Manual Integrations
 APPROVED

mohammad
 5/23/2019 3:30:54 PM

Quant Time: May 23 05:45:47 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN051819MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed May 22 04:04:33 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	63467	20.00	ng/ul	0.00
18) Naphthalene-d8	10.32	136	292996	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.20	164	212199	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.96	188	575431	20.00	ng/ul	0.00
77) Chrysene-d12	21.20	240	726728	20.00	ng/ul	0.00
85) Perylene-d12	23.40	264	888634	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.18	96	2881	2.54	ng/uL	0.00
5) Phenol-d5	6.77	99	50264	10.25	ng/ul	0.01
7) Bis-(2-Chloroethyl)ether-d	6.91	67	36445m	14.24	ng/ul	0.00
9) 2-Chlorophenol-d4	7.11	132	46968	11.91	ng/ul	0.00
13) 4-Methylphenol-d8	8.29	113	40023	9.54	ng/ul	0.02
19) Nitrobenzene-d5	8.72	128	25369	11.93	ng/ul	0.01
22) 2-Nitrophenol-d4	9.43	143	26967	10.98	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.00	165	53708m	11.46	ng/ul	0.03
29) 4-Chloroaniline-d4	10.50	131	54598m	10.49	ng/ul	0.02
43) Dimethylphthalate-d6	13.62	166	234557	14.37	ng/ul	0.00
46) Acenaphthylene-d8	13.89	160	257672	12.99	ng/ul	0.00
51) 4-Nitrophenol-d4	14.52	143	10752m	4.67	ng/ul	0.06
57) Fluorene-d10	15.20	176	207077	14.77	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.39	200	12731	3.68	ng/ul	0.02
70) Anthracene-d10	17.06	188	352894	14.20	ng/ul	0.00
78) Pyrene-d10	19.37	212	446920	12.48	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.26	264	543286	13.63	ng/ul	0.00

Target Compounds

					Ovalue	
44) Dimethylphthalate	13.68	163	49837	3.096	ng/ul	99
76) Fluoranthene	19.04	202	92519	2.624	ng/ul#	86
79) Pyrene	19.41	202	88558	1.984	ng/ul#	88
82) Benzo(a)anthracene	21.18	228	66371	1.450	ng/ul	96
84) Chrysene	21.24	228	54791	1.269	ng/ul	97
87) Benzo(b)fluoranthene	22.75	252	73349	1.500	ng/ul#	95
90) Benzo(a)pyrene	23.30	252	53574m	1.132	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN052219\
Data File : BN005860.D
Acq On : 22 May 2019 20:35
Operator : JU/SJ
Sample : K2925-13
Misc :
ALS Vial : 10 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
A4298

Manual Integrations
APPROVED

mohammad
5/23/2019 3:30:54 PM

Quant Time: May 23 05:45:47 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN051819MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed May 22 04:04:33 2019
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 3.096 ng/ul

RT: 13.68 min Scan# 1817

Delta R.T. 0.01 min

Lab File: BN005860.D

Acq: 22 May 2019 20:35

Instrument :

BNA_N


ClientSampled :

A4298




Tot Ion:	163	Resp:	49837
Ion Ratio	Lower	Upper	
163	100		
194	4.3	3.4	5.0
164	9.5	8.1	12.1

Manual Integrations
APPROVED

mohammad
5/23/2019 3:30:54 PM



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#76

Fluoranthene

Concen: 2.624 ng/ul


RT: 19.04 min Scan# 2729

Delta R.T. 0.00 min



Lab File: BN005860.D


Acq: 22 May 2019 20:35

Tgt Ion:	202	Resp:	92519
Ion Ratio	Lower	Upper	
202	100		
101	4.4	8.6	12.8#
100	4.2	6.3	9.5#



Abundance Ion 202.00 (201.70 to 202.70): E
Ion 101.00 (100.70 to 101.70): E
Ion 100.00 (99.70 to 100.70): B





#79

Pvrene

Concen: 1.984 ng/ul

RT: 19.41 min Scan# 2792

Delta R.T. 0.01 min

Lab File: BN005860.D

Acq: 22 May 2019 20:35

Instrument :

BNA_N


ClientSampleId :

A4298

Tot Ion:	202	Resp:	88558
Ion Ratio	Lower	Upper	
202	100		
101	7.4	10.3	15.5#
100	5.9	7.9	11.9#

Manual Integrations
APPROVED

mohammad
5/23/2019 3:30:54 PM






Abundance

Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B



#82

Benzo(a)anthracene

Concen: 1.450 ng/ul

RT: 21.18 min Scan# 3093

Delta R.T. 0.00 min

Lab File: BN005860.D

Acq: 22 May 2019 20:35




Tgt Ion:	228	Resp:	66371
Ion Ratio	Lower	Upper	
228	100		
229	21.4	15.8	23.6
226	28.5	21.4	32.2


Abundance

Ion 228.00 (227.70 to 228.70): E

Ion 229.00 (228.70 to 229.70): E

Ion 226.00 (225.70 to 226.70): E









#84
Chrysene
Concen: 1.269 ng/ul
RT: 21.24 min Scan# 3103
Delta R.T. 0.01 min
Lab File: BN005860.D
Acq: 22 May 2019 20:35

Instrument :
BNA_N
ClientSampleId :
A4298

Tot Ion:228	Resp:	54791
Ion Ratio	Lower	Upper
228 100		
226 31.6	24.0	36.0
229 20.6	15.4	23.0




Manual Integrations
APPROVED


mohammad
5/23/2019 3:30:54 PM



#87
Benzo(b)fluoranthene
Concen: 1.500 ng/ul
RT: 22.75 min Scan# 3360
Delta R.T. 0.01 min
Lab File: BN005860.D
Acq: 22 May 2019 20:35

Tgt Ion:252	Resp:	73349
Ion Ratio	Lower	Upper
252 100		
253 22.8	17.7	26.5
125 6.1	8.4	12.6#





#90

Benzo(a)pyrene

Concen: 1.132 ng/ul m

RT: 23.30 min Scan# 3454

Delta R.T. 0.01 min

Lab File: BN005860.D

Acq: 22 May 2019 20:35

Instrument :

BNA_N

ClientSampleId :

A4298

Tot Ion:	252	Resp:	53574
Ion Ratio	Lower	Upper	
252	100		
253	25.5	17.3	25.9
125	6.7	8.6	13.0#

Manual Integrations
APPROVED

mohammad
5/23/2019 3:30:54 PM

