




Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN052424\
 Data File : BN031664.D
 Acq On : 24 May 2024 16:59
 Operator : MA/JU
 Sample : P2548-22
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BH617

Manual IntegrationsAPPROVED

Quant Time: May 24 23:25:49 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN052124.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 21 23:42:49 2024
 Response via : Initial Calibration

Reviewed By :Yogesh Patel 05/25/2024
 Supervised By :mohammad ahmed 05/27/2024



TIC: BN031664.D\data.ms

(85) Benzo(a)anthracene

21.345min (+ 0.059) 1.63 ng/u1

response 162000

Ion	Exp%	Act%
228.00	100.00	100.00
229.00	19.60	20.58
226.00	27.40	28.48
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN052424\
 Data File : BN031664.D
 Acq On : 24 May 2024 16:59
 Operator : MA/JU
 Sample : P2548-22
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BH617

Manual IntegrationsAPPROVED

Quant Time: May 24 23:25:49 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN052124.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 21 23:42:49 2024
 Response via : Initial Calibration

Reviewed By :Yogesh Patel 05/25/2024
 Supervised By :mohammad ahmed 05/27/2024



TIC: BN031664.D\data.ms

(85) Benzo(a)anthracene

21.286min (+ 0.000) 1.52 ng/ul m

response 151701

Ion	Exp%	Act%
228.00	100.00	100.00
229.00	19.60	22.01
226.00	27.40	35.04#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN052424\
Data File : BN031664.D
Acq On : 24 May 2024 16:59
Operator : MA/JU
Sample : P2548-22
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BH617

Manual IntegrationsAPPROVED

Quant Time: May 24 23:29:49 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN052124.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue May 21 23:42:49 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 05/25/2024
Supervised By :mohammad ahmed 05/27/2024



TIC: BN031664.D\data.ms

(96) Benzo(g,h,i)perylene

28.551min (-0.006) 0.63 ng/u1

response 63259

Ion	Exp%	Act%
276.00	100.00	100.00
138.00	24.40	30.83#
277.00	22.00	24.10
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN052424\
Data File : BN031664.D
Acq On : 24 May 2024 16:59
Operator : MA/JU
Sample : P2548-22
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BH617

Manual IntegrationsAPPROVED

Quant Time: May 24 23:29:49 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN052124.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue May 21 23:42:49 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 05/25/2024
Supervised By :mohammad ahmed 05/27/2024



TIC: BN031664.D\data.ms

(96) Benzo(g,h,i)perylene

28.562min (+ 0.006) 1.20 ng/ul m

response 121221

Ion	Exp%	Act%
276.00	100.00	100.00
138.00	24.40	25.87
277.00	22.00	23.71
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN052424\
 Data File : BN031664.D
 Acq On : 24 May 2024 16:59
 Operator : MA/JU
 Sample : P2548-22
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BH617

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/25/2024
 Supervised By :mohammad ahmed 05/27/2024

Quant Time: May 24 23:30:12 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN052124.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue May 21 23:42:49 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.687	152	471889	20.000	ng/ul	0.00
20) Naphthalene-d8	10.469	136	1787621	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.328	164	881360	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.069	188	1623944	20.000	ng/ul	0.00
79) Chrysene-d12	21.298	240	1480515	20.000	ng/ul	0.00
88) Perylene-d12	24.239	264	1813550	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.205	96	4308	0.362	ng/uL	0.00
4) Pyridine-d5	0.000	84	0d	0.000	ng/ul	
7) Phenol-d5	6.852	99	9622	0.248	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.028	67	7456	0.320	ng/ul	0.00
11) 2-Chlorophenol-d4	7.216	132	7488	0.250	ng/ul	0.00
15) 4-Methylphenol-d8	8.387	113	6721	0.223	ng/ul	0.00
21) Nitrobenzene-d5	8.840	128	3530	0.261	ng/ul	0.00
24) 2-Nitrophenol-d4	9.558	143	2567	0.199	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.093	165	6011	0.238	ng/ul	0.00
31) 4-Chloroaniline-d4	10.610	131	8688	0.239	ng/ul	0.00
46) Dimethylphthalate-d6	13.740	166	16298	0.293	ng/ul	0.00
49) Acenaphthylene-d8	14.016	160	18652	0.268	ng/ul	0.00
54) 4-Nitrophenol-d4	14.522	143	1168	0.111	ng/ul	0.00
60) Fluorene-d10	15.322	176	14762	0.307	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.440	200	451	0.064	ng/ul	0.00
73) Anthracene-d10	17.169	188	20028	0.291	ng/ul	0.00
81) Pyrene-d10	19.463	212	23235	0.250	ng/ul	0.00
92) Benzo(a)pyrene-d12	24.033	264	25864	0.303	ng/ul	0.00
Target Compounds						
					Qvalue	
72) Phenanthrene	17.110	178	95289	1.156	ng/ul	98
80) Fluoranthene	19.128	202	265761	2.315	ng/ul	99
82) Pyrene	19.492	202	252540	2.145	ng/ul	97
85) Benzo(a)anthracene	21.286	228	151701m	1.524	ng/ul	
87) Chrysene	21.345	228	160587	1.746	ng/ul	98
90) Benzo(b)fluoranthene	23.316	252	241770	2.284	ng/ul	98
93) Benzo(a)pyrene	24.092	252	166705	1.640	ng/ul#	97
96) Benzo(g,h,i)perylene	28.562	276	121221m	1.203	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN052424\
Data File : BN031664.D
Acq On : 24 May 2024 16:59
Operator : MA/JU
Sample : P2548-22
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BH617

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/25/2024
Supervised By :mohammad ahmed 05/27/2024

Quant Time: May 24 23:30:12 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN052124.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue May 21 23:42:49 2024
Response via : Initial Calibration

