

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN052919\
 Data File : BN005950.D
 Acq On : 30 May 2019 02:37
 Operator : JU/SJ
 Sample : K2928-11
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A42C5

Manual Integrations
 APPROVED

mohammad
 5/30/2019 1:29:23 PM

Quant Time: May 30 14:36:17 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN052819MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed May 29 02:28:30 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.74	152	663781	20.00	ng/ul	0.00
18) Naphthalene-d8	10.52	136	2936617	20.00	ng/ul	0.01
35) Acenaphthene-d10	14.38	164	1621358	20.00	ng/ul	0.01
61) Phenanthrene-d10	17.14	188	3261743	20.00	ng/ul	0.02
77) Chrysene-d12	21.34	240	2094668	20.00	ng/ul	0.01
85) Perylene-d12	23.61	264	2231398	20.00	ng/ul	0.02

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.27	96	40459	2.68	ng/uL	0.00
5) Phenol-d5	6.91	99	830796	14.12	ng/ul	0.01
7) Bis-(2-Chloroethyl)ether-d	7.07	67	530832	15.81	ng/ul	0.00
9) 2-Chlorophenol-d4	7.27	132	688813	15.37	ng/ul	0.00
13) 4-Methylphenol-d8	8.44	113	529726	11.15	ng/ul	0.00
19) Nitrobenzene-d5	8.89	128	352049	18.68	ng/ul	0.00
22) 2-Nitrophenol-d4	9.61	143	280777	16.00	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.14	165	659139	15.90	ng/ul	0.01
29) 4-Chloroaniline-d4	10.66	131	622483	11.46	ng/ul	0.01
43) Dimethylphthalate-d6	13.79	166	2059864	17.23	ng/ul	0.00
46) Acenaphthylene-d8	14.07	160	2491730	16.67	ng/ul	0.01
51) 4-Nitrophenol-d4	14.58	143	231538	10.64	ng/ul	0.02
57) Fluorene-d10	15.38	176	1709930	17.06	ng/ul	0.01
62) 4,6-Dinitro-2-methylphenol	15.51	200	10961	0.82	ng/ul	0.03
70) Anthracene-d10	17.23	188	2252148	16.22	ng/ul	0.01
78) Pyrene-d10	19.54	212	2072366	19.59	ng/ul	0.01
89) Benzo(a)pyrene-d12	23.47	264	1574231	15.81	ng/ul	0.02

Target Compounds

					Ovalue	
28) Naphthalene	10.57	128	200119	1.436	ng/ul	99
44) Dimethylphthalate	13.84	163	716203	5.995	ng/ul	100
49) Acenaphthene	14.45	153	262993	2.640	ng/ul	98
53) Dibenzofuran	14.78	168	276506	1.966	ng/ul	97
58) Fluorene	15.44	166	307200	2.782	ng/ul	99
69) Phenanthrene	17.18	178	3740325	23.145	ng/ul	100
71) Anthracene	17.26	178	847718	5.167	ng/ul	99
74) Carbazole	17.54	167	414607	2.805	ng/ul	99
76) Fluoranthene	19.20	202	3452434	20.012	ng/ul#	94
79) Pyrene	19.56	202	2781712	20.964	ng/ul#	94
82) Benzo(a)anthracene	21.32	228	1233565	9.368	ng/ul	97
84) Chrysene	21.38	228	1157661	9.426	ng/ul	96
87) Benzo(b)fluoranthene	22.93	252	1220868	9.741	ng/ul#	93
88) Benzo(k)fluoranthene	22.97	252	418688m	3.633	ng/ul	
90) Benzo(a)pyrene	23.51	252	846752	7.164	ng/ul#	91
91) Indeno(1,2,3-cd)pyrene	25.90	276	536562	3.869	ng/ul	96
92) Dibenzo(a,h)anthracene	25.91	278	157142	1.361	ng/ul#	79
93) Benzo(g,h,i)perylene	26.61	276	413358	3.539	ng/ul#	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN052919\
Data File : BN005950.D
Acq On : 30 May 2019 02:37
Operator : JU/SJ
Sample : K2928-11
Misc :
ALS Vial : 30 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampled :
A42C5

Manual Integrations
APPROVED

mohammad
5/30/2019 1:29:23 PM

Quant Time: May 30 14:36:17 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN052819MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed May 29 02:28:30 2019
Response via : Initial Calibration









#28
Naphthalene
Concen: 1.436 ng/ul
RT: 10.57 min Scan# 1261
Delta R.T. 0.01 min
Lab File: BN005950.D
Acq: 30 May 2019 02:37

Instrument :
BNA_N
ClientSampleId :
A42C5

Tot Ion	Ratio	Lower	Upper
128	100		
129	11.7	9.2	13.8
127	13.7	10.7	16.1




Manual Integrations
APPROVED


mohammad
5/30/2019 1:29:23 PM



#44
Dimethylphthalate
Concen: 5.995 ng/ul
RT: 13.84 min Scan# 1816
Delta R.T. 0.01 min
Lab File: BN005950.D
Acq: 30 May 2019 02:37

Tgt Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	10.1	8.1	12.1





#49

Acenaphthene

Concen: 2.640 ng/ul

RT: 14.45 min Scan# 1920

Delta R.T. 0.01 min

Lab File: BN005950.D

Acq: 30 May 2019 02:37

Instrument :

BNA_N


ClientSampleId :

A42C5




Tot Ion:	153	Resp:	262993
Ion Ratio	Lower	Upper	
153	100		
152	46.5	37.4	56.0
154	85.8	71.2	106.8

Manual Integrations
APPROVED

mohammad
5/30/2019 1:29:23 PM



Abundance Ion 153.00 (152.70 to 153.70): E
Ion 152.00 (151.70 to 152.70): E
Ion 154.00 (153.70 to 154.70): E



#53

Dibenzofuran

Concen: 1.966 ng/ul


RT: 14.78 min Scan# 1977

Delta R.T. 0.01 min



Lab File: BN005950.D


Acq: 30 May 2019 02:37

Tgt Ion:	168	Resp:	276506
Ion Ratio	Lower	Upper	
168	100		
139	36.9	30.9	46.3



Abundance Ion 168.00 (167.70 to 168.70): E
Ion 139.00 (138.70 to 139.70): E





#58

Fluorene

Concen: 2.782 ng/ul

RT: 15.44 min Scan# 2088

Delta R.T. 0.01 min

Lab File: BN005950.D

Acq: 30 May 2019 02:37

Instrument :

BNA_N





ClientSampled :

A42C5

Tot Ion:	166	Resp:	307200
Ion Ratio	Lower	Upper	
166	100		
165	99.3	80.0	120.0
167	14.3	10.7	16.1

Manual Integrations
APPROVED

mohammad
5/30/2019 1:29:23 PM



#69

Phenanthrene

Concen: 23.145 ng/ul




RT: 17.18 min Scan# 2384


Delta R.T. 0.02 min

Lab File: BN005950.D

Acq: 30 May 2019 02:37

Tgt Ion:	178	Resp:	3740325
Ion Ratio	Lower	Upper	
178	100		
179	15.5	12.2	18.4
176	19.1	15.1	22.7









#71
 Anthracene
 Concen: 5.167 ng/ul
 RT: 17.26 min Scan# 2399
 Delta R.T. 0.01 min
 Lab File: BN005950.D
 Acq: 30 May 2019 02:37

Instrument :
 BNA_N
 ClientSampleId :
 A42C5

Tot Ion	Ratio	Lower	Upper
178	100		
179	15.9	12.3	18.5
176	19.0	15.1	22.7




Manual Integrations
 APPROVED


mohammad
 5/30/2019 1:29:23 PM



#74
 Carbazole
 Concen: 2.805 ng/ul
 RT: 17.54 min Scan# 2445
 Delta R.T. 0.01 min
 Lab File: BN005950.D
 Acq: 30 May 2019 02:37

Tgt Ion	Ratio	Lower	Upper
167	100		
166	21.6	17.2	25.8
139	13.7	10.6	16.0









#76
Fluoranthene
Concen: 20.012 ng/ul
RT: 19.20 min Scan# 2728
Delta R.T. 0.01 min
Lab File: BN005950.D
Acq: 30 May 2019 02:37

Instrument :
BNA_N
ClientSampleId :
A42C5

Tot Ion	Ratio	Lower	Upper
202	100		
101	13.3	8.6	12.8#
100	9.8	6.3	9.5#




Manual Integrations
APPROVED


mohammad
5/30/2019 1:29:23 PM



#79
Pyrene
Concen: 20.964 ng/ul
RT: 19.56 min Scan# 2790
Delta R.T. 0.01 min
Lab File: BN005950.D
Acq: 30 May 2019 02:37

Tgt Ion	Ratio	Lower	Upper
202	100		
101	15.4	10.3	15.5
100	12.4	7.9	11.9#





#82

Benzo(a)anthracene

Concen: 9.368 ng/ul

RT: 21.32 min Scan# 3089

Delta R.T. 0.01 min

Lab File: BN005950.D

Acq: 30 May 2019 02:37

Instrument :

BNA_N





ClientSampled :

A42C5

Tot Ion	Ratio	Lower	Upper
228	100		
229	21.6	15.8	23.6
226	28.1	21.4	32.2

Manual Integrations
APPROVED

mohammad
5/30/2019 1:29:23 PM



#84

Chrysene

Concen: 9.426 ng/ul




RT: 21.38 min Scan# 3098


Delta R.T. 0.01 min

Lab File: BN005950.D

Acq: 30 May 2019 02:37

Tgt Ion	Ratio	Lower	Upper
228	100		
226	30.3	24.0	36.0
229	23.0	15.4	23.0





#87

Benzo(b)fluoranthene

Concen: 9.741 ng/ul

RT: 22.93 min Scan# 3362

Delta R.T. 0.01 min

Lab File: BN005950.D





Acq: 30 May 2019 02:37

Instrument :
BNA_N
ClientSampleId :
A42C5

Tot Ion	Ratio	Lower	Upper
252	100		
253	24.4	17.7	26.5
125	14.9	8.4	12.6

Manual Integrations
APPROVED

mohammad
5/30/2019 1:29:23 PM



#88

Benzo(k)fluoranthene

Concen: 3.633 ng/ul m




RT: 22.97 min Scan# 3369


Delta R.T. 0.01 min

Lab File: BN005950.D

Acq: 30 May 2019 02:37

Tgt Ion	Ratio	Lower	Upper
252	100		
253	25.4	17.4	26.0
125	21.1	7.5	11.3









#90
Benzo(a)pyrene
Concen: 7.164 ng/ul
RT: 23.51 min Scan# 3461
Delta R.T. 0.01 min
Lab File: BN005950.D
Acq: 30 May 2019 02:37

Instrument :
BNA_N
ClientSampleId :
A42C5

Tot Ion	Ratio	Lower	Upper
252	100		
253	24.6	17.3	25.9
125	15.7	8.6	13.0




Manual Integrations
APPROVED


mohammad
5/30/2019 1:29:23 PM



#91
Indeno(1,2,3-cd)pyrene
Concen: 3.869 ng/ul
RT: 25.90 min Scan# 3867
Delta R.T. 0.03 min
Lab File: BN005950.D
Acq: 30 May 2019 02:37

Tgt Ion	Ratio	Lower	Upper
276	100		
138	24.8	17.9	26.9
277	26.3	19.7	29.5









#92
Dibenzo(a,h)anthracene
Concen: 1.361 ng/ul
RT: 25.91 min Scan# 3868
Delta R.T. 0.02 min
Lab File: BN005950.D
Acq: 30 May 2019 02:37

Instrument :
BNA_N
ClientSampleId :
A42C5

Tot Ion	Ratio	Lower	Upper
278	100		
139	30.4	13.1	19.7#
279	30.8	19.4	29.0#

Manual Integrations
APPROVED

mohammad
5/30/2019 1:29:23 PM



#93
Benzo(g,h,i)perylene
Concen: 3.539 ng/ul
RT: 26.61 min Scan# 3987
Delta R.T. 0.04 min
Lab File: BN005950.D
Acq: 30 May 2019 02:37

Tgt Ion	Ratio	Lower	Upper
276	100		
138	27.6	16.7	25.1#
277	26.3	18.2	27.2

