

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN060419\
 Data File : BN006087.D
 Acq On : 05 Jun 2019 04:55
 Operator : JU/SJ
 Sample : K2948-15
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Jun 05 05:55:26 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN060419MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Jun 04 17:47:25 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	307236	20.00	ng/ul	0.00
18) Naphthalene-d8	10.43	136	1433327	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.30	164	806604	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.06	188	1755996	20.00	ng/ul	0.00
77) Chrysene-d12	21.26	240	1642498	20.00	ng/ul	-0.01
85) Perylene-d12	23.50	264	1851976	20.00	ng/ul	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.15	96	38055	5.37	ng/uL	0.00
5) Phenol-d5	6.82	99	601388	24.50	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.98	67	351670	25.05	ng/ul	0.00
9) 2-Chlorophenol-d4	7.18	132	483310	24.50	ng/ul	0.00
13) 4-Methylphenol-d8	8.35	113	560397	29.46	ng/ul	0.00
19) Nitrobenzene-d5	8.80	128	272255	26.61	ng/ul	0.00
22) 2-Nitrophenol-d4	9.52	143	290464	25.58	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.06	165	499370	24.34	ng/ul	0.00
29) 4-Chloroaniline-d4	10.57	131	751190	30.66	ng/ul	0.00
43) Dimethylphthalate-d6	13.71	166	1522893	26.61	ng/ul	0.00
46) Acenaphthylene-d8	13.99	160	1997006	26.96	ng/ul	0.00
51) 4-Nitrophenol-d4	14.52	143	199887	19.78	ng/ul	0.00
57) Fluorene-d10	15.30	176	1342002	27.76	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.43	200	122625	12.48	ng/ul	0.00
70) Anthracene-d10	17.15	188	2109353	28.15	ng/ul	0.00
78) Pyrene-d10	19.46	212	2313040	29.14	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.36	264	2313966	28.06	ng/ul	-0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	13.76	163	177139	3.121	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN060419\
Data File : BN006087.D
Acq On : 05 Jun 2019 04:55
Operator : JU/SJ
Sample : K2948-15
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Jun 05 05:55:26 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN060419MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Jun 04 17:47:25 2019
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 3.121 ng/ul

RT: 13.76 min Scan# 1831

Delta R.T. -0.01 min

Lab File: BN006087.D

Acq: 05 Jun 2019 04:55

Instrument :

BNA_N

ClientSampleId :


Tot Ion:163 Resp: 177139

Ion Ratio Lower Upper

163 100

194 4.2 3.4 5.2

164 11.0 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

