

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN060419\
 Data File : BN006082.D
 Acq On : 05 Jun 2019 02:01
 Operator : JU/SJ
 Sample : K2948-11
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BFH99

Quant Time: Jun 05 03:41:42 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN060419MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Jun 04 17:47:25 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	240603	20.00	ng/ul	0.00
18) Naphthalene-d8	10.43	136	1014826	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.30	164	571925	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.06	188	1251237	20.00	ng/ul	0.00
77) Chrysene-d12	21.26	240	1193762	20.00	ng/ul	-0.01
85) Perylene-d12	23.50	264	1310370	20.00	ng/ul	-0.01

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.15	96	43977	7.92	ng/uL	0.00
5) Phenol-d5	6.82	99	830939	43.22	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.99	67	483862	44.01	ng/ul	0.00
9) 2-Chlorophenol-d4	7.18	132	649541	42.05	ng/ul	0.00
13) 4-Methylphenol-d8	8.36	113	656333	44.06	ng/ul	0.00
19) Nitrobenzene-d5	8.80	128	321451	44.38	ng/ul	0.00
22) 2-Nitrophenol-d4	9.52	143	362945	45.15	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.06	165	615882	42.39	ng/ul	0.00
29) 4-Chloroaniline-d4	10.57	131	886732	51.11	ng/ul	0.00
43) Dimethylphthalate-d6	13.72	166	1840882	45.37	ng/ul	0.00
46) Acenaphthylene-d8	13.99	160	2379023	45.30	ng/ul	0.00
51) 4-Nitrophenol-d4	14.52	143	291518	40.68	ng/ul	0.00
57) Fluorene-d10	15.30	176	1580477	46.10	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.43	200	200309	28.61	ng/ul	0.00
70) Anthracene-d10	17.16	188	2491159	46.66	ng/ul	0.00
78) Pyrene-d10	19.46	212	2705277	46.90	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.36	264	2718269	46.58	ng/ul	-0.01


Target Compounds				Ovalue		
6) Phenol	6.85	94	24190	1.231	ng/ul#	91
44) Dimethylphthalate	13.76	163	214709	5.335	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN060419\
Data File : BN006082.D
Acq On : 05 Jun 2019 02:01
Operator : JU/SJ
Sample : K2948-11
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BFH99

Quant Time: Jun 05 03:41:42 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN060419MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Jun 04 17:47:25 2019
Response via : Initial Calibration









#6

Phenol

Concen: 1.231 ng/ul
 RT: 6.85 min Scan# 657
 Delta R.T. -0.00 min
 Lab File: BN006082.D
 Acq: 05 Jun 2019 02:01

Instrument :
 BNA_N
 ClientSampleId :
 BFH99

Tot Ion: 94 Resp: 24190
 Ion Ratio Lower Upper
 94 100
 65 26.7 21.8 32.6
 66 46.0 29.5 44.3#



#44

Dimethylphthalate

Concen: 5.335 ng/ul
 RT: 13.76 min Scan# 1831
 Delta R.T. -0.01 min
 Lab File: BN006082.D
 Acq: 05 Jun 2019 02:01

Tgt Ion: 163 Resp: 214709
 Ion Ratio Lower Upper
 163 100
 194 4.0 3.4 5.2
 164 10.1 8.2 12.2

