

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061523\
 Data File : BN025851.D
 Acq On : 15 Jun 2023 10:52
 Operator : MA/JU
 Sample : PB153336BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB153336BL

Quant Time: Jun 16 01:43:50 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN053123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 16 01:41:46 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.990	152	5611	0.400	ng	0.00
7) Naphthalene-d8	10.814	136	14482	0.400	ng	0.00
13) Acenaphthene-d10	14.630	164	7287	0.400	ng	0.00
19) Phenanthrene-d10	17.381	188	14025	0.400	ng	# 0.00
29) Chrysene-d12	21.560	240	13036	0.400	ng	0.00
35) Perylene-d12	24.045	264	12456	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.535	112	5167	0.328	ng	0.00
5) Phenol-d6	7.153	99	5806	0.300	ng	0.00
8) Nitrobenzene-d5	9.159	82	4793	0.356	ng	0.00
11) 2-Methylnaphthalene-d10	12.396	152	7617	0.365	ng	0.00
14) 2,4,6-Tribromophenol	16.127	330	814	0.362	ng	0.00
15) 2-Fluorobiphenyl	13.261	172	11314	0.367	ng	0.00
27) Fluoranthene-d10	19.407	212	12567	0.436	ng	0.00
31) Terphenyl-d14	19.997	244	12261	0.388	ng	0.00


Target Compounds Qvalue


 (#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061523\
Data File : BN025851.D
Acq On : 15 Jun 2023 10:52
Operator : MA/JU
Sample : PB153336BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB153336BL


Quant Time: Jun 16 01:43:50 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN053123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 16 01:41:46 2023
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.990 min Scan# 60
Delta R.T. -0.008 min
Lab File: BN025851.D
Acq: 15 Jun 2023 10:52


Instrument :
BNA_N
ClientSampleId :
PB153336BL





Tgt Ion:152 Resp: 5611
Ion Ratio Lower Upper
152 100
150 159.1 121.5 182.3
115 61.7 47.7 71.5




#4
2-Fluorophenol
Concen: 0.328 ng
RT: 5.535 min Scan# 326
Delta R.T. 0.000 min
Lab File: BN025851.D
Acq: 15 Jun 2023 10:52



Tgt Ion:112 Resp: 5167
Ion Ratio Lower Upper
112 100
64 57.3 47.5 71.3
63 32.4 26.2 39.4









#5
Phenol-d6
Concen: 0.300 ng
RT: 7.153 min Scan# 51
Delta R.T. 0.000 min
Lab File: BN025851.D
Acq: 15 Jun 2023 10:52




Instrument :
BNA_N
ClientSampleId :
PB153336BL


Tgt Ion: 99 Resp: 5806
Ion Ratio Lower Upper
99 100
42 21.2 18.6 28.0
71 36.5 30.5 45.7



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.814 min Scan# 945
Delta R.T. 0.000 min
Lab File: BN025851.D
Acq: 15 Jun 2023 10:52

Tgt Ion: 136 Resp: 14482
Ion Ratio Lower Upper
136 100
137 11.8 9.3 13.9
54 8.3 7.2 10.8
68 7.1 5.4 8.2









#8
Nitrobenzene-d5
Concen: 0.356 ng
RT: 9.159 min Scan# 791
Delta R.T. 0.000 min
Lab File: BN025851.D
Acq: 15 Jun 2023 10:52




Instrument :
BNA_N
ClientSampleId :
PB153336BL


Tgt Ion: 82 Resp: 4793
Ion Ratio Lower Upper
82 100
128 38.5 27.6 41.4
54 55.2 45.7 68.5



#11
2-Methylnaphthalene-d10
Concen: 0.365 ng
RT: 12.396 min Scan# 1245
Delta R.T. 0.000 min
Lab File: BN025851.D
Acq: 15 Jun 2023 10:52

Tgt Ion: 152 Resp: 7617
Ion Ratio Lower Upper
152 100
151 20.7 16.4 24.6





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.630 min Scan# 1558

Delta R.T. 0.000 min

Lab File: BN025851.D

Acq: 15 Jun 2023 10:52

Instrument :

BNA_N

ClientSampleId :

PB153336BL





Tgt Ion:164 Resp: 7287

Ion Ratio Lower Upper

164 100

162 105.9 85.0 127.6

160 50.7 41.1 61.7



#14

2,4,6-Tribromophenol

Concen: 0.362 ng

RT: 16.127 min Scan# 1690

Delta R.T. 0.000 min

Lab File: BN025851.D

Acq: 15 Jun 2023 10:52




Tgt Ion:330 Resp: 814


Ion Ratio Lower Upper

330 100

332 94.5 77.3 115.9

141 55.0 55.0 82.6#









#15
2-Fluorobiphenyl
Concen: 0.367 ng
RT: 13.261 min Scan# 1431
Delta R.T. 0.000 min
Lab File: BN025851.D
Acq: 15 Jun 2023 10:52




Instrument :
BNA_N
ClientSampleId :
PB153336BL


Tgt Ion:172 Resp: 11314
Ion Ratio Lower Upper
172 100
171 34.6 27.3 40.9
170 24.1 18.6 28.0



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.381 min Scan# 1791
Delta R.T. 0.000 min
Lab File: BN025851.D
Acq: 15 Jun 2023 10:52

Tgt Ion:188 Resp: 14025
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 10.9 12.1 18.1#









#27
Fluoranthene-d10
Concen: 0.436 ng
RT: 19.407 min Scan# 2075
Delta R.T. 0.005 min
Lab File: BN025851.D
Acq: 15 Jun 2023 10:52




Instrument :
BNA_N
ClientSampleId :
PB153336BL


Tgt Ion:212 Resp: 12567
Ion Ratio Lower Upper
212 100
106 16.4 13.0 19.6
104 9.9 7.7 11.5



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.560 min Scan# 2481
Delta R.T. 0.000 min
Lab File: BN025851.D
Acq: 15 Jun 2023 10:52

Tgt Ion:240 Resp: 13036
Ion Ratio Lower Upper
240 100
120 16.2 13.2 19.8
236 29.7 23.1 34.7









#31
 Terphenyl-d14
 Concen: 0.388 ng
 RT: 19.997 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BN025851.D
 Acq: 15 Jun 2023 10:52

Instrument :
 BNA_N
 ClientSampleId :
 PB153336BL

Tgt Ion:244 Resp: 12261
 Ion Ratio Lower Upper
 244 100
 212 10.3 8.6 12.8
 122 18.0 15.2 22.8



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.045 min Scan# 3135
 Delta R.T. -0.003 min
 Lab File: BN025851.D
 Acq: 15 Jun 2023 10:52

Tgt Ion:264 Resp: 12456
 Ion Ratio Lower Upper
 264 100
 260 27.3 21.4 32.2
 265 54.4 44.7 67.1

