

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061620\
 Data File : BN010930.D
 Acq On : 17 Jun 2020 06:17
 Operator : CG/JU
 Sample : L3011-15
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE123D3-20200612

Quant Time: Jun 17 07:04:07 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 16 08:49:35 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.54	152	2094	0.40	ng	0.00
7) Naphthalene-d8	10.29	136	7125	0.40	ng	-0.01
13) Acenaphthene-d10	14.16	164	4013	0.40	ng	-0.01
19) Phenanthrene-d10	16.91	188	8518	0.40	ng	-0.01
27) Chrysene-d12	21.12	240	9398	0.40	ng	-0.01
34) Perylene-d12	23.27	264	8738	0.40	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.20	112	787	0.19	ng	0.00
5) Phenol-d6	6.74	99	576	0.12	ng	0.00
8) Nitrobenzene-d5	8.68	82	1785	0.34	ng	0.00
11) 2-Methylnaphthalene-d10	11.89	152	4328	0.39	ng	0.00
14) 2,4,6-Tribromophenol	15.67	330	489	0.34	ng	0.00
15) 2-Fluorobiphenyl	12.79	172	5608	0.35	ng	0.00
25) Fluoranthene-d10	18.95	212	11438	0.49	ng	0.00
29) Terphenyl-d14	19.56	244	10631	0.48	ng	-0.01
Target Compounds						Qvalue
32) Bis(2-ethylhexyl)phthalate	21.06	149	984	0.107	ng	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061620\
Data File : BN010930.D
Acq On : 17 Jun 2020 06:17
Operator : CG/JU
Sample : L3011-15
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE123D3-20200612

Quant Time: Jun 17 07:04:07 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 16 08:49:35 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.54 min Scan# 585
Delta R.T. -0.01 min
Lab File: BN010930.D
Acq: 17 Jun 2020 06:17

Instrument :
BNA_N
ClientSampleId :
RE123D3-20200612

Tot Ion:152 Resp: 2094
Ion Ratio Lower Upper
152 100
150 153.8 123.8 185.6
115 61.7 49.2 73.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.195 ng
RT: 5.20 min Scan# 294
Delta R.T. -0.00 min
Lab File: BN010930.D
Acq: 17 Jun 2020 06:17

Tgt Ion:112 Resp: 787
Ion Ratio Lower Upper
112 100
64 47.4 37.4 56.0
63 24.4 22.2 33.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BNC
Ion 63.00 (62.70 to 63.70): BNC





#5

Phenol-d6

Concen: 0.121 ng

RT: 6.74 min Scan# 485

Delta R.T. -0.01 min

Lab File: BN010930.D

Acq: 17 Jun 2020 06:17

Instrument :

BNA_N

ClientSampleId :

RE123D3-20200612





Tot Ion: 99 Resp: 576

Ion Ratio Lower Upper

99 100

42 31.6 11.1 16.7#

71 43.8 31.4 47.2



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.29 min Scan# 837

Delta R.T. -0.01 min

Lab File: BN010930.D

Acq: 17 Jun 2020 06:17

Tgt Ion: 136 Resp: 7125




Ion Ratio Lower Upper


136 100

137 12.2 9.7 14.5

54 5.3 4.9 7.3

68 5.9 4.7 7.1









#8
 Nitrobenzene-d5
 Concen: 0.339 ng
 RT: 8.68 min Scan# 710
 Delta R.T. -0.00 min
 Lab File: BN010930.D
 Acq: 17 Jun 2020 06:17

Instrument :
 BNA_N
 ClientSampleId :
 RE123D3-20200612

Tot Ion: 82 Resp: 1785
 Ion Ratio Lower Upper
 82 100
 128 46.5 35.4 53.0
 54 35.0 28.2 42.4




Abundance Ion 82.00 (81.70 to 82.70): BN0
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BN0






#11
 2-Methylnaphthalene-d10
 Concen: 0.392 ng
 RT: 11.89 min Scan# 1018
 Delta R.T. -0.01 min
 Lab File: BN010930.D
 Acq: 17 Jun 2020 06:17

Tgt Ion: 152 Resp: 4328
 Ion Ratio Lower Upper
 152 100
 151 19.2 15.3 22.9



Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 151.00 (150.70 to 151.70): E





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.16 min Scan# 1306

Delta R.T. -0.01 min

Lab File: BN010930.D

Acq: 17 Jun 2020 06:17

Instrument :

BNA_N

ClientSampleId :

RE123D3-20200612


Tot Ion:164 Resp: 4013

Ion Ratio Lower Upper

164 100

162 104.4 81.0 121.6




160 50.0 38.9 58.3



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.341 ng

RT: 15.67 min Scan# 1442

Delta R.T. -0.00 min

Lab File: BN010930.D

Acq: 17 Jun 2020 06:17


Tgt Ion:330 Resp: 489

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0



141 39.1 33.2 49.8




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.354 ng
RT: 12.79 min Scan# 1183
Delta R.T. -0.00 min
Lab File: BN010930.D
Acq: 17 Jun 2020 06:17




Instrument :
BNA_N
ClientSampleId :
RE123D3-20200612


Tot Ion:172 Resp: 5608
Ion Ratio Lower Upper
172 100
171 34.6 28.5 42.7
170 23.2 19.7 29.5



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.91 min Scan# 1557
Delta R.T. -0.01 min
Lab File: BN010930.D
Acq: 17 Jun 2020 06:17

Tgt Ion:188 Resp: 8518
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 9.8 4.5 6.7#





#25

Fluoranthene-d10

Concen: 0.487 ng

RT: 18.95 min Scan# 1851

Delta R.T. -0.01 min

Lab File: BN010930.D

Acq: 17 Jun 2020 06:17

Instrument :

BNA_N

ClientSampleId :

RE123D3-20200612





Tot Ion:212 Resp: 11438

Ion Ratio Lower Upper

212 100

106 9.5 6.6 10.0

104 5.5 4.0 6.0



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.12 min Scan# 2168

Delta R.T. -0.01 min

Lab File: BN010930.D

Acq: 17 Jun 2020 06:17




Tgt Ion:240 Resp: 9398


Ion Ratio Lower Upper

240 100

120 8.0 7.5 11.3

236 27.8 22.3 33.5





#29

Terphenyl-d14

Concen: 0.483 ng

RT: 19.56 min Scan# 1974

Delta R.T. -0.01 min

Lab File: BN010930.D

Acq: 17 Jun 2020 06:17

Instrument :

BNA_N

ClientSampleId :

RE123D3-20200612





Tot Ion:244 Resp: 10631

Ion Ratio Lower Upper

244 100

212 8.4 7.4 11.2

122 9.3 7.5 11.3



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.107 ng

RT: 21.06 min Scan# 2162

Delta R.T. -0.01 min

Lab File: BN010930.D

Acq: 17 Jun 2020 06:17




Tgt Ion:149 Resp: 984




Ion Ratio Lower Upper

149 100

167 25.5 24.1 36.1

279 5.5 4.6 7.0





#34

Pervlene-d12

Concen: 0.400 ng

RT: 23.27 min Scan# 2540

Delta R.T. -0.01 min

Lab File: BN010930.D

Acq: 17 Jun 2020 06:17

Instrument :

BNA_N

ClientSampleId :

RE123D3-20200612

Tot Ion:264 Resp: 8738

Ion Ratio Lower Upper

264 100

260 25.2 20.4 30.6

265 78.9 75.0 112.4

