

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061623\
 Data File : BN025876.D
 Acq On : 16 Jun 2023 10:46
 Operator : MA/JU
 Sample : SSTDCCC0.4
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4

Quant Time: Jun 17 00:54:52 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN053123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 16 14:10:48 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.998	152	6087	0.400	ng	0.00
7) Naphthalene-d8	10.814	136	15598	0.400	ng	0.00
13) Acenaphthene-d10	14.630	164	7974	0.400	ng	0.00
19) Phenanthrene-d10	17.381	188	16832	0.400	ng	# 0.00
29) Chrysene-d12	21.560	240	12296	0.400	ng	0.00
35) Perylene-d12	24.040	264	12593	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.542	112	6076	0.355	ng	0.00
5) Phenol-d6	7.153	99	7017	0.334	ng	0.00
8) Nitrobenzene-d5	9.170	82	5230	0.361	ng	0.00
11) 2-Methylnaphthalene-d10	12.396	152	8772	0.391	ng	0.00
14) 2,4,6-Tribromophenol	16.127	330	994	0.404	ng	0.00
15) 2-Fluorobiphenyl	13.262	172	13736	0.407	ng	0.00
27) Fluoranthene-d10	19.407	212	15623	0.451	ng	0.00
31) Terphenyl-d14	19.997	244	10243	0.343	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.390	88	2954	0.414	ng	95
3) n-Nitrosodimethylamine	3.737	42	2514	0.276	ng	# 96
6) bis(2-Chloroethyl)ether	7.413	93	6601	0.346	ng	99
9) Naphthalene	10.857	128	17538	0.376	ng	99
10) Hexachlorobutadiene	11.145	225	3301	0.460	ng	# 100
12) 2-Methylnaphthalene	12.468	142	11421	0.385	ng	99
16) Acenaphthylene	14.352	152	15079	0.393	ng	99
17) Acenaphthene	14.694	154	10256	0.407	ng	100
18) Fluorene	15.668	166	13148	0.406	ng	100
20) 4,6-Dinitro-2-methylph...	15.780	198	812	0.267	ng	# 32
21) 4-Bromophenyl-phenylether	16.562	248	3856	0.396	ng	94
22) Hexachlorobenzene	16.686	284	3830	0.459	ng	91
23) Atrazine	16.835	200	3035	0.382	ng	93
24) Pentachlorophenol	17.046	266	719	0.231	ng	98
25) Phenanthrene	17.418	178	20917	0.405	ng	99
26) Anthracene	17.505	178	18071	0.382	ng	99
28) Fluoranthene	19.435	202	23487	0.460	ng	99
30) Pyrene	19.797	202	24040	0.345	ng	100
32) Benzo(a)anthracene	21.542	228	19468	0.410	ng	100
33) Chrysene	21.596	228	21154	0.421	ng	99
34) Bis(2-ethylhexyl)phtha...	21.453	149	11600	0.410	ng	99
36) Indeno(1,2,3-cd)pyrene	26.639	276	23912	0.439	ng	98
37) Benzo(b)fluoranthene	23.282	252	21242	0.428	ng	98
38) Benzo(k)fluoranthene	23.329	252	21062	0.415	ng	97
39) Benzo(a)pyrene	23.931	252	19593	0.416	ng	96
40) Dibenzo(a,h)anthracene	26.656	278	18928	0.433	ng	97
41) Benzo(g,h,i)perylene	27.437	276	22196	0.454	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061623\
Data File : BN025876.D
Acq On : 16 Jun 2023 10:46
Operator : MA/JU
Sample : SSTDCCC0.4
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Quant Time: Jun 17 00:54:52 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN053123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 16 14:10:48 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.998 min Scan# 60
 Delta R.T. -0.000 min
 Lab File: BN025876.D
 Acq: 16 Jun 2023 10:46




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4


Tgt Ion:152 Resp: 6087
 Ion Ratio Lower Upper
 152 100
 150 153.1 121.5 182.3
 115 58.2 47.7 71.5



#2
 1,4-Dioxane
 Concen: 0.414 ng
 RT: 3.390 min Scan# 29
 Delta R.T. 0.000 min
 Lab File: BN025876.D
 Acq: 16 Jun 2023 10:46

Tgt Ion: 88 Resp: 2954
 Ion Ratio Lower Upper
 88 100
 43 31.3 31.0 46.4
 58 70.4 57.3 85.9





#3

n-Nitrosodimethylamine

Concen: 0.276 ng

RT: 3.737 min Scan# 71

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion: 42 Resp: 2514

Ion Ratio Lower Upper

42 100

74 117.4 90.5 135.7

44 7.0 4.4 6.6#



#4

2-Fluorophenol

Concen: 0.355 ng

RT: 5.542 min Scan# 327

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46




Tgt Ion: 112 Resp: 6076


Ion Ratio Lower Upper

112 100

64 57.4 47.5 71.3

63 32.1 26.2 39.4









#5
Phenol-d6
Concen: 0.334 ng
RT: 7.153 min Scan# 511
Delta R.T. 0.000 min
Lab File: BN025876.D
Acq: 16 Jun 2023 10:46




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion: 99 Resp: 7017
Ion Ratio Lower Upper
99 100
42 22.9 18.6 28.0
71 36.7 30.5 45.7



#6
bis(2-Chloroethyl)ether
Concen: 0.346 ng
RT: 7.413 min Scan# 586
Delta R.T. 0.000 min
Lab File: BN025876.D
Acq: 16 Jun 2023 10:46

Tgt Ion: 93 Resp: 6601
Ion Ratio Lower Upper
93 100
63 70.9 56.4 84.6
95 31.9 24.6 37.0









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.814 min Scan# 946
Delta R.T. 0.000 min
Lab File: BN025876.D
Acq: 16 Jun 2023 10:46




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:	136	Resp:	15598
Ion Ratio	Lower	Upper	
136	100		
137	11.4	9.3	13.9
54	7.3	7.2	10.8
68	6.1	5.4	8.2



#8
Nitrobenzene-d5
Concen: 0.361 ng
RT: 9.170 min Scan# 791
Delta R.T. 0.000 min
Lab File: BN025876.D
Acq: 16 Jun 2023 10:46

Tgt Ion:	82	Resp:	5230
Ion Ratio	Lower	Upper	
82	100		
128	42.6	27.6	41.4#
54	49.2	45.7	68.5









#9
Naphthalene
Concen: 0.376 ng
RT: 10.857 min Scan# 949
Delta R.T. 0.000 min
Lab File: BN025876.D
Acq: 16 Jun 2023 10:46




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4

Tgt Ion:128 Resp: 17538
Ion Ratio Lower Upper
128 100
129 11.5 9.1 13.7
127 13.6 10.3 15.5



#10
Hexachlorobutadiene
Concen: 0.460 ng
RT: 11.145 min Scan# 976
Delta R.T. 0.000 min
Lab File: BN025876.D
Acq: 16 Jun 2023 10:46

Tgt Ion:225 Resp: 3301
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 63.2 50.4 75.6





#11

2-Methylnaphthalene-d10

Concen: 0.391 ng

RT: 12.396 min Scan# 11

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46

Instrument :

BNA_N

ClientSampleId :





SSTDCCC0.4

Tgt Ion:152 Resp: 8772

Ion Ratio Lower Upper

152 100

151 20.2 16.4 24.6



#12

2-Methylnaphthalene

Concen: 0.385 ng

RT: 12.468 min Scan# 1264

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46




Tgt Ion:142 Resp: 11421


Ion Ratio Lower Upper

142 100

141 89.8 71.2 106.8

115 40.2 31.7 47.5









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.630 min Scan# 1558
Delta R.T. 0.000 min
Lab File: BN025876.D
Acq: 16 Jun 2023 10:46




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:164 Resp: 7974
Ion Ratio Lower Upper
164 100
162 106.4 85.0 127.6
160 51.2 41.1 61.7



#14
2,4,6-Tribromophenol
Concen: 0.404 ng
RT: 16.127 min Scan# 1690
Delta R.T. 0.000 min
Lab File: BN025876.D
Acq: 16 Jun 2023 10:46

Tgt Ion:330 Resp: 994
Ion Ratio Lower Upper
330 100
332 97.0 77.3 115.9
141 54.1 55.0 82.6#





#15

2-Fluorobiphenyl

Concen: 0.407 ng

RT: 13.262 min Scan# 1431

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:172 Resp: 13736

Ion Ratio Lower Upper

172 100

171 35.0 27.3 40.9

170 23.7 18.6 28.0



#16

Acenaphthylene

Concen: 0.393 ng

RT: 14.352 min Scan# 1532

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46




Tgt Ion:152 Resp: 15079


Ion Ratio Lower Upper

152 100

151 19.9 15.4 23.0

153 13.2 10.4 15.6









#17
Acenaphthene
Concen: 0.407 ng
RT: 14.694 min Scan# 1564
Delta R.T. 0.000 min
Lab File: BN025876.D
Acq: 16 Jun 2023 10:46




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:154 Resp: 10256
Ion Ratio Lower Upper
154 100
153 115.7 93.0 139.6
152 58.2 46.5 69.7



#18
Fluorene
Concen: 0.406 ng
RT: 15.668 min Scan# 1653
Delta R.T. 0.000 min
Lab File: BN025876.D
Acq: 16 Jun 2023 10:46

Tgt Ion:166 Resp: 13148
Ion Ratio Lower Upper
166 100
165 100.0 80.1 120.1
167 13.6 10.7 16.1





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.381 min Scan# 11

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:188 Resp: 16832

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 9.2 12.1 18.1#



#20

4,6-Dinitro-2-methylphenol

Concen: 0.267 ng

RT: 15.780 min Scan# 1662

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46




Tgt Ion:198 Resp: 812


Ion Ratio Lower Upper

198 100

51 168.4 62.7 94.1#

105 64.6 42.2 63.4#









#21
4-Bromophenyl-phenylether
Concen: 0.396 ng
RT: 16.562 min Scan# 1725
Delta R.T. 0.000 min
Lab File: BN025876.D
Acq: 16 Jun 2023 10:46




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:248 Resp: 3856
Ion Ratio Lower Upper
248 100
250 98.2 79.1 118.7
141 76.3 51.9 77.9



#22
Hexachlorobenzene
Concen: 0.459 ng
RT: 16.686 min Scan# 1735
Delta R.T. 0.000 min
Lab File: BN025876.D
Acq: 16 Jun 2023 10:46

Tgt Ion:284 Resp: 3830
Ion Ratio Lower Upper
284 100
142 48.2 45.0 67.4
249 34.1 29.6 44.4





#23

Atrazine

Concen: 0.382 ng

RT: 16.835 min Scan# 1747

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:200 Resp: 3035

Ion Ratio Lower Upper

200 100

173 26.4 23.8 35.6

215 46.6 33.8 50.6



#24

Pentachlorophenol

Concen: 0.231 ng

RT: 17.046 min Scan# 1764

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46




Tgt Ion:266 Resp: 719


Ion Ratio Lower Upper

266 100

264 60.2 48.6 73.0

268 66.9 51.8 77.6





#25

Phenanthrene

Concen: 0.405 ng

RT: 17.418 min Scan# 1794

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:178 Resp: 20917

Ion Ratio Lower Upper

178 100

176 19.8 15.7 23.5

179 16.0 12.2 18.2



#26

Anthracene

Concen: 0.382 ng

RT: 17.505 min Scan# 1801

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46




Tgt Ion:178 Resp: 18071


Ion Ratio Lower Upper

178 100

176 19.3 15.1 22.7

179 15.2 12.2 18.2









#27
Fluoranthene-d10
Concen: 0.451 ng
RT: 19.407 min Scan# 2076
Delta R.T. 0.000 min
Lab File: BN025876.D
Acq: 16 Jun 2023 10:46




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:212 Resp: 15623
Ion Ratio Lower Upper
212 100
106 16.5 13.0 19.6
104 9.4 7.7 11.5



#28
Fluoranthene
Concen: 0.460 ng
RT: 19.435 min Scan# 2081
Delta R.T. 0.000 min
Lab File: BN025876.D
Acq: 16 Jun 2023 10:46

Tgt Ion:202 Resp: 23487
Ion Ratio Lower Upper
202 100
101 11.6 9.8 14.8
203 16.9 13.4 20.2









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.560 min Scan# 2482
Delta R.T. 0.000 min
Lab File: BN025876.D
Acq: 16 Jun 2023 10:46




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:240 Resp: 12296
Ion Ratio Lower Upper
240 100
120 17.6 13.2 19.8
236 29.2 23.1 34.7



#30
Pyrene
Concen: 0.345 ng
RT: 19.797 min Scan# 2159
Delta R.T. 0.000 min
Lab File: BN025876.D
Acq: 16 Jun 2023 10:46

Tgt Ion:202 Resp: 24040
Ion Ratio Lower Upper
202 100
200 21.1 17.0 25.6
203 17.5 14.2 21.2





#31

Terphenyl-d14

Concen: 0.343 ng

RT: 19.997 min Scan# 21

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:244 Resp: 10243

Ion Ratio Lower Upper

244 100

212 10.4 8.6 12.8

122 18.3 15.2 22.8



#32

Benzo(a)anthracene

Concen: 0.410 ng

RT: 21.542 min Scan# 2479

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46




Tgt Ion:228 Resp: 19468


Ion Ratio Lower Upper

228 100

226 28.8 22.9 34.3

229 19.7 15.6 23.4





#33

Chrysene

Concen: 0.421 ng

RT: 21.596 min Scan# 2485

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:228 Resp: 21154

Ion Ratio Lower Upper

228 100

226 31.2 25.4 38.2

229 19.5 16.1 24.1



#34

Bis(2-ethylhexyl)phthalate

Concen: 0.410 ng

RT: 21.453 min Scan# 2469

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46




Tgt Ion:149 Resp: 11600

Ion Ratio Lower Upper

149 100

167 25.7 21.0 31.6

279 3.2 2.2 3.4





#35

Perylene-d12

Concen: 0.400 ng

RT: 24.040 min Scan# 3137

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:264 Resp: 12593

Ion Ratio Lower Upper

264 100

260 27.2 21.4 32.2

265 56.4 44.7 67.1



#36

Indeno(1,2,3-cd)pyrene

Concen: 0.439 ng

RT: 26.639 min Scan# 4022

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46




Tgt Ion:276 Resp: 23912


Ion Ratio Lower Upper

276 100

138 30.9 26.1 39.1

277 24.6 19.4 29.2





#37

Benzo(b)fluoranthene

Concen: 0.428 ng

RT: 23.282 min Scan# 21

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:252 Resp: 21242

Ion Ratio Lower Upper

252 100

253 27.7 23.4 35.0

125 15.4 12.3 18.5



#38

Benzo(k)fluoranthene

Concen: 0.415 ng

RT: 23.329 min Scan# 2890

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46




Tgt Ion:252 Resp: 21062


Ion Ratio Lower Upper

252 100

253 28.2 24.2 36.4

125 15.9 12.2 18.2





#39

Benzo(a)pyrene

Concen: 0.416 ng

RT: 23.931 min Scan# 3096

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:252 Resp: 19593

Ion Ratio Lower Upper

252 100

253 31.0 27.5 41.3

125 17.7 14.6 21.8



#40

Dibenzo(a,h)anthracene

Concen: 0.433 ng

RT: 26.656 min Scan# 4028

Delta R.T. 0.000 min

Lab File: BN025876.D

Acq: 16 Jun 2023 10:46




Tgt Ion:278 Resp: 18928


Ion Ratio Lower Upper

278 100

139 22.7 18.7 28.1


279 29.4 25.1 37.7





#41
Benzo(g,h,i)perylene
Concen: 0.454 ng
RT: 27.437 min Scan# 41
Delta R.T. 0.000 min
Lab File: BN025876.D
Acq: 16 Jun 2023 10:46

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4



Tgt Ion:276 Resp: 22196
Ion Ratio Lower Upper
276 100
277 24.5 20.2 30.2
138 29.3 24.2 36.4

