

Data Path : Z:\svoasrv\HPCHEM1\BNA N\Data\BN061720\
 Data File : BN010943.D
 Acq On : 17 Jun 2020 16:35
 Operator : CG/JU
 Sample : PB129592BL
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB129592BL

Quant Time: Jun 17 17:07:07 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 17 13:14:12 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.54	152	2728	0.40	ng	0.00
7) Naphthalene-d8	10.29	136	9049	0.40	ng	0.00
13) Acenaphthene-d10	14.17	164	4219	0.40	ng	0.01
19) Phenanthrene-d10	16.92	188	7579	0.40	ng	0.01
27) Chrysene-d12	21.12	240	6221	0.40	ng	0.00
34) Perylene-d12	23.27	264	4674	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.20	112	2277	0.43	ng	0.00
5) Phenol-d6	6.74	99	2144	0.35	ng	0.00
8) Nitrobenzene-d5	8.69	82	2537	0.38	ng	0.01
11) 2-Methylnaphthalene-d10	11.90	152	4345	0.31	ng	0.00
14) 2,4,6-Tribromophenol	15.68	330	462	0.31	ng	0.01
15) 2-Fluorobiphenyl	12.80	172	6947	0.42	ng	0.01
25) Fluoranthene-d10	18.96	212	7171	0.34	ng	0.00
29) Terphenyl-d14	19.57	244	6739	0.46	ng	0.00
Target Compounds						
3) n-Nitrosodimethylamine	3.60	42	4094	2.636	ng	# 1
32) Bis(2-ethylhexyl)phthalate	21.06	149	241	0.040	ng	# 86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA N\Data\BN061720\
Data File : BN010943.D
Acq On : 17 Jun 2020 16:35
Operator : CG/JU
Sample : PB129592BL
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB129592BL

Quant Time: Jun 17 17:07:07 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN061020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 17 13:14:12 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.54 min Scan# 585
Delta R.T. 0.00 min
Lab File: BN010943.D
Acq: 17 Jun 2020 16:35

Instrument :
BNA_N
ClientSampleId :
PB129592BL

Tot Ion:152 Resp: 2728
Ion Ratio Lower Upper
152 100
150 153.7 123.8 185.6
115 61.2 49.2 73.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#3


n-Nitrosodimethylamine
Concen: 2.636 ng
RT: 3.60 min Scan# 96
Delta R.T. 0.04 min
Lab File: BN010943.D
Acq: 17 Jun 2020 16:35

Tgt Ion: 42 Resp: 4094
Ion Ratio Lower Upper
42 100
74 4.6 140.7 211.1#
44 58.0 1.4 2.2#



Abundance Ion 42.00 (41.70 to 42.70): BNC
Ion 74.00 (73.70 to 74.70): BNC
Ion 44.00 (43.70 to 44.70): BNC





#4

2-Fluorophenol

Concen: 0.432 ng

RT: 5.20 min Scan# 294

Delta R.T. 0.01 min

Lab File: BN010943.D

Acq: 17 Jun 2020 16:35

Instrument :

BNA_N

ClientSampleId :

PB129592BL


Tot Ion:112 Resp: 2277

Ion Ratio Lower Upper

112 100

64 46.2 37.4 56.0




63 25.1 22.2 33.4



Abundance Ion 112.00 (111.70 to 112.70): BNC

Ion 64.00 (63.70 to 64.70): BNC

Ion 63.00 (62.70 to 63.70): BNC



#5

Phenol-d6

Concen: 0.346 ng

RT: 6.74 min Scan# 486

Delta R.T. 0.01 min

Lab File: BN010943.D

Acq: 17 Jun 2020 16:35


Tgt Ion: 99 Resp: 2144

Ion Ratio Lower Upper

99 100

42 14.1 11.1 16.7



71 40.3 31.4 47.2




Abundance Ion 99.00 (98.70 to 99.70): BNC

Ion 42.00 (41.70 to 42.70): BNC

Ion 71.00 (70.70 to 71.70): BNC





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.29 min Scan# 837

Delta R.T. 0.00 min

Lab File: BN010943.D

Acq: 17 Jun 2020 16:35

Instrument :

BNA_N

ClientSampleId :

PB129592BL

Tot Ion:136 Resp: 9049


Ion Ratio Lower Upper

136 100

137 12.3 9.7 14.5

54 6.1 4.9 7.3

68 6.9 4.7 7.1






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BNC

Ion 68.00 (67.70 to 68.70): BNC



#8

Nitrobenzene-d5

Concen: 0.379 ng

RT: 8.69 min Scan# 711

Delta R.T. 0.01 min

Lab File: BN010943.D

Acq: 17 Jun 2020 16:35


Tgt Ion: 82 Resp: 2537

Ion Ratio Lower Upper

82 100

128 49.1 35.4 53.0



54 33.9 28.2 42.4




Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BNC





#11

2-Methylnaphthalene-d10

Concen: 0.310 ng

RT: 11.90 min Scan# 1021

Delta R.T. 0.01 min

Lab File: BN010943.D

Acq: 17 Jun 2020 16:35

Instrument :

BNA_N

ClientSampleId :





PB129592BL

Tot Ion:152 Resp: 4345

Ion Ratio Lower Upper

152 100

151 20.0 15.3 22.9



#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.17 min Scan# 1307

Delta R.T. 0.01 min

Lab File: BN010943.D

Acq: 17 Jun 2020 16:35




Tgt Ion:164 Resp: 4219


Ion Ratio Lower Upper

164 100

162 103.3 81.0 121.6

160 49.5 38.9 58.3





#14

2,4,6-Tribromophenol

Concen: 0.306 ng

RT: 15.68 min Scan# 1443

Delta R.T. 0.01 min

Lab File: BN010943.D

Acq: 17 Jun 2020 16:35

Instrument :

BNA_N

ClientSampleId :

PB129592BL


Tot Ion:330 Resp: 462

Ion Ratio Lower Upper




330 100

332 0.0 0.0 0.0

141 40.9 33.2 49.8



Abundance Ion 330.00 (329.70 to 330.70): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#15

2-Fluorobiphenyl

Concen: 0.417 ng

RT: 12.80 min Scan# 1184

Delta R.T. 0.01 min

Lab File: BN010943.D

Acq: 17 Jun 2020 16:35


Tgt Ion:172 Resp: 6947

Ion Ratio Lower Upper



172 100


171 34.7 28.5 42.7

170 23.6 19.7 29.5



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.92 min Scan# 1558

Delta R.T. 0.01 min

Lab File: BN010943.D

Acq: 17 Jun 2020 16:35

Instrument :

BNA_N

ClientSampleId :

PB129592BL


Tot Ion:188 Resp: 7579

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 10.1 4.5 6.7#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNO

Ion 80.00 (79.70 to 80.70): BNO



#25

Fluoranthene-d10

Concen: 0.343 ng

RT: 18.96 min Scan# 1852

Delta R.T. 0.01 min

Lab File: BN010943.D

Acq: 17 Jun 2020 16:35


Tgt Ion:212 Resp: 7171

Ion Ratio Lower Upper

212 100

106 9.3 6.6 10.0



104 5.1 4.0 6.0




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.12 min Scan# 2168

Delta R.T. 0.00 min

Lab File: BN010943.D

Acq: 17 Jun 2020 16:35

Instrument :

BNA_N

ClientSampleId :

PB129592BL


Tot Ion:240 Resp: 6221

Ion Ratio Lower Upper

240 100

120 12.1 7.5 11.3#




236 28.8 22.3 33.5



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.463 ng

RT: 19.57 min Scan# 1975

Delta R.T. 0.00 min

Lab File: BN010943.D

Acq: 17 Jun 2020 16:35


Tgt Ion:244 Resp: 6739

Ion Ratio Lower Upper

244 100

212 9.1 7.4 11.2



122 9.6 7.5 11.3




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#32

Bis(2-ethylhexyl)phthalate

Concen: 0.040 ng

RT: 21.06 min Scan# 2162

Delta R.T. 0.00 min

Lab File: BN010943.D

Acq: 17 Jun 2020 16:35

Instrument :

BNA_N

ClientSampleId :

PB129592BL


Tot Ion:149 Resp: 241

Ion Ratio Lower Upper

149 100

167 21.2 24.1 36.1#




279 4.6 4.6 7.0#



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.27 min Scan# 2541

Delta R.T. 0.00 min

Lab File: BN010943.D

Acq: 17 Jun 2020 16:35


Tgt Ion:264 Resp: 4674

Ion Ratio Lower Upper

264 100

260 27.6 20.4 30.6

265 141.0 75.0 112.4#



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

