

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061919\
 Data File : BN006441.D
 Acq On : 20 Jun 2019 22:51
 Operator : JU/SJ
 Sample : K3360-02
 Misc :
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A41Y3

Quant Time: Jun 21 04:56:30 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN061919MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jun 21 04:51:38 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	213601	20.00	ng/ul	0.00
18) Naphthalene-d8	10.40	136	1020713	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.28	164	628440	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.03	188	1413076	20.00	ng/ul	0.00
77) Chrysene-d12	21.25	240	1393250	20.00	ng/ul	-0.02
85) Perylene-d12	23.48	264	1590369	20.00	ng/ul	-0.04

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.13	96	20910	3.82	ng/uL	0.00
5) Phenol-d5	6.80	99	431521	18.97	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.96	67	273830	19.45	ng/ul	0.00
9) 2-Chlorophenol-d4	7.16	132	324639	19.36	ng/ul	0.00
13) 4-Methylphenol-d8	8.33	113	332807	18.45	ng/ul	0.00
19) Nitrobenzene-d5	8.78	128	158481	19.39	ng/ul	0.00
22) 2-Nitrophenol-d4	9.50	143	175639	19.72	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.03	165	320897	18.76	ng/ul	0.00
29) 4-Chloroaniline-d4	10.55	131	435607	22.14	ng/ul	0.00
43) Dimethylphthalate-d6	13.69	166	1160986	21.08	ng/ul	0.00
46) Acenaphthylene-d8	13.97	160	1379732	20.44	ng/ul	0.00
51) 4-Nitrophenol-d4	14.50	143	151238	16.07	ng/ul	0.00
57) Fluorene-d10	15.28	176	984646	21.02	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.42	200	124552	13.93	ng/ul	0.00
70) Anthracene-d10	17.13	188	1592229	22.38	ng/ul	0.00
78) Pyrene-d10	19.45	212	1861329	22.87	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.34	264	2040222	22.71	ng/ul	-0.04

Target Compounds


				Ovalue	
6) Phenol	6.83	94	29299	1.336	ng/ul# 86
44) Dimethylphthalate	13.74	163	631870	12.444	ng/ul 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061919\
Data File : BN006441.D
Acq On : 20 Jun 2019 22:51
Operator : JU/SJ
Sample : K3360-02
Misc :
ALS Vial : 47 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
A41Y3

Quant Time: Jun 21 04:56:30 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN061919MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jun 21 04:51:38 2019
Response via : Initial Calibration









#6

Phenol

Concen: 1.336 ng/ul
 RT: 6.83 min Scan# 653
 Delta R.T. -0.01 min
 Lab File: BN006441.D
 Acq: 20 Jun 2019 22:51

Instrument :
 BNA_N
 ClientSampleId :
 A41Y3

Tot Ion: 94 Resp: 29299
 Ion Ratio Lower Upper
 94 100
 65 31.1 22.5 33.7
 66 49.0 29.5 44.3#



#44

Dimethylphthalate

Concen: 12.444 ng/ul
 RT: 13.74 min Scan# 1828
 Delta R.T. -0.01 min
 Lab File: BN006441.D
 Acq: 20 Jun 2019 22:51

Tgt Ion: 163 Resp: 631870
 Ion Ratio Lower Upper
 163 100
 194 4.2 3.4 5.0
 164 9.6 8.0 12.0

