

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061919\
 Data File : BN006443.D
 Acq On : 21 Jun 2019 00:01
 Operator : JU/SJ
 Sample : K3360-04
 Misc :
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A41Y5

Quant Time: Jun 21 04:56:40 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN061919MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jun 21 04:51:38 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	226101	20.00	ng/ul	0.00
18) Naphthalene-d8	10.40	136	1062162	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.28	164	658838	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.03	188	1477140	20.00	ng/ul	0.00
77) Chrysene-d12	21.25	240	1467704	20.00	ng/ul	-0.02
85) Perylene-d12	23.48	264	1643079	20.00	ng/ul	-0.04

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.13	96	28963	5.00	ng/uL	0.00
5) Phenol-d5	6.80	99	541928	22.51	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.96	67	374192	25.11	ng/ul	0.00
9) 2-Chlorophenol-d4	7.16	132	421526	23.75	ng/ul	0.00
13) 4-Methylphenol-d8	8.33	113	435863	22.82	ng/ul	0.00
19) Nitrobenzene-d5	8.78	128	216396	25.44	ng/ul	0.00
22) 2-Nitrophenol-d4	9.50	143	241108	26.02	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.03	165	425245	23.89	ng/ul	0.00
29) 4-Chloroaniline-d4	10.55	131	613675	29.98	ng/ul	0.00
43) Dimethylphthalate-d6	13.69	166	1591304	27.56	ng/ul	0.00
46) Acenaphthylene-d8	13.97	160	1866489	26.37	ng/ul	0.00
51) 4-Nitrophenol-d4	14.50	143	210510	21.34	ng/ul	0.00
57) Fluorene-d10	15.28	176	1342009	27.32	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.42	200	194898	20.85	ng/ul	0.00
70) Anthracene-d10	17.13	188	2137066	28.74	ng/ul	0.00
78) Pyrene-d10	19.44	212	2362044	27.55	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.34	264	2572906	27.72	ng/ul	-0.04


Target Compounds					Ovalue	
6) Phenol	6.83	94	30868	1.330	ng/ul#	88
44) Dimethylphthalate	13.74	163	949360	17.834	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN061919\
Data File : BN006443.D
Acq On : 21 Jun 2019 00:01
Operator : JU/SJ
Sample : K3360-04
Misc :
ALS Vial : 49 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
A41Y5

Quant Time: Jun 21 04:56:40 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN061919MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jun 21 04:51:38 2019
Response via : Initial Calibration





#6

Phenol

Concen: 1.330 ng/ul

RT: 6.83 min Scan# 653

Delta R.T. -0.01 min

Lab File: BN006443.D

Acq: 21 Jun 2019 00:01

Instrument :

BNA_N

ClientSampleId :

A41Y5


Tot Ion: 94 Resp: 30868

Ion Ratio Lower Upper

94 100

65 33.0 22.5 33.7




66 45.2 29.5 44.3#



Abundance Ion 94.00 (93.70 to 94.70): BN006443.D (-647) (-)

Ion 65.00 (64.70 to 65.70): BN006443.D (-647) (-)

Ion 66.00 (65.70 to 66.70): BN006443.D (-647) (-)



#44

Dimethylphthalate

Concen: 17.834 ng/ul

RT: 13.74 min Scan# 1828

Delta R.T. -0.01 min

Lab File: BN006443.D

Acq: 21 Jun 2019 00:01


Tgt Ion:163 Resp: 949360

Ion Ratio Lower Upper

163 100

194 4.1 3.4 5.0

164 10.3 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): BN006443.D (-1795) (-)

Ion 194.00 (193.70 to 194.70): BN006443.D (-1795) (-)

Ion 164.00 (163.70 to 164.70): BN006443.D (-1795) (-)

