

Data Path : Z:\svoasrv\HPCHEM1\BNA\_N\Data\BN062024\  
 Data File : BN032116.D  
 Acq On : 21 Jun 2024 04:30  
 Operator : MA/JU  
 Sample : P2894-05  
 Misc :  
 ALS Vial : 25 Sample Multiplier: 1

Instrument :  
 BNA\_N  
 ClientSampleId :  
 SVOC-GPC-BLANK

Quant Time: Jun 21 05:19:05 2024  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_N\Methods\SFAM-EPA-BN052924.MA.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Thu Jun 20 10:49:40 2024  
 Response via : Initial Calibration

| Compound                  | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|---------------------------|--------|------|----------|--------|-------|----------|
| -----                     |        |      |          |        |       |          |
| Internal Standards        |        |      |          |        |       |          |
| 1) 1,4-Dichlorobenzene-d4 | 7.634  | 152  | 329330   | 20.000 | ng/ul | 0.00     |
| 20) Naphthalene-d8        | 10.416 | 136  | 1524169  | 20.000 | ng/ul | 0.00     |
| 38) Acenaphthene-d10      | 14.281 | 164  | 1074982  | 20.000 | ng/ul | 0.00     |
| 64) Phenanthrene-d10      | 17.027 | 188  | 2232988  | 20.000 | ng/ul | 0.00     |
| 79) Chrysene-d12          | 21.263 | 240  | 1706457  | 20.000 | ng/ul | 0.00     |
| 88) Perylene-d12          | 24.168 | 264  | 1585652  | 20.000 | ng/ul | -0.01    |

|                               |       |     |    |       |       |  |
|-------------------------------|-------|-----|----|-------|-------|--|
| System Monitoring Compounds   |       |     |    |       |       |  |
| 3) 1,4-Dioxane-d8             | 0.000 | 96  | 0d | 0.000 | ng/uL |  |
| 4) Pyridine-d5                | 0.000 | 84  | 0d | 0.000 | ng/ul |  |
| 7) Phenol-d5                  | 0.000 | 99  | 0  | 0.000 | ng/ul |  |
| 9) Bis-(2-Chloroethyl)eth...  | 0.000 | 67  | 0d | 0.000 | ng/ul |  |
| 11) 2-Chlorophenol-d4         | 0.000 | 132 | 0  | 0.000 | ng/ul |  |
| 15) 4-Methylphenol-d8         | 0.000 | 113 | 0  | 0.000 | ng/ul |  |
| 21) Nitrobenzene-d5           | 0.000 | 128 | 0  | 0.000 | ng/ul |  |
| 24) 2-Nitrophenol-d4          | 0.000 | 143 | 0  | 0.000 | ng/ul |  |
| 28) 2,4-Dichlorophenol-d3     | 0.000 | 165 | 0  | 0.000 | ng/ul |  |
| 31) 4-Chloroaniline-d4        | 0.000 | 131 | 0d | 0.000 | ng/ul |  |
| 46) Dimethylphthalate-d6      | 0.000 | 166 | 0d | 0.000 | ng/ul |  |
| 49) Acenaphthylene-d8         | 0.000 | 160 | 0d | 0.000 | ng/ul |  |
| 54) 4-Nitrophenol-d4          | 0.000 | 143 | 0  | 0.000 | ng/ul |  |
| 60) Fluorene-d10              | 0.000 | 176 | 0d | 0.000 | ng/ul |  |
| 65) 4,6-Dinitro-2-methylph... | 0.000 | 200 | 0  | 0.000 | ng/ul |  |
| 73) Anthracene-d10            | 0.000 | 188 | 0d | 0.000 | ng/ul |  |
| 81) Pyrene-d10                | 0.000 | 212 | 0d | 0.000 | ng/ul |  |
| 92) Benzo(a)pyrene-d12        | 0.000 | 264 | 0d | 0.000 | ng/ul |  |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_N\Data\BN062024\  
Data File : BN032116.D  
Acq On : 21 Jun 2024 04:30  
Operator : MA/JU  
Sample : P2894-05  
Misc :  
ALS Vial : 25 Sample Multiplier: 1

Instrument :  
BNA\_N  
ClientSampleId :  
SVOC-GPC-BLANK

Quant Time: Jun 21 05:19:05 2024  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_N\Methods\SFAM-EPA-BN052924.MA.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Thu Jun 20 10:49:40 2024  
Response via : Initial Calibration

