

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062223\
 Data File : BN025931.D
 Acq On : 22 Jun 2023 11:23
 Operator : MA/JU
 Sample : 03083-04
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DCFK2

Quant Time: Jun 23 01:02:16 2023
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN062223.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 22 01:27:41 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.980	152	8724	0.400	ng/ul	0.00
4) Naphthalene-d8	10.791	136	27391	0.400	ng/ul	# 0.00
9) Acenaphthene-d10	14.616	164	16991	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.363	188	32791	0.400	ng/ul	0.00
17) Chrysene-d12	21.546	240	17256	0.400	ng/ul	0.00
23) Perylene-d12	24.013	264	15276	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.335	96	36928	3.759	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.380	152	10912	0.259	ng/ul	0.00
18) Fluoranthene-d10	19.386	212	19128	0.291	ng/ul	0.00
Target Compounds						
						Qvalue
5) Naphthalene	10.840	128	60918	0.776	ng/ul	100
7) 2-Methylnaphthalene	12.452	142	48868	0.978	ng/ul	100
8) 1-Methylnaphthalene	12.666	142	44338	0.856	ng/ul	100
10) Acenaphthylene	14.338	152	91748	1.153	ng/ul	99
11) Acenaphthene	14.681	153	8651	0.133	ng/ul	96
12) Fluorene	15.662	166	10865	0.146	ng/ul#	88
15) Phenanthrene	17.401	178	375026	3.462	ng/ul	99
16) Anthracene	17.494	178	46717	0.485	ng/ul	98
19) Fluoranthene	19.418	202	833678	9.045	ng/ul	98
20) Pyrene	19.781	202	670057	6.990	ng/ul	97
21) Benzo(a)anthracene	21.528	228	302216	4.245	ng/ul	97
22) Chrysene	21.584	228	369120	4.983	ng/ul	97
24) Benzo(b)fluoranthene	23.255	252	670264	10.280	ng/ul	90
26) Benzo(a)pyrene	23.907	252	281293	4.967	ng/ul#	84
27) Indeno(1,2,3-cd)pyrene	26.587	276	226358	3.660	ng/ul#	92
28) Dibenzo(a,h)anthracene	26.594	278	54201	1.158	ng/ul	98
29) Benzo(g,h,i)perylene	27.385	276	217816	3.959	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062223\
Data File : BN025931.D
Acq On : 22 Jun 2023 11:23
Operator : MA/JU
Sample : 03083-04
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
DCFK2

Quant Time: Jun 23 01:02:16 2023
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN062223.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 22 01:27:41 2023
Response via : Initial Calibration









#5
Naphthalene
Concen: 0.776 ng/ul
RT: 10.840 min Scan# 1772
Delta R.T. -0.007 min
Lab File: BN025931.D
Acq: 22 Jun 2023 11:23




Instrument :
BNA_N
ClientSampleId :
DCFK2


Tgt Ion:128 Resp: 60918
Ion Ratio Lower Upper
128 100
129 11.5 9.1 13.7
127 13.2 10.7 16.1



#7
2-Methylnaphthalene
Concen: 0.978 ng/ul
RT: 12.452 min Scan# 2065
Delta R.T. -0.001 min
Lab File: BN025931.D
Acq: 22 Jun 2023 11:23

Tgt Ion:142 Resp: 48868
Ion Ratio Lower Upper
142 100
141 89.6 71.9 107.9





#8

1-Methylnaphthalene

Concen: 0.856 ng/ul

RT: 12.666 min Scan# 2104

Delta R.T. -0.007 min

Lab File: BN025931.D

Acq: 22 Jun 2023 11:23

Instrument :

BNA_N

ClientSampleId :





DCFK2

Tgt Ion:142 Resp: 44338

Ion Ratio Lower Upper

142 100

141 92.5 74.2 111.4



#10

Acenaphthylene

Concen: 1.153 ng/ul

RT: 14.338 min Scan# 2440

Delta R.T. -0.005 min

Lab File: BN025931.D

Acq: 22 Jun 2023 11:23




Tgt Ion:152 Resp: 91748


Ion Ratio Lower Upper

152 100

151 20.2 16.2 24.4

153 14.8 10.9 16.3





#11

Acenaphthene

Concen: 0.133 ng/ul

RT: 14.681 min Scan# 21

Delta R.T. -0.000 min

Lab File: BN025931.D

Acq: 22 Jun 2023 11:23

Instrument :

BNA_N

ClientSampleId :

DCFK2





Tgt Ion:153 Resp: 8651

Ion Ratio Lower Upper

153 100

152 53.4 39.4 59.0

154 84.0 68.9 103.3



#12

Fluorene

Concen: 0.146 ng/ul

RT: 15.662 min Scan# 2726

Delta R.T. -0.005 min

Lab File: BN025931.D

Acq: 22 Jun 2023 11:23




Tgt Ion:166 Resp: 10865


Ion Ratio Lower Upper

166 100

165 107.3 79.9 119.9

167 31.0 10.8 16.2#









#15
 Phenanthrene
 Concen: 3.462 ng/ul
 RT: 17.401 min Scan# 3131
 Delta R.T. -0.005 min
 Lab File: BN025931.D
 Acq: 22 Jun 2023 11:23




Instrument :
 BNA_N
 ClientSampleId :
 DCFK2


Tgt Ion:	178	Resp:	375026
Ion Ratio	Lower	Upper	
178	100		
179	15.4	12.6	19.0
176	19.4	15.8	23.6



#16
 Anthracene
 Concen: 0.485 ng/ul
 RT: 17.494 min Scan# 3153
 Delta R.T. -0.005 min
 Lab File: BN025931.D
 Acq: 22 Jun 2023 11:23

Tgt Ion:	178	Resp:	46717
Ion Ratio	Lower	Upper	
178	100		
179	17.1	12.6	18.8
176	19.3	15.1	22.7









#19
Fluoranthene
Concen: 9.045 ng/ul
RT: 19.418 min Scan# 3589
Delta R.T. -0.001 min
Lab File: BN025931.D
Acq: 22 Jun 2023 11:23




Instrument :
BNA_N
ClientSampleId :
DCFK2


Tgt Ion:202 Resp: 833678
Ion Ratio Lower Upper
202 100
101 11.2 9.5 14.3
100 8.4 7.3 10.9



#20
Pyrene
Concen: 6.990 ng/ul
RT: 19.781 min Scan# 3667
Delta R.T. -0.001 min
Lab File: BN025931.D
Acq: 22 Jun 2023 11:23


Tgt Ion:202 Resp: 670057
Ion Ratio Lower Upper
202 100
101 12.9 11.4 17.0
100 10.5 9.1 13.7








#21
Benzo(a)anthracene
Concen: 4.245 ng/ul
RT: 21.528 min Scan# 4173
Delta R.T. -0.004 min
Lab File: BN025931.D
Acq: 22 Jun 2023 11:23

Instrument :
BNA_N
ClientSampleId :
DCFK2







Tgt Ion:228 Resp: 302216
Ion Ratio Lower Upper
228 100
229 21.5 15.8 23.6
226 29.7 22.5 33.7



#22
Chrysene
Concen: 4.983 ng/ul
RT: 21.584 min Scan# 4192
Delta R.T. -0.001 min
Lab File: BN025931.D
Acq: 22 Jun 2023 11:23


Tgt Ion:228 Resp: 369120
Ion Ratio Lower Upper
228 100
226 31.1 24.8 37.2
229 22.5 15.7 23.5








#24
Benzo(b)fluoranthene
Concen: 10.280 ng/ul
RT: 23.255 min Scan# 4764
Delta R.T. -0.001 min
Lab File: BN025931.D
Acq: 22 Jun 2023 11:23

Instrument :
BNA_N
ClientSampleId :
DCFK2







Tgt Ion:252 Resp: 670264
Ion Ratio Lower Upper
252 100
253 23.2 0.0 55.6
125 13.3 0.0 35.8



#26
Benzo(a)pyrene
Concen: 4.967 ng/ul
RT: 23.907 min Scan# 4987
Delta R.T. -0.001 min
Lab File: BN025931.D
Acq: 22 Jun 2023 11:23

Tgt Ion:252 Resp: 281293
Ion Ratio Lower Upper
252 100
253 23.9 26.0 39.0#
125 14.2 17.3 25.9#









#27
Indeno(1,2,3-cd)pyrene
Concen: 3.660 ng/ul
RT: 26.587 min Scan# 5834
Delta R.T. -0.008 min
Lab File: BN025931.D
Acq: 22 Jun 2023 11:23




Instrument :
BNA_N
ClientSampleId :
DCFK2


Tgt Ion:276 Resp: 226358
Ion Ratio Lower Upper
276 100
138 26.2 24.5 36.7
227 0.0 0.0 0.0



#28
Dibenzo(a,h)anthracene
Concen: 1.158 ng/ul
RT: 26.594 min Scan# 5836
Delta R.T. -0.028 min
Lab File: BN025931.D
Acq: 22 Jun 2023 11:23

Tgt Ion:278 Resp: 54201
Ion Ratio Lower Upper
278 100
139 23.1 19.0 28.4
279 31.6 26.7 40.1





#29
 Benzo(g,h,i)perylene
 Concen: 3.959 ng/ul
 RT: 27.385 min Scan# 6072
 Delta R.T. -0.001 min
 Lab File: BN025931.D
 Acq: 22 Jun 2023 11:23

Instrument :
 BNA_N
 ClientSampleId :
 DCFK2

Tgt Ion:	276	Resp:	217816
Ion	Ratio	Lower	Upper
276	100		
138	27.2	23.4	35.0
277	24.3	20.0	30.0

