

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062721\
 Data File : BN015162.D
 Acq On : 27 Jun 2021 21:38
 Operator : CG/JU
 Sample : PB137315BS
 Misc :
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SLCS315

Quant Time: Jun 28 01:29:36 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN062121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 22 11:53:52 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.728	152	4561	0.400	ng/ul	-0.01
4) Naphthalene-d8	10.496	136	15344	0.400	ng/ul	-0.01
9) Acenaphthene-d10	14.350	164	7582	0.400	ng/ul	-0.01
13) Phenanthrene-d10	17.099	188	15198	0.400	ng/ul	-0.01
17) Chrysene-d12	21.295	240	13097	0.400	ng/ul	-0.02
23) Perylene-d12	23.540	264	11901	0.400	ng/ul	-0.03
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.289	96	3893	0.757	ng/ul	-0.01
6) 2-Methylnaphthalene-d10	12.091	152	8890	0.369	ng/ul	-0.01
18) Fluoranthene-d10	19.128	212	17353	0.403	ng/ul	-0.02
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.319	88	10377	1.868	ng/ul#	85
5) Naphthalene	10.545	128	17559	0.359	ng/ul	100
7) 2-Methylnaphthalene	12.162	142	11307	0.353	ng/ul	100
8) 1-Methylnaphthalene	12.382	142	10433	0.337	ng/ul	99
10) Acenaphthylene	14.067	152	14619	0.373	ng/ul	99
11) Acenaphthene	14.414	153	10843	0.361	ng/ul	99
12) Fluorene	15.404	166	11923	0.359	ng/ul	98
14) Pentachlorophenol	16.749	266	2587	0.769	ng/ul	100
15) Phenanthrene	17.142	178	20276	0.368	ng/ul	99
16) Anthracene	17.230	178	18338	0.377	ng/ul	100
19) Fluoranthene	19.160	202	23143	0.382	ng/ul	99
20) Pyrene	19.523	202	23581	0.389	ng/ul	97
21) Benzo(a)anthracene	21.278	228	21269	0.438	ng/ul	100
22) Chrysene	21.330	228	22603	0.389	ng/ul	100
24) Benzo(b)fluoranthene	22.864	252	22733	0.409	ng/ul	99
25) Benzo(k)fluoranthene	22.908	252	22572	0.360	ng/ul	100
26) Benzo(a)pyrene	23.440	252	19446	0.416	ng/ul	97
27) Indeno(1,2,3-cd)pyrene	25.796	276	24344	0.432	ng/ul#	99
28) Dibenzo(a,h)anthracene	25.809	278	19126	0.433	ng/ul	98
29) Benzo(g,h,i)perylene	26.480	276	20398	0.390	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062721\
Data File : BN015162.D
Acq On : 27 Jun 2021 21:38
Operator : CG/JU
Sample : PB137315BS
Misc :
ALS Vial : 47 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SLCS315

Quant Time: Jun 28 01:29:36 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN062121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 22 11:53:52 2021
Response via : Initial Calibration

