

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062923\
 Data File : BN026087.D
 Acq On : 29 Jun 2023 10:13
 Operator : MA/JU
 Sample : 03142-19DL 5X
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DCFT6DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 06/30/2023
 Supervised By :mohammad ahmed 06/30/2023

Quant Time: Jun 30 00:42:44 2023
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN062223.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jun 28 22:47:20 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.967	152	7336	0.400	ng/ul	0.00
4) Naphthalene-d8	10.780	136	24659	0.400	ng/ul	0.00
9) Acenaphthene-d10	14.607	164	14617	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.355	188	27899	0.400	ng/ul	0.00
17) Chrysene-d12	21.546	240	15376	0.400	ng/ul	# 0.00
23) Perylene-d12	24.001	264	15345	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.327	96	2277	0.276	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.375	152	1145	0.030	ng/ul	0.00
18) Fluoranthene-d10	19.381	212	2205	0.038	ng/ul	0.00
Target Compounds						
					Qvalue	
5) Naphthalene	10.829	128	3991	0.056	ng/ul#	91
7) 2-Methylnaphthalene	12.446	142	1097	0.024	ng/ul	96
10) Acenaphthylene	14.325	152	2431	0.036	ng/ul#	89
15) Phenanthrene	17.393	178	12993	0.141	ng/ul	98
16) Anthracene	17.486	178	2639	0.032	ng/ul#	82
19) Fluoranthene	19.414	202	32614	0.397	ng/ul	98
20) Pyrene	19.771	202	27820	0.326	ng/ul	98
21) Benzo(a)anthracene	21.531	228	15105	0.238	ng/ul#	86
22) Chrysene	21.584	228	14515	0.220	ng/ul#	94
24) Benzo(b)fluoranthene	23.255	252	24178m	0.369	ng/ul	
25) Benzo(k)fluoranthene	23.299	252	9478m	0.144	ng/ul	
26) Benzo(a)pyrene	23.896	252	14486	0.255	ng/ul#	87
27) Indeno(1,2,3-cd)pyrene	26.557	276	13962	0.225	ng/ul#	84
28) Dibenzo(a,h)anthracene	26.570	278	3071	0.065	ng/ul#	31
29) Benzo(g,h,i)perylene	27.352	276	13158	0.238	ng/ul	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062923\
Data File : BN026087.D
Acq On : 29 Jun 2023 10:13
Operator : MA/JU
Sample : 03142-19DL 5X
Misc :
ALS Vial : 8 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
DCFT6DL

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/30/2023
Supervised By :mohammad ahmed 06/30/2023


Quant Time: Jun 30 00:42:44 2023
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN062223.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jun 28 22:47:20 2023
Response via : Initial Calibration





#5
Naphthalene
Concen: 0.056 ng/ul
RT: 10.829 min Scan# 1770
Delta R.T. -0.007 min
Lab File: BN026087.D
Acq: 29 Jun 2023 10:13




Instrument :
BNA_N
ClientSampleId :
DCFT6DL



Tgt Ion:128 Resp: 399
Ion Ratio Lower Upper
128 100
129 16.2 9.1 13.7
127 15.8 10.7 16.1




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 06/30/2023
Supervised By :mohammad ahmed 06/30/2023



#7
2-Methylnaphthalene
Concen: 0.024 ng/ul
RT: 12.446 min Scan# 2064
Delta R.T. -0.001 min
Lab File: BN026087.D
Acq: 29 Jun 2023 10:13


Tgt Ion:142 Resp: 1097
Ion Ratio Lower Upper
142 100
141 93.5 71.9 107.9





#10
Acenaphthylene
Concen: 0.036 ng/ul
RT: 14.325 min Scan# 2437
Delta R.T. -0.005 min
Lab File: BN026087.D
Acq: 29 Jun 2023 10:13




Instrument :
BNA_N
ClientSampleId :
DCFT6DL



Tgt Ion:152 Resp: 2437
Ion Ratio Lower Upper
152 100
151 24.8 16.2 24.4
153 19.1 10.9 16.3




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 06/30/2023
Supervised By :mohammad ahmed 06/30/2023



#15
Phenanthrene
Concen: 0.141 ng/ul
RT: 17.393 min Scan# 3129
Delta R.T. -0.009 min
Lab File: BN026087.D
Acq: 29 Jun 2023 10:13

Tgt Ion:178 Resp: 12993
Ion Ratio Lower Upper
178 100
179 17.0 12.6 19.0
176 20.1 15.8 23.6





#16

Anthracene

Concen: 0.032 ng/ul

RT: 17.486 min Scan# 3151

Delta R.T. -0.009 min

Lab File: BN026087.D

Acq: 29 Jun 2023 10:13

Instrument :

BNA_N

ClientSampleId :

DCFT6DL

Tgt Ion:178 Resp: 2639





Ion	Ratio	Lower	Upper
178	100		
179	26.0	12.6	18.8
176	24.6	15.1	22.7

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 06/30/2023

Supervised By :mohammad ahmed 06/30/2023



#19

Fluoranthene

Concen: 0.397 ng/ul

RT: 19.414 min Scan# 3588




Delta R.T. -0.001 min


Lab File: BN026087.D

Acq: 29 Jun 2023 10:13

Tgt Ion:202 Resp: 32614


Ion	Ratio	Lower	Upper
202	100		
101	11.4	9.5	14.3
100	8.3	7.3	10.9





#20
Pyrene
Concen: 0.326 ng/u1
RT: 19.771 min Scan# 3665
Delta R.T. -0.005 min
Lab File: BN026087.D
Acq: 29 Jun 2023 10:13




Instrument :
BNA_N
ClientSampleId :
DCFT6DL




Tgt Ion:202 Resp: 27820
Ion Ratio Lower Upper
202 100
101 14.5 11.4 17.0
100 12.4 9.1 13.7

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 06/30/2023
Supervised By :mohammad ahmed 06/30/2023




#21
Benzo(a)anthracene
Concen: 0.238 ng/u1
RT: 21.531 min Scan# 4174
Delta R.T. 0.002 min
Lab File: BN026087.D
Acq: 29 Jun 2023 10:13




Tgt Ion:228 Resp: 15105
Ion Ratio Lower Upper
228 100
229 31.5 15.8 23.6#
226 31.5 22.5 33.7





#22
Chrysene
Concen: 0.220 ng/ul
RT: 21.584 min Scan# 4190
Delta R.T. 0.005 min
Lab File: BN026087.D
Acq: 29 Jun 2023 10:13




Instrument :
BNA_N
ClientSampleId :
DCFT6DL




Tgt Ion:228 Resp: 14515
Ion Ratio Lower Upper
228 100
226 32.2 24.8 37.2
229 25.7 15.7 23.5

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 06/30/2023
Supervised By :mohammad ahmed 06/30/2023




#24
Benzo(b)fluoranthene
Concen: 0.369 ng/ul m
RT: 23.255 min Scan# 4764
Delta R.T. 0.002 min
Lab File: BN026087.D
Acq: 29 Jun 2023 10:13




Tgt Ion:252 Resp: 24178
Ion Ratio Lower Upper
252 100
253 31.3 0.0 55.6
125 24.6 0.0 35.8





#25
Benzo(k)fluoranthene
Concen: 0.144 ng/ul m
RT: 23.299 min Scan# 4777
Delta R.T. -0.004 min
Lab File: BN026087.D
Acq: 29 Jun 2023 10:13




Instrument :
BNA_N
ClientSampleId :
DCFT6DL




Tgt Ion:252 Resp: 9478
Ion Ratio Lower Upper
252 100
253 40.4 23.2 34.8
125 46.6 15.0 22.4

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 06/30/2023
Supervised By :mohammad ahmed 06/30/2023




#26
Benzo(a)pyrene
Concen: 0.255 ng/ul
RT: 23.896 min Scan# 4983
Delta R.T. -0.010 min
Lab File: BN026087.D
Acq: 29 Jun 2023 10:13



Tgt Ion:252 Resp: 14486
Ion Ratio Lower Upper
252 100
253 37.2 26.0 39.0
125 31.2 17.3 25.9






#27
 Indeno(1,2,3-cd)pyrene
 Concen: 0.225 ng/ul
 RT: 26.557 min Scan# 5823
 Delta R.T. -0.038 min
 Lab File: BN026087.D
 Acq: 29 Jun 2023 10:13

Instrument :

BNA_N

ClientSampleId :

DCFT6DL






Tgt Ion:276 Resp: 13962
 Ion Ratio Lower Upper
 276 100
 138 22.0 24.5 36.7#
 227 0.0 0.0 0.0

Manual Integrations


APPROVED

Reviewed By :Yogesh Patel 06/30/2023



Supervised By :mohammad ahmed 06/30/2023




#28
 Dibenzo(a,h)anthracene
 Concen: 0.065 ng/ul
 RT: 26.570 min Scan# 5829
 Delta R.T. -0.044 min
 Lab File: BN026087.D
 Acq: 29 Jun 2023 10:13




Tgt Ion:278 Resp: 3071
 Ion Ratio Lower Upper
 278 100
 139 57.1 19.0 28.4#
 279 72.7 26.7 40.1#





#29
 Benzo(g,h,i)perylene
 Concen: 0.238 ng/ul
 RT: 27.352 min Scan# 6062
 Delta R.T. -0.034 min
 Lab File: BN026087.D
 Acq: 29 Jun 2023 10:13

Instrument :
 BNA_N
 ClientSampleId :
 DCFT6DL



Tgt Ion: 276 Resp: 13158

Ion	Ratio	Lower	Upper
276	100		
138	32.7	23.4	35.0
277	28.5	20.0	30.0

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 06/30/2023
 Supervised By :mohammad ahmed 06/30/2023

