

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN070223\
 Data File : BN026223.D
 Acq On : 03 Jul 2023 13:08
 Operator : MA/JU
 Sample : 03246-06
 Misc :
 ALS Vial : 80 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DCGJ3

Quant Time: Jul 03 23:21:35 2023
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN062223.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jul 01 01:46:24 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.951	152	8109	0.400	ng/ul	-0.01
4) Naphthalene-d8	10.765	136	25247	0.400	ng/ul	-0.01
9) Acenaphthene-d10	14.598	164	15600	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.347	188	32094	0.400	ng/ul	0.00
17) Chrysene-d12	21.541	240	18439	0.400	ng/ul	# 0.00
23) Perylene-d12	23.996	264	19545	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.314	96	23824	2.609	ng/ul	-0.01
6) 2-Methylnaphthalene-d10	12.354	152	7300	0.188	ng/ul	-0.01
18) Fluoranthene-d10	19.377	212	15013	0.214	ng/ul	0.00
Target Compounds						
					Qvalue	
5) Naphthalene	10.814	128	28863	0.399	ng/ul	99
7) 2-Methylnaphthalene	12.425	142	21891	0.475	ng/ul	100
8) 1-Methylnaphthalene	12.645	142	15105	0.316	ng/ul	100
10) Acenaphthylene	14.316	152	23450	0.321	ng/ul	96
11) Acenaphthene	14.658	153	4938	0.083	ng/ul	97
12) Fluorene	15.643	166	5156	0.075	ng/ul#	93
15) Phenanthrene	17.385	178	157014	1.481	ng/ul	99
16) Anthracene	17.478	178	34611	0.367	ng/ul	97
19) Fluoranthene	19.405	202	377757	3.836	ng/ul	98
20) Pyrene	19.768	202	316397	3.089	ng/ul	97
21) Benzo(a)anthracene	21.523	228	168439	2.214	ng/ul	96
22) Chrysene	21.576	228	197009	2.489	ng/ul	96
24) Benzo(b)fluoranthene	23.250	252	382767	4.588	ng/ul	91
26) Benzo(a)pyrene	23.891	252	176768	2.440	ng/ul#	86
27) Indeno(1,2,3-cd)pyrene	26.568	276	148825	1.881	ng/ul#	83
28) Dibenzo(a,h)anthracene	26.571	278	37111	0.620	ng/ul#	92
29) Benzo(g,h,i)perylene	27.362	276	139615	1.983	ng/ul	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN070223\
Data File : BN026223.D
Acq On : 03 Jul 2023 13:08
Operator : MA/JU
Sample : 03246-06
Misc :
ALS Vial : 80 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
DCGJ3

Quant Time: Jul 03 23:21:35 2023
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN062223.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jul 01 01:46:24 2023
Response via : Initial Calibration









#5
Naphthalene
Concen: 0.399 ng/ul
RT: 10.814 min Scan# 1767
Delta R.T. -0.011 min
Lab File: BN026223.D
Acq: 03 Jul 2023 13:08




Instrument :
BNA_N
ClientSampleId :
DCGJ3


Tgt Ion:128 Resp: 28863
Ion Ratio Lower Upper
128 100
129 12.2 9.1 13.7
127 13.6 10.7 16.1



#7
2-Methylnaphthalene
Concen: 0.475 ng/ul
RT: 12.425 min Scan# 2060
Delta R.T. -0.011 min
Lab File: BN026223.D
Acq: 03 Jul 2023 13:08

Tgt Ion:142 Resp: 21891
Ion Ratio Lower Upper
142 100
141 90.1 71.9 107.9









#8
1-Methylnaphthalene
Concen: 0.316 ng/ul
RT: 12.645 min Scan# 2100
Delta R.T. -0.005 min
Lab File: BN026223.D
Acq: 03 Jul 2023 13:08




Instrument :
BNA_N
ClientSampleId :
DCGJ3


Tgt Ion:142 Resp: 15105
Ion Ratio Lower Upper
142 100
141 93.2 74.2 111.4



#10
Acenaphthylene
Concen: 0.321 ng/ul
RT: 14.316 min Scan# 2435
Delta R.T. -0.010 min
Lab File: BN026223.D
Acq: 03 Jul 2023 13:08

Tgt Ion:152 Resp: 23450
Ion Ratio Lower Upper
152 100
151 21.7 16.2 24.4
153 16.1 10.9 16.3









#11
Acenaphthene
Concen: 0.083 ng/ul
RT: 14.658 min Scan# 21
Delta R.T. -0.010 min
Lab File: BN026223.D
Acq: 03 Jul 2023 13:08




Instrument :
BNA_N
ClientSampleId :
DCGJ3


Tgt Ion:153 Resp: 4938
Ion Ratio Lower Upper
153 100
152 54.8 39.4 59.0
154 85.8 68.9 103.3



#12
Fluorene
Concen: 0.075 ng/ul
RT: 15.643 min Scan# 2722
Delta R.T. -0.010 min
Lab File: BN026223.D
Acq: 03 Jul 2023 13:08

Tgt Ion:166 Resp: 5156
Ion Ratio Lower Upper
166 100
165 103.9 79.9 119.9
167 25.6 10.8 16.2#









#15
Phenanthrene
Concen: 1.481 ng/ul
RT: 17.385 min Scan# 3127
Delta R.T. -0.009 min
Lab File: BN026223.D
Acq: 03 Jul 2023 13:08




Instrument :
BNA_N
ClientSampleId :
DCGJ3


Tgt Ion:178 Resp: 157014
Ion Ratio Lower Upper
178 100
179 15.4 12.6 19.0
176 19.6 15.8 23.6



#16
Anthracene
Concen: 0.367 ng/ul
RT: 17.478 min Scan# 3149
Delta R.T. -0.009 min
Lab File: BN026223.D
Acq: 03 Jul 2023 13:08

Tgt Ion:178 Resp: 34611
Ion Ratio Lower Upper
178 100
179 17.4 12.6 18.8
176 19.6 15.1 22.7









#19
Fluoranthene
Concen: 3.836 ng/u1
RT: 19.405 min Scan# 3586
Delta R.T. -0.005 min
Lab File: BN026223.D
Acq: 03 Jul 2023 13:08




Instrument :
BNA_N
ClientSampleId :
DCGJ3


Tgt Ion:202 Resp: 377757
Ion Ratio Lower Upper
202 100
101 11.2 9.5 14.3
100 8.3 7.3 10.9



#20
Pyrene
Concen: 3.089 ng/u1
RT: 19.768 min Scan# 3664
Delta R.T. -0.005 min
Lab File: BN026223.D
Acq: 03 Jul 2023 13:08

Tgt Ion:202 Resp: 316397
Ion Ratio Lower Upper
202 100
101 12.6 11.4 17.0
100 10.6 9.1 13.7









#21
Benzo(a)anthracene
Concen: 2.214 ng/ul
RT: 21.523 min Scan# 4172
Delta R.T. -0.004 min
Lab File: BN026223.D
Acq: 03 Jul 2023 13:08




Instrument :
BNA_N
ClientSampleId :
DCGJ3


Tgt Ion:228 Resp: 168439
Ion Ratio Lower Upper
228 100
229 22.7 15.8 23.6
226 29.2 22.5 33.7



#22
Chrysene
Concen: 2.489 ng/ul
RT: 21.576 min Scan# 4189
Delta R.T. -0.004 min
Lab File: BN026223.D
Acq: 03 Jul 2023 13:08

Tgt Ion:228 Resp: 197009
Ion Ratio Lower Upper
228 100
226 31.5 24.8 37.2
229 23.4 15.7 23.5









#24
Benzo(b)fluoranthene
Concen: 4.588 ng/ul
RT: 23.250 min Scan# 4761
Delta R.T. 0.008 min
Lab File: BN026223.D
Acq: 03 Jul 2023 13:08




Instrument :
BNA_N
ClientSampleId :
DCGJ3


Tgt Ion:252 Resp: 382767
Ion Ratio Lower Upper
252 100
253 23.9 0.0 55.6
125 13.3 0.0 35.8



#26
Benzo(a)pyrene
Concen: 2.440 ng/ul
RT: 23.891 min Scan# 4981
Delta R.T. 0.005 min
Lab File: BN026223.D
Acq: 03 Jul 2023 13:08

Tgt Ion:252 Resp: 176768
Ion Ratio Lower Upper
252 100
253 24.5 26.0 39.0#
125 15.0 17.3 25.9#









#27
 Indeno(1,2,3-cd)pyrene
 Concen: 1.881 ng/ul
 RT: 26.568 min Scan# 5827
 Delta R.T. 0.009 min
 Lab File: BN026223.D
 Acq: 03 Jul 2023 13:08




Instrument :
 BNA_N
 ClientSampleId :
 DCGJ3


Tgt Ion:276 Resp: 148825
 Ion Ratio Lower Upper
 276 100
 138 21.4 24.5 36.7#
 227 0.0 0.0 0.0



#28
 Dibenzo(a,h)anthracene
 Concen: 0.620 ng/ul
 RT: 26.571 min Scan# 5829
 Delta R.T. -0.007 min
 Lab File: BN026223.D
 Acq: 03 Jul 2023 13:08


Tgt Ion:278 Resp: 37111
 Ion Ratio Lower Upper
 278 100
 139 29.4 19.0 28.4#
 279 36.2 26.7 40.1





#29
 Benzo(g,h,i)perylene
 Concen: 1.983 ng/ul
 RT: 27.362 min Scan# 60
 Delta R.T. 0.016 min
 Lab File: BN026223.D
 Acq: 03 Jul 2023 13:08

Instrument :
 BNA_N
 ClientSampleId :
 DCGJ3



Tgt Ion:276 Resp: 139615
 Ion Ratio Lower Upper
 276 100
 138 24.7 23.4 35.0
 277 25.5 20.0 30.0

