

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN070223\
 Data File : BN026187.D
 Acq On : 02 Jul 2023 13:55
 Operator : MA/JU
 Sample : 03247-09
 Misc :
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DCGL5

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 07/03/2023
 Supervised By :Sohil Jodhani 07/04/2023

Quant Time: Jul 03 05:40:03 2023
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN062223.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jul 01 01:46:24 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.955	152	8266	0.400	ng/ul	0.00
4) Naphthalene-d8	10.763	136	26515	0.400	ng/ul	-0.01
9) Acenaphthene-d10	14.597	164	15965	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.342	188	32657	0.400	ng/ul	0.00
17) Chrysene-d12	21.531	240	17226	0.400	ng/ul	#-0.01
23) Perylene-d12	24.001	264	16360	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.318	96	17350	1.864	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.353	152	6261	0.154	ng/ul	-0.01
18) Fluoranthene-d10	19.372	212	13025	0.199	ng/ul	0.00
Target Compounds						
						Qvalue
5) Naphthalene	10.813	128	33936	0.447	ng/ul	100
7) 2-Methylnaphthalene	12.424	142	17712	0.366	ng/ul	100
8) 1-Methylnaphthalene	12.644	142	17587	0.351	ng/ul	99
10) Acenaphthylene	14.315	152	13098	0.175	ng/ul#	93
11) Acenaphthene	14.658	153	39387	0.644	ng/ul	99
12) Fluorene	15.643	166	40703	0.581	ng/ul	98
15) Phenanthrene	17.384	178	616098	5.712	ng/ul	99
16) Anthracene	17.477	178	117449	1.225	ng/ul	100
19) Fluoranthene	19.404	202	917278	9.970	ng/ul	99
20) Pyrene	19.767	202	720591	7.530	ng/ul	95
21) Benzo(a)anthracene	21.513	228	326192	4.590	ng/ul	99
22) Chrysene	21.569	228	327038	4.423	ng/ul	97
24) Benzo(b)fluoranthene	23.247	252	433312m	6.205	ng/ul	
25) Benzo(k)fluoranthene	23.290	252	167599m	2.390	ng/ul	
26) Benzo(a)pyrene	23.884	252	277278	4.572	ng/ul#	84
27) Indeno(1,2,3-cd)pyrene	26.570	276	213458	3.222	ng/ul#	84
28) Dibenzo(a,h)anthracene	26.577	278	53662	1.070	ng/ul	100
29) Benzo(g,h,i)perylene	27.372	276	203757	3.458	ng/ul	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN070223\
Data File : BN026187.D
Acq On : 02 Jul 2023 13:55
Operator : MA/JU
Sample : 03247-09
Misc :
ALS Vial : 44 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
DCGL5

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 07/03/2023
Supervised By :Sohil Jodhani 07/04/2023

Quant Time: Jul 03 05:40:03 2023
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN062223.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jul 01 01:46:24 2023
Response via : Initial Calibration





#5

Naphthalene

Concen: 0.447 ng/ul

RT: 10.813 min Scan# 1767

Delta R.T. -0.012 min

Lab File: BN026187.D

Acq: 02 Jul 2023 13:55

Instrument :

BNA_N

ClientSampleId :





DCGL5

Tgt Ion:128 Resp: 33930
 Ion Ratio Lower Upper
 128 100
 129 11.5 9.1 13.7
 127 13.3 10.7 16.1

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 07/03/2023
 Supervised By :Sohil Jodhani 07/04/2023



#7

2-Methylnaphthalene

Concen: 0.366 ng/ul




RT: 12.424 min Scan# 2060


Delta R.T. -0.012 min

Lab File: BN026187.D

Acq: 02 Jul 2023 13:55


Tgt Ion:142 Resp: 17712
 Ion Ratio Lower Upper
 142 100
 141 89.7 71.9 107.9





#8
1-Methylnaphthalene
Concen: 0.351 ng/ul
RT: 12.644 min Scan# 2100
Delta R.T. -0.007 min
Lab File: BN026187.D
Acq: 02 Jul 2023 13:55




Instrument :
BNA_N
ClientSampleId :
DCGL5




Tgt Ion:142 Resp: 1758
Ion Ratio Lower Upper
142 100
141 92.1 74.2 111.4

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 07/03/2023
Supervised By :Sohil Jodhani 07/04/2023




#10
Acenaphthylene
Concen: 0.175 ng/ul
RT: 14.315 min Scan# 2435
Delta R.T. -0.010 min
Lab File: BN026187.D
Acq: 02 Jul 2023 13:55




Tgt Ion:152 Resp: 13098
Ion Ratio Lower Upper
152 100
151 21.9 16.2 24.4
153 18.2 10.9 16.3#





#11
Acenaphthene
Concen: 0.644 ng/ul
RT: 14.658 min Scan# 2509
Delta R.T. -0.010 min
Lab File: BN026187.D
Acq: 02 Jul 2023 13:55




Instrument :
BNA_N
ClientSampleId :
DCGL5



Tgt Ion:153 Resp: 3938
Ion Ratio Lower Upper
153 100
152 48.2 39.4 59.0
154 86.3 68.9 103.3




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 07/03/2023
Supervised By :Sohil Jodhani 07/04/2023



#12
Fluorene
Concen: 0.581 ng/ul
RT: 15.643 min Scan# 2722
Delta R.T. -0.010 min
Lab File: BN026187.D
Acq: 02 Jul 2023 13:55


Tgt Ion:166 Resp: 40703
Ion Ratio Lower Upper
166 100
165 98.4 79.9 119.9
167 15.0 10.8 16.2





#15
Phenanthrene
Concen: 5.712 ng/ul
RT: 17.384 min Scan# 3128
Delta R.T. -0.010 min
Lab File: BN026187.D
Acq: 02 Jul 2023 13:55




Instrument :
BNA_N
ClientSampleId :
DCGL5



Tgt Ion:178 Resp: 616098
Ion Ratio Lower Upper
178 100
179 15.5 12.6 19.0
176 19.5 15.8 23.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 07/03/2023
Supervised By :Sohil Jodhani 07/04/2023



#16
Anthracene
Concen: 1.225 ng/ul
RT: 17.477 min Scan# 3149
Delta R.T. -0.010 min
Lab File: BN026187.D
Acq: 02 Jul 2023 13:55


Tgt Ion:178 Resp: 117449
Ion Ratio Lower Upper
178 100
179 16.0 12.6 18.8
176 18.7 15.1 22.7





#19
Fluoranthene
Concen: 9.970 ng/u1
RT: 19.404 min Scan# 3586
Delta R.T. -0.006 min
Lab File: BN026187.D
Acq: 02 Jul 2023 13:55




Instrument :
BNA_N
ClientSampleId :
DCGL5



Tgt Ion:202 Resp: 917278
Ion Ratio Lower Upper
202 100
101 12.4 9.5 14.3
100 9.0 7.3 10.9




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 07/03/2023
Supervised By :Sohil Jodhani 07/04/2023



#20
Pyrene
Concen: 7.530 ng/u1
RT: 19.767 min Scan# 3664
Delta R.T. -0.006 min
Lab File: BN026187.D
Acq: 02 Jul 2023 13:55


Tgt Ion:202 Resp: 720591
Ion Ratio Lower Upper
202 100
101 12.1 11.4 17.0
100 9.9 9.1 13.7





#21
Benzo(a)anthracene
Concen: 4.590 ng/uI
RT: 21.513 min Scan# 4168
Delta R.T. -0.013 min
Lab File: BN026187.D
Acq: 02 Jul 2023 13:55




Instrument :
BNA_N
ClientSampleId :
DCGL5



Tgt Ion:228 Resp: 326192
Ion Ratio Lower Upper
228 100
229 20.8 15.8 23.6
226 28.2 22.5 33.7




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 07/03/2023
Supervised By :Sohil Jodhani 07/04/2023



#22
Chrysene
Concen: 4.423 ng/uI
RT: 21.569 min Scan# 4187
Delta R.T. -0.010 min
Lab File: BN026187.D
Acq: 02 Jul 2023 13:55


Tgt Ion:228 Resp: 327038
Ion Ratio Lower Upper
228 100
226 31.2 24.8 37.2
229 22.6 15.7 23.5





#24
Benzo(b)fluoranthene
Concen: 6.205 ng/ul m
RT: 23.247 min Scan# 4761
Delta R.T. 0.004 min
Lab File: BN026187.D
Acq: 02 Jul 2023 13:55




Instrument :
BNA_N
ClientSampleId :
DCGL5




Tgt Ion:252 Resp: 433312
Ion Ratio Lower Upper
252 100
253 23.5 0.0 55.6
125 12.6 0.0 35.8

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 07/03/2023
Supervised By :Sohil Jodhani 07/04/2023




#25
Benzo(k)fluoranthene
Concen: 2.390 ng/ul m
RT: 23.290 min Scan# 4776
Delta R.T. -0.002 min
Lab File: BN026187.D
Acq: 02 Jul 2023 13:55




Tgt Ion:252 Resp: 167599
Ion Ratio Lower Upper
252 100
253 24.9 23.2 34.8
125 25.4 15.0 22.4#





#26
Benzo(a)pyrene
Concen: 4.572 ng/ul
RT: 23.884 min Scan# 4979
Delta R.T. -0.002 min
Lab File: BN026187.D
Acq: 02 Jul 2023 13:55




Instrument :
BNA_N
ClientSampleId :
DCGL5




Tgt Ion:252 Resp: 277278
Ion Ratio Lower Upper
252 100
253 24.3 26.0 39.0
125 13.1 17.3 25.9

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 07/03/2023
Supervised By :Sohil Jodhani 07/04/2023




#27
Indeno(1,2,3-cd)pyrene
Concen: 3.222 ng/ul
RT: 26.570 min Scan# 5829
Delta R.T. 0.012 min
Lab File: BN026187.D
Acq: 02 Jul 2023 13:55




Tgt Ion:276 Resp: 213458
Ion Ratio Lower Upper
276 100
138 21.6 24.5 36.7
227 0.0 0.0 0.0





#28
Dibenzo(a,h)anthracene
Concen: 1.070 ng/ul
RT: 26.577 min Scan# 5836
Delta R.T. -0.002 min
Lab File: BN026187.D
Acq: 02 Jul 2023 13:55




Instrument :
BNA_N
ClientSampleId :
DCGL5




Tgt Ion:278 Resp: 53662
Ion Ratio Lower Upper
278 100
139 23.6 19.0 28.4
279 33.6 26.7 40.1

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 07/03/2023
Supervised By :Sohil Jodhani 07/04/2023



#29
Benzo(g,h,i)perylene
Concen: 3.458 ng/ul
RT: 27.372 min Scan# 6068
Delta R.T. 0.025 min
Lab File: BN026187.D
Acq: 02 Jul 2023 13:55



Tgt Ion:276 Resp: 203757
Ion Ratio Lower Upper
276 100
138 24.1 23.4 35.0
277 24.3 20.0 30.0

