

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN070821\
 Data File : BN015408.D
 Acq On : 08 Jul 2021 14:44
 Operator : CG/JU
 Sample : M2825-04
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BGDQ7

Manual Integrations
 APPROVED

mohammad
 7/9/2021 3:03:36 PM

Quant Time: Jul 08 15:14:26 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN062121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 08 11:17:31 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.711	152	2697	0.400	ng/ul	0.00
4) Naphthalene-d8	10.485	136	9172	0.400	ng/ul	0.00
9) Acenaphthene-d10	14.340	164	4974	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.086	188	10101m	0.400	ng/ul	0.00
17) Chrysene-d12	21.290	240	7685	0.400	ng/ul	0.00
23) Perylene-d12	23.532	264	7479	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.281	96	10952	3.603	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.074	152	4276	0.297	ng/ul	0.00
18) Fluoranthene-d10	19.118	212	8566	0.339	ng/ul	0.00
Target Compounds						
					Qvalue	
5) Naphthalene	10.529	128	1001	0.034	ng/ul#	83
15) Phenanthrene	17.128	178	1628	0.044	ng/ul#	90
19) Fluoranthene	19.150	202	1377	0.039	ng/ul#	82
20) Pyrene	19.517	202	1303	0.037	ng/ul#	83
21) Benzo(a)anthracene	21.273	228	614	0.022	ng/ul#	85
24) Benzo(b)fluoranthene	22.859	252	900m	0.026	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN070821\
Data File : BN015408.D
Acq On : 08 Jul 2021 14:44
Operator : CG/JU
Sample : M2825-04
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BGDQ7

Manual Integrations
APPROVED

mohammad
7/9/2021 3:03:36 PM

Quant Time: Jul 08 15:14:26 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN062121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 08 11:17:31 2021
Response via : Initial Calibration

