

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN070918\
 Data File : BN002000.D
 Acq On : 09 Jul 2018 16:13
 Operator : JU/SJ
 Sample : J3775-08
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DAZP7

Quant Time: Jul 10 01:12:30 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN061918.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Jul 10 01:03:06 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.71	152	370426	20.00	ng/ul	0.00
18) Naphthalene-d8	10.48	136	1805743	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.33	164	1106503	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.08	188	2553941	20.00	ng/ul	0.00
75) Chrysene-d12	21.28	240	2840521	20.00	ng/ul	-0.02
83) Perylene-d12	23.52	264	3056608	20.00	ng/ul	-0.02

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.26	96	37761	4.43	ng/uL	0.00
5) Phenol-d5	6.88	99	989678	29.52	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.05	67	618674	29.91	ng/ul	0.00
9) 2-Chlorophenol-d4	7.25	132	774229	29.13	ng/ul	0.00
13) 4-Methylphenol-d8	8.41	113	818450	30.48	ng/ul	0.00
19) Nitrobenzene-d5	8.85	128	408119	30.43	ng/ul	0.00
22) 2-Nitrophenol-d4	9.57	143	471272	33.96	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.10	165	845353	28.53	ng/ul	0.00
29) 4-Chloroaniline-d4	10.62	131	968137	31.56	ng/ul	0.00
43) Dimethylphthalate-d6	13.75	166	2714900	29.06	ng/ul	0.00
46) Acenaphthylene-d8	14.03	160	3390146	29.39	ng/ul	0.00
51) 4-Nitrophenol-d4	14.54	143	480072	27.89	ng/ul	0.00
57) Fluorene-d10	15.33	176	2416201	29.50	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.45	200	397480	28.57	ng/ul	0.00
70) Anthracene-d10	17.18	188	3593031	29.12	ng/ul	0.00
76) Pyrene-d10	19.48	212	4216293	29.45	ng/ul	0.00
87) Benzo(a)pyrene-d12	23.37	264	4966357	29.88	ng/ul	-0.02

Target Compounds


					Ovalue
6) Phenol	6.91	94	53513	1.583	ng/ul 94
44) Dimethylphthalate	13.80	163	733449	7.986	ng/ul 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN070918\
Data File : BN002000.D
Acq On : 09 Jul 2018 16:13
Operator : JU/SJ
Sample : J3775-08
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
DAZP7

Quant Time: Jul 10 01:12:30 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN061918.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Jul 10 01:03:06 2018
Response via : Initial Calibration





#6

Phenol

Concen: 1.583 ng/ul

RT: 6.91 min Scan# 667

Delta R.T. -0.00 min

Lab File: BN002000.D

Acq: 09 Jul 2018 16:13

Instrument :

BNA_N

ClientSampleId :

DAZP7





Tot Ion: 94 Resp: 53513

Ion Ratio Lower Upper

94 100

65 29.6 23.0 34.6

66 43.3 30.4 45.6



#44

Dimethylphthalate

Concen: 7.986 ng/ul

RT: 13.80 min Scan# 1838

Delta R.T. -0.00 min

Lab File: BN002000.D

Acq: 09 Jul 2018 16:13

Tgt Ion: 163 Resp: 733449

Ion Ratio Lower Upper

163 100

194 4.4 4.0 6.0

164 10.4 8.4 12.6

