

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN071119\
 Data File : BN006815.D
 Acq On : 12 Jul 2019 03:30
 Operator : HP/JU
 Sample : K3717-02
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Jul 12 06:10:15 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN062719.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 11 02:31:55 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.59	152	2581	0.40	ng/ul	-0.02
2) Naphthalene-d8	10.36	136	9417	0.40	ng/ul	-0.02
6) Acenaphthene-d10	14.24	164	4928	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.09	188	866702	0.40	ng/ul	0.08
16) Chrysene-d12	0.00	240	0	0.00	ng/ul	-21.24
20) Perylene-d12	23.45	264	13210	0.40	ng/ul	-0.03
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	11.98	152	3508	0.24	ng/ul	0.00
14) Fluoranthene-d10	0.00	212	0	0.00	ng/ul	
Target Compounds						
23) Benzo(a)pyrene	23.29	252	3698	0.070	ng/ul#	Ovalue 52


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN071119\
Data File : BN006815.D
Acq On : 12 Jul 2019 03:30
Operator : HP/JU
Sample : K3717-02
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Jul 12 06:10:15 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN062719.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 11 02:31:55 2019
Response via : Initial Calibration





#23

Benzo(a)pyrene

Concen: 0.070 ng/ul

RT: 23.29 min Scan# 5398

Delta R.T. -0.09 min


Lab File: BN006815.D

Acq: 12 Jul 2019 03:30

Instrument :

BNA_N

ClientSampleId :




Tot Ion: 252 Resp: 3698

Ion Ratio Lower Upper

252 100

253 40.3 19.4 29.2#

125 46.6 12.6 19.0#



Abundance

Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E

