

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN071221\
 Data File : BN015506.D
 Acq On : 13 Jul 2021 01:01
 Operator : CG/JU
 Sample : M2854-17
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BGDW1

Manual Integrations
 APPROVED

mohammad
 7/13/2021 1:44:58 PM

Quant Time: Jul 13 04:58:18 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN062121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 12 11:02:52 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.808	152	3339	0.400	ng/ul	0.00
4) Naphthalene-d8	10.595	136	10867	0.400	ng/ul	0.00
9) Acenaphthene-d10	14.441	164	5256	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.191	188	9508	0.400	ng/ul	0.00
17) Chrysene-d12	21.384	240	7366	0.400	ng/ul	0.00
23) Perylene-d12	23.740	264	7162	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.315	96	7662	2.036	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.190	152	2839	0.167	ng/ul	0.00
18) Fluoranthene-d10	19.225	212	4811	0.199	ng/ul	0.00
Target Compounds						
					Qvalue	
19) Fluoranthene	19.257	202	1010	0.030	ng/ul#	81
20) Pyrene	19.620	202	890	0.026	ng/ul#	77
21) Benzo(a)anthracene	21.369	228	1051	0.039	ng/ul#	82
22) Chrysene	21.422	228	2429	0.074	ng/ul#	95
24) Benzo(b)fluoranthene	23.026	252	1742m	0.052	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN071221\
Data File : BN015506.D
Acq On : 13 Jul 2021 01:01
Operator : CG/JU
Sample : M2854-17
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BGDW1

Manual Integrations
APPROVED

mohammad
7/13/2021 1:44:58 PM

Quant Time: Jul 13 04:58:18 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN062121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 12 11:02:52 2021
Response via : Initial Calibration

