

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN071224\
 Data File : BN032697.D
 Acq On : 13 Jul 2024 06:40
 Operator : MA/JU
 Sample : P3088-09DL 5X
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A4BR7DL

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 07/15/2024
 Supervised By :mohammad ahmed 07/16/2024

Quant Time: Jul 15 08:55:03 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN071224.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 12 01:40:24 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.553	152	5954	0.400	ng/ul	-0.03
4) Naphthalene-d8	10.321	136	17249	0.400	ng/ul	-0.04
9) Acenaphthene-d10	14.198	164	9094	0.400	ng/ul	-0.02
13) Phenanthrene-d10	16.957	188	16990	0.400	ng/ul	-0.03
17) Chrysene-d12	21.165	240	15637	0.400	ng/ul	-0.03
23) Perylene-d12	23.357	264	19269	0.400	ng/ul	#-0.04
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.105	96	6805	0.952	ng/ul	0.00
6) 2-Methylnaphthalene-d10	11.933	152	1511	0.058	ng/ul	-0.04
18) Fluoranthene-d10	18.994	212	2824	0.055	ng/ul	-0.03
Target Compounds						
					Qvalue	
5) Naphthalene	10.371	128	5054	0.109	ng/ul	97
7) 2-Methylnaphthalene	12.004	142	1611	0.056	ng/ul	97
8) 1-Methylnaphthalene	12.224	142	1297	0.043	ng/ul	100
10) Acenaphthylene	13.920	152	10129	0.276	ng/ul	99
11) Acenaphthene	14.262	153	5827	0.192	ng/ul	100
12) Fluorene	15.257	166	6301	0.181	ng/ul	99
15) Phenanthrene	16.995	178	145043	3.135	ng/ul	99
16) Anthracene	17.092	178	28917	0.765	ng/ul	98
19) Fluoranthene	19.027	202	328942	5.174	ng/ul	98
20) Pyrene	19.389	202	257148	3.908	ng/ul	98
21) Benzo(a)anthracene	21.150	228	144960	2.912	ng/ul	99
22) Chrysene	21.200	228	171228	2.378	ng/ul	98
24) Benzo(b)fluoranthene	22.702	252	244520m	3.597	ng/ul	
25) Benzo(k)fluoranthene	22.740	252	94444m	1.140	ng/ul	
26) Benzo(a)pyrene	23.263	252	109915	1.868	ng/ul#	83
27) Indeno(1,2,3-cd)pyrene	25.559	276	102493	1.287	ng/ul#	90
28) Dibenzo(a,h)anthracene	25.559	278	28955	0.469	ng/ul	95
29) Benzo(g,h,i)perylene	26.243	276	44613	0.670	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN071224\
Data File : BN032697.D
Acq On : 13 Jul 2024 06:40
Operator : MA/JU
Sample : P3088-09DL 5X
Misc :
ALS Vial : 37 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
A4BR7DL

Quant Time: Jul 15 08:55:03 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN071224.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 12 01:40:24 2024
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2024
Supervised By :mohammad ahmed 07/16/2024





#5
Naphthalene
Concen: 0.109 ng/ul
RT: 10.371 min Scan# 1734
Delta R.T. -0.039 min
Lab File: BN032697.D
Acq: 13 Jul 2024 06:40




Instrument :
BNA_N
ClientSampleId :
A4BR7DL



Tgt Ion:128 Resp: 5054
Ion Ratio Lower Upper
128 100
129 14.9 10.0 15.0
127 15.0 11.6 17.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2024
Supervised By :mohammad ahmed 07/16/2024



#7
2-Methylnaphthalene
Concen: 0.056 ng/ul
RT: 12.004 min Scan# 2031
Delta R.T. -0.044 min
Lab File: BN032697.D
Acq: 13 Jul 2024 06:40

Tgt Ion:142 Resp: 1611
Ion Ratio Lower Upper
142 100
141 89.3 74.0 111.0





#8

1-Methylnaphthalene

Concen: 0.043 ng/ul

RT: 12.224 min Scan# 2071

Delta R.T. -0.022 min

Lab File: BN032697.D

Acq: 13 Jul 2024 06:40

Instrument :

BNA_N

ClientSampleId :





A4BR7DL

Tgt Ion:142 Resp: 129
 Ion Ratio Lower Upper
 142 100
 141 94.1 75.0 112.4

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 07/15/2024
 Supervised By :mohammad ahmed 07/16/2024



#10

Acenaphthylene

Concen: 0.276 ng/ul




RT: 13.920 min Scan# 2397


Delta R.T. -0.023 min

Lab File: BN032697.D

Acq: 13 Jul 2024 06:40

Tgt Ion:152 Resp: 10129
 Ion Ratio Lower Upper
 152 100
 151 21.0 16.3 24.5
 153 14.5 11.3 16.9





#11

Acenaphthene

Concen: 0.192 ng/ul

RT: 14.262 min Scan# 2472

Delta R.T. -0.019 min

Lab File: BN032697.D

Acq: 13 Jul 2024 06:40

Instrument :

BNA_N

ClientSampleId :





A4BR7DL

Tgt Ion:	153	Resp:	582
Ion Ratio	Lower	Upper	
153	100		
152	49.9	40.0	60.0
154	87.9	70.2	105.4

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 07/15/2024
Supervised By :mohammad ahmed 07/16/2024



#12

Fluorene

Concen: 0.181 ng/ul




RT: 15.257 min Scan# 2686


Delta R.T. -0.032 min

Lab File: BN032697.D

Acq: 13 Jul 2024 06:40

Tgt Ion:	166	Resp:	6301
Ion Ratio	Lower	Upper	
166	100		
165	100.2	79.7	119.5
167	16.6	11.4	17.2









#15
 Phenanthrene
 Concen: 3.135 ng/u1
 RT: 16.995 min Scan# 3082
 Delta R.T. -0.034 min
 Lab File: BN032697.D
 Acq: 13 Jul 2024 06:40

Instrument : BNA_N
 ClientSampleId : A4BR7DL




Tgt Ion:	178	Resp:	14504
Ion Ratio	Lower	Upper	
178	100		
179	15.4	13.0	19.4
176	19.1	15.6	23.4


Manual Integrations
APPROVED
 Reviewed By :Jagrut Upadhyay 07/15/2024
 Supervised By :mohammad ahmed 07/16/2024



#16
 Anthracene
 Concen: 0.765 ng/u1
 RT: 17.092 min Scan# 3101
 Delta R.T. -0.046 min
 Lab File: BN032697.D
 Acq: 13 Jul 2024 06:40


Tgt Ion:	178	Resp:	28917
Ion Ratio	Lower	Upper	
178	100		
179	17.7	13.4	20.2
176	18.8	15.4	23.0





#19
Fluoranthene
Concen: 5.174 ng/u1
RT: 19.027 min Scan# 3548
Delta R.T. -0.028 min
Lab File: BN032697.D
Acq: 13 Jul 2024 06:40




Instrument :
BNA_N
ClientSampleId :
A4BR7DL




Tgt Ion:202 Resp: 32894
Ion Ratio Lower Upper
202 100
101 11.7 9.8 14.8
100 8.6 7.9 11.9

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 07/15/2024
Supervised By :mohammad ahmed 07/16/2024




#20
Pyrene
Concen: 3.908 ng/u1
RT: 19.389 min Scan# 3626
Delta R.T. -0.033 min
Lab File: BN032697.D
Acq: 13 Jul 2024 06:40



Tgt Ion:202 Resp: 257148
Ion Ratio Lower Upper
202 100
101 14.0 11.8 17.6
100 11.4 9.6 14.4









#21
 Benzo(a)anthracene
 Concen: 2.912 ng/ul
 RT: 21.150 min Scan# 4090
 Delta R.T. -0.032 min
 Lab File: BN032697.D
 Acq: 13 Jul 2024 06:40

Instrument : BNA_N
 ClientSampleId : A4BR7DL

Tgt Ion:228 Resp: 144960

Ion	Ratio	Lower	Upper
228	100		
229	20.7	16.1	24.1
226	27.9	21.9	32.9




Manual Integrations
APPROVED
 Reviewed By :Jagrut Upadhyay 07/15/2024
 Supervised By :mohammad ahmed 07/16/2024




#22
 Chrysene
 Concen: 2.378 ng/ul
 RT: 21.200 min Scan# 4104
 Delta R.T. -0.032 min
 Lab File: BN032697.D
 Acq: 13 Jul 2024 06:40

Tgt Ion:228 Resp: 171228


Ion	Ratio	Lower	Upper
228	100		
226	30.6	24.0	36.0
229	21.0	15.8	23.6





#24
Benzo(b)fluoranthene
Concen: 3.597 ng/ul m
RT: 22.702 min Scan# 4618
Delta R.T. -0.032 min
Lab File: BN032697.D
Acq: 13 Jul 2024 06:40




Instrument :
BNA_N
ClientSampleId :
A4BR7DL



Tgt Ion:252 Resp: 244520
Ion Ratio Lower Upper
252 100
253 23.3 0.0 54.0
125 13.2 0.0 36.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 07/15/2024
Supervised By :mohammad ahmed 07/16/2024



#25
Benzo(k)fluoranthene
Concen: 1.140 ng/ul m
RT: 22.740 min Scan# 4631
Delta R.T. -0.038 min
Lab File: BN032697.D
Acq: 13 Jul 2024 06:40


Tgt Ion:252 Resp: 94444
Ion Ratio Lower Upper
252 100
253 24.2 21.2 31.8
125 14.9 14.8 22.2





#26
Benzo(a)pyrene
Concen: 1.868 ng/ul
RT: 23.263 min Scan# 4810
Delta R.T. -0.047 min
Lab File: BN032697.D
Acq: 13 Jul 2024 06:40




Instrument :
BNA_N
ClientSampleId :
A4BR7DL




Tgt Ion:252 Resp: 109915
Ion Ratio Lower Upper
252 100
253 24.0 25.4 38.0
125 15.0 20.6 30.8

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 07/15/2024
Supervised By :mohammad ahmed 07/16/2024




#27
Indeno(1,2,3-cd)pyrene
Concen: 1.287 ng/ul
RT: 25.559 min Scan# 5571
Delta R.T. -0.067 min
Lab File: BN032697.D
Acq: 13 Jul 2024 06:40



Tgt Ion:276 Resp: 102493
Ion Ratio Lower Upper
276 100
138 22.0 21.6 32.4
227 0.1 0.0 0.0





#28
Dibenzo(a,h)anthracene
Concen: 0.469 ng/ul
RT: 25.559 min Scan# 51
Delta R.T. -0.081 min
Lab File: BN032697.D
Acq: 13 Jul 2024 06:40

Instrument :

BNA_N

ClientSampleId :





A4BR7DL

Tgt Ion:278 Resp: 2895
Ion Ratio Lower Upper
278 100
139 24.5 16.6 24.8
279 31.1 23.7 35.5

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 07/15/2024
Supervised By :mohammad ahmed 07/16/2024



#29
Benzo(g,h,i)perylene
Concen: 0.670 ng/ul
RT: 26.243 min Scan# 5775
Delta R.T. -0.057 min
Lab File: BN032697.D
Acq: 13 Jul 2024 06:40

Tgt Ion:276 Resp: 44613
Ion Ratio Lower Upper
276 100
138 26.1 21.0 31.4
277 26.6 20.6 31.0

