

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN071918\
 Data File : BN002079.D
 Acq On : 19 Jul 2018 19:30
 Operator : JU/SJ
 Sample : J4023-12
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DB1L5

Quant Time: Jul 20 02:58:54 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN071318MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 20 02:57:55 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	247494	20.00	ng/ul	0.00
18) Naphthalene-d8	10.48	136	1134933	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.33	164	716991	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.08	188	1617759	20.00	ng/ul	0.00
77) Chrysene-d12	21.28	240	1741341	20.00	ng/ul	0.00
85) Perylene-d12	23.52	264	1698604	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.26	96	19943	3.64	ng/uL	0.00
5) Phenol-d5	6.88	99	436124	18.71	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.04	67	288119	20.29	ng/ul	0.00
9) 2-Chlorophenol-d4	7.24	132	364780	19.82	ng/ul	0.00
13) 4-Methylphenol-d8	8.40	113	366640	19.53	ng/ul	0.00
19) Nitrobenzene-d5	8.85	128	190835	20.30	ng/ul	0.00
22) 2-Nitrophenol-d4	9.56	143	218824	20.59	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.10	165	373114	19.39	ng/ul	0.00
29) 4-Chloroaniline-d4	10.61	131	500126	22.60	ng/ul	0.00
43) Dimethylphthalate-d6	13.75	166	1310962	21.57	ng/ul	0.00
46) Acenaphthylene-d8	14.02	160	1568867	20.75	ng/ul	0.00
51) 4-Nitrophenol-d4	14.55	143	192095	16.54	ng/ul	0.00
57) Fluorene-d10	15.33	176	1122475	21.48	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.45	200	179247	17.01	ng/ul	0.00
70) Anthracene-d10	17.18	188	1757049	22.28	ng/ul	0.00
78) Pyrene-d10	19.48	212	1959590	21.65	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.37	264	2036067	22.20	ng/ul	0.00

Target Compounds


					Ovalue	
6) Phenol	6.90	94	35461	1.515	ng/ul#	81
44) Dimethylphthalate	13.79	163	598010	10.045	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN071918\
Data File : BN002079.D
Acq On : 19 Jul 2018 19:30
Operator : JU/SJ
Sample : J4023-12
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
DB1L5

Quant Time: Jul 20 02:58:54 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN071318MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jul 20 02:57:55 2018
Response via : Initial Calibration





#6

Phenol

Concen: 1.515 ng/ul

RT: 6.90 min Scan# 666

Delta R.T. -0.00 min

Lab File: BN002079.D

Acq: 19 Jul 2018 19:30

Instrument :

BNA_N

ClientSampleId :

DB1L5


Tot Ion: 94 Resp: 35461

Ion Ratio Lower Upper

94 100

65 32.5 21.0 31.6#

66 50.8 29.3 43.9#






Abundance

Ion 94.00 (93.70 to 94.70): BN002074.D (-659) (-)

Ion 65.00 (64.70 to 65.70): BN002074.D (-659) (-)

Ion 66.00 (65.70 to 66.70): BN002074.D (-659) (-)



#44

Dimethylphthalate

Concen: 10.045 ng/ul

RT: 13.79 min Scan# 1837

Delta R.T. 0.00 min

Lab File: BN002079.D

Acq: 19 Jul 2018 19:30


Tgt Ion:163 Resp: 598010

Ion Ratio Lower Upper

163 100

194 4.3 3.2 4.8

164 10.2 7.8 11.8



Abundance

Ion 163.00 (162.70 to 163.70): BN002074.D (-1831) (-)

Ion 194.00 (193.70 to 194.70): BN002074.D (-1831) (-)

Ion 164.00 (163.70 to 164.70): BN002074.D (-1831) (-)

