

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN073024\
 Data File : BN033071.D
 Acq On : 29 Jul 2024 17:13
 Operator : MA/JU
 Sample : P3347-04
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 C0AW7RE

Quant Time: Jul 29 23:06:55 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN072524.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 29 23:04:40 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.503	152	2375	0.400	ng/ul	-0.02
4) Naphthalene-d8	10.262	136	8557	0.400	ng/ul	-0.04
9) Acenaphthene-d10	14.143	164	5559	0.400	ng/ul	#-0.03
13) Phenanthrene-d10	17.004	188	814049	0.400	ng/ul	0.06
17) Chrysene-d12	0.000	240	0	0.000	ng/ul	-21.16
23) Perylene-d12	23.320	264	23343	0.400	ng/ul	#-0.03
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.056	96	11798	3.927	ng/ul	-0.01
6) 2-Methylnaphthalene-d10	11.884	152	3685	0.264	ng/ul	-0.03
18) Fluoranthene-d10	18.958	212	12153	0.000	ng/ul	-0.02
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.090	88	132	0.039	ng/ul#	27
5) Naphthalene	10.311	128	3521	0.160	ng/ul	99
7) 2-Methylnaphthalene	11.967	142	348	0.023	ng/ul	95
10) Acenaphthylene	13.866	152	1493	0.066	ng/ul#	78
11) Acenaphthene	14.208	153	2096	0.122	ng/ul	98
12) Fluorene	15.207	166	824	0.041	ng/ul#	89
26) Benzo(a)pyrene	23.171	252	4603	0.072	ng/ul#	60


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN073024\
Data File : BN033071.D
Acq On : 29 Jul 2024 17:13
Operator : MA/JU
Sample : P3347-04
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
C0AW7RE

Quant Time: Jul 29 23:06:55 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN072524.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 29 23:04:40 2024
Response via : Initial Calibration









#2
1,4-Dioxane
Concen: 0.039 ng/ul
RT: 3.090 min Scan# 49
Delta R.T. -0.013 min
Lab File: BN033071.D
Acq: 29 Jul 2024 17:13




Instrument :
BNA_N
ClientSampleId :
C0AW7RE


Tgt Ion: 88 Resp: 132
Ion Ratio Lower Upper
88 100
43 172.9 63.4 95.2#
58 39.6 49.4 74.0#



#5
Naphthalene
Concen: 0.160 ng/ul
RT: 10.311 min Scan# 1747
Delta R.T. -0.038 min
Lab File: BN033071.D
Acq: 29 Jul 2024 17:13

Tgt Ion: 128 Resp: 3521
Ion Ratio Lower Upper
128 100
129 16.1 12.0 18.0
127 16.0 12.7 19.1









#7
2-Methylnaphthalene
Concen: 0.023 ng/ul
RT: 11.967 min Scan# 2062
Delta R.T. -0.016 min
Lab File: BN033071.D
Acq: 29 Jul 2024 17:13




Instrument :
BNA_N
ClientSampleId :
C0AW7RE


Tgt Ion:142 Resp: 348
Ion Ratio Lower Upper
142 100
141 98.6 75.2 112.8



#10
Acenaphthylene
Concen: 0.066 ng/ul
RT: 13.866 min Scan# 2409
Delta R.T. -0.032 min
Lab File: BN033071.D
Acq: 29 Jul 2024 17:13

Tgt Ion:152 Resp: 1493
Ion Ratio Lower Upper
152 100
151 30.4 16.8 25.2#
153 24.7 11.9 17.9#









#11
Acenaphthene
Concen: 0.122 ng/ul
RT: 14.208 min Scan# 2491
Delta R.T. -0.028 min
Lab File: BN033071.D
Acq: 29 Jul 2024 17:13




Instrument :
BNA_N
ClientSampleId :
C0AW7RE


Tgt Ion:153 Resp: 2096
Ion Ratio Lower Upper
153 100
152 52.8 40.0 60.0
154 88.8 70.1 105.1



#12
Fluorene
Concen: 0.041 ng/ul
RT: 15.207 min Scan# 2699
Delta R.T. -0.037 min
Lab File: BN033071.D
Acq: 29 Jul 2024 17:13


Tgt Ion:166 Resp: 824
Ion Ratio Lower Upper
166 100
165 105.5 79.6 119.4
167 34.2 12.2 18.4#





#26
Benzo(a)pyrene
Concen: 0.072 ng/ul
RT: 23.171 min Scan# 41
Delta R.T. -0.091 min
Lab File: BN033071.D
Acq: 29 Jul 2024 17:13

Instrument :
BNA_N
ClientSampleId :
C0AW7RE



Tgt Ion:252 Resp: 4603
Ion Ratio Lower Upper
252 100
253 56.9 27.5 41.3#
125 57.1 27.0 40.6#

