

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN080918\
 Data File : BN002260.D
 Acq On : 09 Aug 2018 13:26
 Operator : JU/SJ
 Sample : J4301-03
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Aug 10 01:05:54 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN071318MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Aug 10 01:04:23 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	291714	20.00	ng/ul	0.00
18) Naphthalene-d8	10.46	136	1309175	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.32	164	728963	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.06	188	1435266	20.00	ng/ul	0.00
77) Chrysene-d12	21.26	240	1003656	20.00	ng/ul	0.00
85) Perylene-d12	23.49	264	977559	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.25	96	25542	3.95	ng/uL	0.00
5) Phenol-d5	6.86	99	575316	20.94	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.03	67	374396	22.37	ng/ul	0.00
9) 2-Chlorophenol-d4	7.22	132	461443	21.27	ng/ul	0.00
13) 4-Methylphenol-d8	8.39	113	473372	21.39	ng/ul	0.00
19) Nitrobenzene-d5	8.83	128	246251	22.71	ng/ul	0.00
22) 2-Nitrophenol-d4	9.55	143	262763	21.43	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.09	165	453328	20.42	ng/ul	0.00
29) 4-Chloroaniline-d4	10.60	131	627258	24.57	ng/ul	0.00
43) Dimethylphthalate-d6	13.73	166	1417470	22.94	ng/ul	0.00
46) Acenaphthylene-d8	14.01	160	1819101	23.67	ng/ul	0.00
51) 4-Nitrophenol-d4	14.53	143	185459	15.71	ng/ul	0.00
57) Fluorene-d10	15.32	176	1203457	22.65	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.44	200	170020	18.19	ng/ul	0.00
70) Anthracene-d10	17.16	188	1653434	23.63	ng/ul	0.00
78) Pyrene-d10	19.46	212	1491225	28.58	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.35	264	1174763	22.25	ng/ul	0.00

Target Compounds


				Ovalue	
6) Phenol	6.89	94	27905	1.012	ng/ul# 85
44) Dimethylphthalate	13.77	163	778682	12.866	ng/ul 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN080918\
Data File : BN002260.D
Acq On : 09 Aug 2018 13:26
Operator : JU/SJ
Sample : J4301-03
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Aug 10 01:05:54 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN071318MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Aug 10 01:04:23 2018
Response via : Initial Calibration





#6

Phenol

Concen: 1.012 ng/ul

RT: 6.89 min Scan# 664

Delta R.T. 0.00 min

Lab File: BN002260.D

Acq: 09 Aug 2018 13:26

Instrument :

BNA_N

ClientSampled :


Tot Ion: 94 Resp: 27905

Ion Ratio Lower Upper




94 100

65 30.7 21.0 31.6

66 48.0 29.3 43.9#



Abundance Ion 94.00 (93.70 to 94.70): BN0
Ion 65.00 (64.70 to 65.70): BN0
Ion 66.00 (65.70 to 66.70): BN0



#44

Dimethylphthalate

Concen: 12.866 ng/ul

RT: 13.77 min Scan# 1834

Delta R.T. 0.00 min

Lab File: BN002260.D

Acq: 09 Aug 2018 13:26


Tgt Ion:163 Resp: 778682

Ion Ratio Lower Upper

163 100

194 4.3 3.2 4.8

164 10.6 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E

