

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN080918\
 Data File : BN002275.D
 Acq On : 09 Aug 2018 22:18
 Operator : JU/SJ
 Sample : J4301-17
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 C0AF8

Manual Integrations
 APPROVED

Sohil
 8/10/2018 4:26:39 PM

Quant Time: Aug 10 02:33:56 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN071318MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Aug 10 02:01:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	270128	20.00	ng/ul	0.00
18) Naphthalene-d8	10.46	136	1146485	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.32	164	566946	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.06	188	1059372	20.00	ng/ul	0.00
77) Chrysene-d12	21.26	240	932639	20.00	ng/ul	0.00
85) Perylene-d12	23.49	264	982280	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.25	96	15730	2.63	ng/uL	0.00
5) Phenol-d5	6.86	99	314604	12.37	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.03	67	230981	14.90	ng/ul	0.00
9) 2-Chlorophenol-d4	7.22	132	276613	13.77	ng/ul	0.00
13) 4-Methylphenol-d8	8.39	113	232976	11.37	ng/ul	0.00
19) Nitrobenzene-d5	8.83	128	147413	15.52	ng/ul	0.00
22) 2-Nitrophenol-d4	9.55	143	151491	14.11	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.09	165	246616	12.68	ng/ul	0.00
29) 4-Chloroaniline-d4	10.60	131	278670	12.47	ng/ul	0.00
43) Dimethylphthalate-d6	13.73	166	766839	15.96	ng/ul	0.00
46) Acenaphthylene-d8	14.00	160	984975	16.48	ng/ul	0.00
51) 4-Nitrophenol-d4	14.54	143	65514m	7.14	ng/ul	0.00
57) Fluorene-d10	15.31	176	645942	15.63	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.44	200	78814	11.42	ng/ul	0.00
70) Anthracene-d10	17.16	188	870318	16.85	ng/ul	0.00
78) Pyrene-d10	19.46	212	872113	17.99	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.34	264	865658	16.32	ng/ul	0.00

Target Compounds				Ovalue
44) Dimethylphthalate	13.77	163	299269	6.358 ng/ul 100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN080918\
Data File : BN002275.D
Acq On : 09 Aug 2018 22:18
Operator : JU/SJ
Sample : J4301-17
Misc :
ALS Vial : 18 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
C0AF8

Quant Time: Aug 10 02:33:56 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN071318MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Aug 10 02:01:28 2018
Response via : Initial Calibration

Manual Integrations
APPROVED

Sohil
8/10/2018 4:26:39 PM





#44
 Dimethylphthalate
 Concen: 6.358 ng/ul
 RT: 13.77 min Scan# 1834
 Delta R.T. -0.01 min
 Lab File: BN002275.D
 Acq: 09 Aug 2018 22:18

Instrument :
 BNA_N
 ClientSampleId :
 C0AF8

Tot Ion	Ratio	Resp	Lower	Upper
163	100	299269		
194	4.4		3.2	4.8
164	9.8		7.8	11.8

Manual Integrations
 APPROVED

Sohil
 8/10/2018 4:26:39 PM

